

# Index

## A

*Actinidia spp.*, 73

Airborne inoculum

- detection, disease management decisions
  - disease symptoms, scouting for, 42
  - DNA extraction techniques, 42
  - electrostatic samplers, 44
  - epidemiological concepts, 40–41
  - Erysiphe necator* (see *Erysiphe necator*)
  - fungicide application, 40
  - hop downy mildew disease
    - forecaster, 40
  - isothermal amplification, 46–47
  - lateral flow immunoassays, 45
  - nucleic acid detection technologies, 40
  - passive sampling, 43
  - PCR approach, 45–46
  - sample collection and processing, 42
  - spore traps, 44–45
  - volumetric sampling, 43–44
- identification and quantification
  - air sampler, 5, 6
  - biosensors (see Biosensors)
  - culturing and microscopy, 7
  - DNA and protein arrays and microarrays, 9–10
  - electrochemical biosensors, 15
  - fluorescence and particle recognition systems, 7–8
  - genomics-based detection, 10
  - immunology-based/antibody-based detection methods, 10–12
  - spore concentrations, 6
  - spore dispersion, 4
  - SYield automated spore trap, 15–16

Air-borne sensors, 57

*Alternaria* species, 161–162

*Anoplophora*

*A. chinensis*, 141

*A. glabripennis*, 141, 142

Artificial neural networks (ANN), 64

*Aspergillus spp.*, 13

## B

Bacterial diseases

*Dickeya dianthicola*, 177–178

prokaryotic classification, 177

*Xanthomonas citri* pv. *citri*, 179–180

Banana streak virus (BSV), 28

Beet pseudo yellows virus (BPYV), 29, 30

Beet ringspot virus, 180

*Bemisia tabaci*, 181

BioloMICS software, 130

Biosecurity strategy. See Virtual diagnostic networks

Biosensors

antibody-coated nanoparticles, 14

operation and output stages, 13

surface plasmon resonance, 14

## C

*Chamaecyparis lawsoniana*, 172

Chimeric primer-initiated amplification of nucleic acids (ICAN), 46

Chrysovirus, 30

Collaborative diagnostics. See Virtual diagnostic networks

Cross-priming amplification (CPA), 47

Cucumber mosaic virus (CMV), 29, 30

Cytorhabdovirus, 30

**D**

- Dickeya dianthicola*, 177–178  
*Didymella ligulicola*, 174–175  
 DNA barcoding  
   bacteria, 124–126  
   fungi, 122  
   informatics and databases, 129–130  
   nematodes, 126  
   phytoplasmas, 128, 129  
   Q-arthropods, 122–124  
   viruses, 126–128  
*Dothistroma*  
   *D. pini*, 176–177  
   *D. septosporum*, 176–177  
 Double stranded RNA (dsRNA), 22, 23

**E**

- Electronic nose (e-nose), 58, 62  
 ELISA assay, 11  
 Enamovirus, 180  
 Endogenous rice tungro bacilliform virus  
   (ERTBV), 29  
*Erwinia chrysanthemi*, 177–178  
*Erysiphe necator*  
   ascospore release, 47–48  
   fungicide applications, 48  
   LAMP assay, 49  
   quantitative PCR methods, 48  
 European and Mediterranean Plant Protection  
   Organisation (EPPO), 168  
 European Food Safety Authority (EFSA), 169  
 Exponential amplification reaction  
   (EXPAR), 46

**F**

- Field testing. *See* On-site testing  
 Flock house virus, 33  
 Fluorescence imaging, 59–60  
 Forensic plant pathology  
   Biowarfare Convention, 106  
   chain of custody, 110  
   criminal attribution, 113  
   evidence interpretation, 113  
   human intervention, 108  
   microbial forensics applications  
     detection/diagnostic techniques, 111  
     pathogen detection assays, 111–113  
     real time PCR, 111  
     robust forensic microbial detection  
       assays, 111  
   sample collection, 110

- smuggling exotic plant, 106  
   statistical perspectives, 108–110  
   traceback strategies, 104  
   traditional plant disease diagnosis, 104–106  
   in United States, 107–108

**Fungal diseases**

- D. septosporum* and *D. pini*, 176–177  
*Stagonosporopsis chrysanthemi*, 174–175  
*Fusarium* head blight, 59  
*Fusariumoxy oxysporum*  
   IGS sequences, 160  
   molecular methods, 159  
   phylogenetic analysis, 161  
   real-time PCR, 159–160  
   sequence-specific amplified polymorphism  
     analysis, 161  
 Fusarium wilts, 159

**G**

- Gas chromatography, 62  
 Genomic subtraction, 34  
 Geographic information systems (GIS), 56  
 Grape powdery mildew. *See* *Erysiphe necator*

**H**

- Helicase dependent amplification (HDA), 46  
 Hirst spore traps, 5  
 Human immunodeficiency virus (HIV), 24  
 Human pathogens on plants (HPOPs)  
   biosensor-based techniques, 97–98  
   culture-based methods, 91–93  
   detection, 91  
   DNA microarrays, 96–97  
   foodborne pathogens, 91  
   mechanisms and interactions, 88  
   microbial contamination, 89  
   microflora background, 90  
   next-generation sequencing, 97  
   nonhomogeneous distribution, 90–91  
   PCR-based methods  
     conventional and multiplex  
       PCR, 93–94  
     LAMP, 96  
     real-time PCR, 94–96  
   perishable samples, 90  
 Hyperspectral sensors, 61

**I**

- Inoculum detection. *See* Airborne inoculum  
 Internal transcribed spacers (ITS), 122

International Committee for the Taxonomy of viruses (ICTV), 180  
 International Plant Diagnostic Network (IPDN), 152  
 International Plant Protection Convention (IPPC), 168, 169  
 International Standards for Phytosanitary Measures (ISPM), 168, 170  
 IPDN. *See* International Plant Diagnostic Network (IPDN)

**L**

Lateral flow devices (LFD), 11–12, 136–137, 144  
 Latex agglutination tests, 136, 137  
*Leptosphaeria maculans*, 5  
 Lettuce big-vein associated virus (LBVaV), 29, 30  
 Lettuce infectious yellows virus (LIYV), 29, 30  
 LFD. *See* Lateral flow devices (LFD)  
 Loop mediated isothermal amplification (LAMP), 47, 49, 96

**M**

Mirafiori lettuce virus (MiLV), 29, 30  
 Monoclonal antibodies (mAb), 10

**N**

National Institute for Microbial Forensics & Food and Agricultural Biosecurity (NIMFFAB), 108  
 National Plant Diagnostic Network (NPDN), 152  
 National plant protection organisations (NPPO), 169, 170  
 Near infrared (NIR), 60, 61  
 Nematodes  
   DNA barcoding, 126, 127  
   PCN, 182–183  
   *Xiphinema americanum* group, 183–184  
 Next generation sequencing (NGS), 10, 21  
 Nicking enzyme amplification reaction (NEAR), 46  
 Nicking enzyme-mediated amplification (NEMA), 46  
*Nicotiana benthamiana*, 27  
 Non-optical sensors, 62–63  
 NPDN. *See* National Plant Diagnostic Network (NPDN)  
 Nucleic acid sequence based amplification (NASBA), 46

**O**

On-site testing  
   identification process  
     isothermal amplification, 138–139  
     LAMP method, 138–140, 144  
     latex agglutination, 136, 137  
     LFD, 136–137, 144  
     portable real-time PCR, 137, 138  
   surveillance tools  
     acoustic methods, 142  
     remote imaging, 142  
     sniffing method, 140–142  
     traps, 143  
     visual assessment, 142–143

**P**

Papaya ring spot virus (PRSV), 29, 30  
*Penicillium* spp, 13  
 Pepino mosaic virus, 34  
*Peronospora tabacina*, 41  
 Pest management. *See* Plant disease management  
 Pest risk analysis (PRA), 169–170  
 Pest risk assessment  
   bacterial diseases  
     *Dickeya dianthicola*, 177–178  
     prokaryotic classification, 177  
     *Xanthomonas citri* pv. *citri*, 179–180  
   fungal diseases  
     *D. septosporum* and *D. pini*, 176–177  
     *Stagonosporopsis chrysanthemi*, 174–175  
   nematodes  
     PCN, 182–183  
     *Xiphinema americanum* group, 183–184  
 phytophthora diseases, 172–174  
 plant health legislation  
   European protective measures, 168–169  
   international regulatory framework, 168  
 plant health regulation  
   diagnosis, definition of, 169  
   diagnostic protocols, 170–171  
   ISPM, 170  
   NPPO, 169, 170  
   pest, definition of, 169  
   phytosanitary measures, 170  
   PRA, 169–170  
   taxonomic and nomenclature changes, 171  
 viruses and viroids  
   beet ringspot virus, 180  
   *Bemisia tabaci*, 181  
   enamovirus, 180

- Pest risk assessment (*cont.*)  
 exotic viruses, 181  
 pospiviroids, 181–182  
 TBRV, 180  
 tospoviruses, 180, 181
- Petunia vein clearing virus (PVCV), 29
- Phymatotrichopsis omnivora*, 142
- Physalis foridiana*, 27
- Physcomitrela patens*, 28
- Phytophthora*  
*P. fragariae*, 173–174  
*P. ramorum*, 172–173
- Phytophthora diseases, 172–174
- Plant disease management  
 diagnostic networks (*see* Virtual diagnostic networks)  
 diagnostic systems  
 early detection and accuracy, 150  
 prevention, 149–150  
 response and recovery, 150–151  
 plant health, 148–149
- Plectosphaerella*, 162
- Polyclonal antibodies (pAb), 10
- Populus trichocarpa*, 28
- Pospiviroids, 181–182
- Potato virus T (PVT), 27
- Principal component analysis (PCA), 64
- Propidium monazide (PMA), 96
- Proximal sensing  
 active sensors, 58  
 applications, 64–65  
 data analysis, 63–64  
 fluorescence measurements, 59–60  
 non-optical sensors, 62–63  
 passive sensors, 58  
*vs.* remote sensing, 56–57  
 spectral sensors, 60–62  
 thermography, 58–59
- Pseudomonas syringae* pv. *actinidiae* (Psa)  
 detection, 75–76  
 genetic diversity, 74  
 geographic distribution, 72  
 identification  
 and detection, 75–76  
 methods, 73–74  
 molecular strain analysis, 80–81  
 New Zealand kiwifruit samples  
 large-scale testing, 77–78  
 qPCR test, 78–80, 83  
 next-generation sequencing, 81–82  
 and strain characterisation, 83  
 taxonomy, 73  
 whole genome sequences, 83
- Pseudoperonospora humuli*, 40
- Q**  
 Q-arthropods, 122–124  
 Q-bank, 120  
 QBOL project  
 coordination and management, 121  
 diagnostic tools, 121  
 dissemination, 131  
 DNA banks, 128–129  
 DNA barcoding  
 bacteria, 124–126  
 fungi, 122  
 ioinformatics and databases, 129–130  
 nematodes, 126, 127  
 phytoplasmas, 128, 129  
 Q-arthropods, 122–124  
 viruses, 126–128  
 Q-species identification, 121  
 strategic approaches and methodologies, 121  
 validation/evaluation, 130–131  
 Q-phytoplasmas, 128
- R**  
 Ray blight disease, 174–175  
 Real-time polymerase chain reaction  
 forensic plant pathology, 111  
*Fusariumoxysporum*, 159–160  
 human pathogens on plants  
 limit of detection, 95  
*L. monocytogenes*, 95  
 messenger RNAs, 96  
 PMA treatment, 96  
*Salmonella*, 94
- Recombinase polymerase  
 amplification (RPA), 46
- Remote sensing, 56–57
- Reverse transcribing viruses, 27–29
- Rhynchohorus ferrungineus*, 142
- Rice ragged stunt virus (RRSV), 29, 30
- RNA induced silencing complex (RISC), 23
- S**  
 Sanitary and Phytosanitary (SPS)  
 Agreement, 168
- Seedborne pathogens  
*Alternaria* species, 161–162  
 BIO-PCR, 158  
 detection methods, 158  
*Fusariumoxysporum*  
 IGS sequences, 160  
 molecular methods, 159

- phylogenetic analysis, 161
    - real-time PCR, 159–160
    - sequence-specific amplified polymorphism analysis, 161
  - Fusarium wilts, 159
  - Plectosphaerella*, 162
  - selective media, 158
  - Verticillium dahliae*, 161
  - visual examination, 158
  - Sequence-specific amplified polymorphism analysis (SSAP), 161
  - Short wave infrared (SWIR), 60, 61
  - Signal-mediated amplification of RNA technology (SMART), 46
  - Single-stranded RNA (ssRNA), 23
  - Small interfering RNAs (siRNAs), 23
  - Small RNA sequencing and assembly (sRSA)
    - alignment/mapping of sequences, 33
    - antiviral RNA silencing, 22, 23
    - badnaviruses, 24
    - benefit, 22–23
    - defective interfering DNA/RNA molecules, 33
    - de novo assembly, 33
    - genomic subtraction, 34
    - HIV and mycoplasma, 24
    - homology independent computational algorithm, 34
    - library preparation protocols, 31–32
    - mixed infections, 33
    - plant species, virus sequence database, 24–27
      - BPVY, 29, 30
      - chrysovirus, 30
      - CMV, MiLV, LBVaV and RRSV, 29, 30
      - cytorhabdovirus, 30
      - LIYV, 29, 30
      - PRSV, 29, 30
      - PVT, 27
      - reverse transcribing viruses, 27–29
      - totivirus, 30
      - TuYV, 29–30
    - sample contaminations, 33
    - sample preparation, effects of, 31
    - SPFMV genome structure, 32
  - Smart amplification (Smart-AMP), 47
  - Solanum tuberosum*, 27
  - Spectral angle mapper (SAM), 64
  - Spectral sensors, 60–63
  - Spectral vegetation indices (SVIs), 63–64
  - sRSA. *See* Small RNA sequencing and assembly (sRSA)
  - Stagonosporopsis chrysanthemi*, 174–175
  - Strand displacement (SDA), 46
  - Sudden oak death (SOD), 172
  - Support vector machines (SVM), 64
  - Surface plasmon resonance (SPR), 14
  - Sweet potato feathery mottle virus (SPFMV), 32
  - Sweet potato leaf curl virus, 35
- T**
- Terahertz spectroscopy, 62
  - Terminal restriction fragment length polymorphism (TRFLP), 5
  - Test-performance study (TPS), 130
  - Thermography, 58–59, 63
  - Tobacco vein clearing virus (TVCV), 28–29
  - Tomato black ring virus (TBRV), 180
  - Tospoviruses, 180, 181
  - Totivirus, 30
  - Transcription mediated amplification (TMA), 46
  - Turnip yellows virus (TuYV), 29–30
- U**
- Unmanned aerial vehicles (UAVs), 56
- V**
- Venturia inaequalis*, 60
  - Verticillium dahliae*, 161
  - VIPDN. *See* Virtual international plant diagnostic network (VIPDN)
  - Virtual diagnostic networks
    - coordination of diagnostic efforts, 153
    - data sharing and information security, 153–154
    - diversity of clientele, 152–153
    - Global Plant Clinic, 152
    - IPDN, 152
    - NPDN, 152
    - plant diagnostic systems
      - early detection and accuracy, 150
      - prevention, 149–150
      - response and recovery, 150–151
    - VIPDN, 154
  - Virtual international plant diagnostic network (VIPDN), 154
  - Volatile organic compounds (VOCs), 62, 140–142

**W**

- Whole genome amplification (WGA), 129
- Whole genome sequences, 83
- Wood boring pest detection methods, 142

**X**

- Xanthomonas, 124
- Xanthomonas citri* pv. *citri*, 179–180
- Xiphinema americanum*, 183–184