

Index

A

- Absolute value, 11
- Algebraic operators, 9
- Algebra with time objects, 285
- all, 75
- and, 75
- any, 75
- append, 76, 112
- Array module, 207
 - append, 211
 - array, 207
 - count, 212
 - extend, 212
 - frombytes, 212
 - fromlist, 212
 - fromstring, 212
 - index, 212
 - insert, 212
 - pop, 212
 - remove, 212
 - reverse, 211
 - tobytes, 212
 - tolist, 212
 - tostring, 212
 - typecode, 212
- ASCII, 138

B

- Beta distribution, 205
- Bisect module, 214
 - bisect, 214
 - bisect_left, 214
 - bisect_right, 214
 - insort, 214
 - insort_left, 214
 - insort_right, 214
- Boolean, 16
- break, 31
- buffer_info, 211

Built-in module, 62

- bytearray, 157
 - decode, 157
 - encode, 157
- bytes, 157
 - decode, 157
 - encode, 157
- byteswap, 211

C

- calendar, 287
 - firstweekday, 287
 - formatmonth, 288
 - formatyear, 289
 - isleap, 293
 - itermonthdates, 292
 - itermonthdays, 293
 - iterweeks, 292
 - leapdays, 293
 - month, 293
 - monthcalendar, 293
 - monthdayscalendar, 290
 - monthdays2calendar, 290
 - prcal, 294
 - prmonth, 287
 - prmonthrange, 295
 - pryear, 288
 - TextCalendar, 287
 - timegm, 295
 - setfirstweekday, 293
 - weekday, 293
 - weekheader, 293
 - yeardatescalendar, 290
 - yeardayscalendar, 290
 - yeardays2calendar, 290
- chr, 155
- class, 232
 - attribute, 235
 - __class__, 238

- class (*cont.*)
 - `__doc__`, 238
 - `docstring`, 238
 - `__init__`, 236
 - instantiation, 235
 - method, 235
 - `__str__`, 238
- `clear`, 121
- Command line execution, 262
- complex, 11
- comprehension, 86
- `continue`, 31
- Coordinated Universal Time, 265
- `copy`, 121
- `count`, 109

- D**
- datetime module, 274
 - `date`, 274
 - `ctime`, 274
 - `fromordinal`, 274
 - `isoformat`, 276
 - `isoweekday`, 274
 - `max`, 276
 - `min`, 276
 - `resolution`, 276
 - `timetuple`, 274
 - `today`, 274
 - `toordinal`, 274
 - `weekday`, 274
 - `datetime`, 276
 - `ctime`, 280
 - `date`, 280
 - `fromordinal`, 279
 - `isocalendar`, 280
 - `isoformat`, 280
 - `isoweekday`, 280
 - `max`, 280
 - `min`, 280
 - `now`, 278
 - `resolution`, 280
 - `strptime`, 280
 - `struct_time`, 279
 - `time`, 280
 - `timestamp`, 280
 - `timetuple`, 279
 - `tm_yday`, 279
 - `today`, 277
 - `toordinal`, 279
 - `utcnw`, 277
 - `utctimestamp`, 280
 - `utctimetuple`, 279
 - `weekday`, 280
 - `time`, 274
 - `dst`, 276
 - `frontimestamp`, 274
 - `isoformat`, 276
 - `max`, 277
 - `min`, 277
 - `replace`, 276
 - `strftime`, 276
 - `time`, 274
 - `timedelta`, 280
 - `max`, 282
 - `min`, 280
 - `total_seconds`, 281
- `decorator`, 327
- `del`, 112
- `delattr`, 240
- dictionary
 - `fromkeys`, 125
 - `get`, 124
 - `items`, 125
- Distribution function, 203
 - `beta`, 205
 - `exponential`, 205
 - `gammavariate`, 205
 - `lognormal`, 205
 - `normal`, 205
 - `pareto`, 205
 - `triangular`, 205
 - `uniform`, 205
 - `von mises`, 205
 - `weibull`, 205
- `docstring`, 238

- E**
- `elif`, 35
- `else`, 35
- `enumerate`, 81
- `epoch`, 265
- `eval`, 77, 78
- Exponential distribution, 205
- `extend`, 112

- F**
- `False`, 26
- File
 - `close`, 190
 - `closed`, 190
 - `formatting`, 178
 - `modes`, 188
 - `open`, 190
 - `print`, 175
 - `read`, 190
 - `readline`, 191
 - `seek`, 192
 - `tell`, 192

filter, 85
 filtering, 316

- compress, 316
- dropwhile, 317
- filterfalse, 317
- takewhile, 317

 float, 16
 Floating point number, 146

- as_integer_ratio, 147
- float, 147
- fromhex, 149
- hex, 148
- is_integer, 147
- representation, 182
- round, 149

 Flow chart, 24
 for, 75
 format, 182
 Formation of iterator, 325
 Formatting, 178

- escape sequences, 177

 frombytes, 157
 frozenset, 122
 Function, 41
 Functions with attributes, 239
 functools, 329

- partial, 332
- reduce, 333
- single dispatch, 330

 total_ordering, 329

G

Gammavariate distribution, 205
 generator, 86, 320

- yield, 320
- yield from, 324

 Generic methods, 305

- attrgetter, 307
- itemgetter, 306
- methodcaller, 307

 getattr, 239
 global, 50

H

hasattr, 240
 Hashing, 88
 heapq module, 216

- heapify, 216
- heappop, 216
- heappush, 220
- heappushpop, 220
- heapreplace, 220
- merge, 220
- nlargest, 220

nsmallest, 220
 Hyperbolic functions, 63

I

id, 232
 Identifier, 7
 if, 21
 imag, 11
 imp, 54
 import, 54
 in, 123
 index, 109
 Inheritance, 247
 Inplace operators, 307

- iadd, 307
- iconcat, 307
- ifloordiv, 307
- ilshift, 307
- imod, 307
- imul, 307
- ior, 307
- ipow, 307
- irshift, 307
- isub, 307
- itruediv, 307
- ixor, 307

 input, 89
 insert, 114
 Instantiation, 235
 int, 12
 Integer, 145

- bin, 146
- frombytes, 163
- hex, 145
- int, 146
- oct, 146
- radix, 146
- round, 146
- tobytes, 212

 is, 27
 Isdisjoint, 123
 is not, 29
 ISO 8601, 265
 issubset, 123
 Itemsize, 211
 Iter, 78
 Iterative routine, 31
 iterator, 78
 iterator formation, 325
 iterator functions, 81
 itertools, 308

- accumulate, 310
- chain, 311
- chain.from_iterable, 312

- itertools (*cont.*)
 - combinations, 312
 - combinations_with_replacement, 312
 - count, 308
 - cycle, 315
 - fillvalue, 315
 - islice, 314
 - permutations, 313
 - product, 315
 - repeat, 310
 - starmap, 315
 - tee, 316
 - zip_longest, 315
- K**
- key, 73
- Keywords, 7
- L**
- list, 72, 73
- len, 74
- Logical operators, 14
- Log normal distribution, 205
- M**
- math module, 62
 - exponential functions, 62
 - trigonometric functions, 63
- max, 109
- Method, 99
- Method resolution order* (mro), 252
- min, 109
- module, 52
- Multiple inheritances, 249
 - super, 252
- N**
- Nested functions, 47
- Nested scope, 50
- next, 80
- nonlocal, 50
- Normal distribution, 205
- not in, 123
- Number representation, 144
 - conversion, 144
- O**
- Object, 232
- operator module, 301
 - and, 304
 - concat, 304
 - contains, 304
 - countof, 304
 - delitem, 305
 - getitem, 304
 - inverse, 304
 - is, 302
 - is_not, 302
 - le, 302
 - lshift, 304
 - lt, 301
 - ne, 302
 - neg, 302
 - not, 302
 - or, 302
 - pos, 302
 - rshift, 304
 - setitem, 305
 - truth, 304
 - xor, 304
- Operators with sequence, 75
- or, 75
- Ord, 165
- Overloading, 242
 - in basic python, 246
- P**
- Pareto distribution, 203
- partial, 332
- pass, 241
- pop, 114
- pOW, 11
- Print, 16
 - format, 182
 - formatting, 179
- Program structure, 19
- Pseudo-code, 22
- R**
- random module, 199
 - choice, 201
 - gaus, 203
 - getrandbits, 199
 - getstate, 203
 - randint, 201
 - random, 199
 - randrange, 201
 - randseed, 203
 - sample, 201
 - seed, 199
 - setstate, 203
 - shuffle, 201
 - uniform, 202
 - urandom, 203
- Random number generator, 203
- range, 29
- real, 11

- Recursion, 46
- reduce, 333
- Reduction function, 333
- reload, 54
- remove, 114
- repr, 16
- return, 41
- reverse, 103
- Reversing, 103
- S**
- set, 73
 - add, 119
 - difference, 120
 - discard, 121
 - extend, 118
 - intersection, 120
 - intersection_update, 122
 - keys, 125
 - operations, 115, 124
 - popitem, 128
 - remove, 119
 - setdefault, 128
 - sorted, 125
 - symmetric_difference, 121
 - union, 120
 - update, 122, 125
 - value, 125
- setattr, 240
- single dispatch, 330
- slice, 102
- Slicing, 99
 - indexing, 100
- sort, 104
- sorted, 104
- Sorting, 104
- statistics module, 205
 - mean, 206
 - median, 205
 - median_grouped, 206
 - median_high, 206
 - median_low, 206
 - mode, 206
 - psddev, 206
 - pvariance, 206
 - stdev, 206
 - variance, 206
- string, 69
 - capitalise, 143
 - casefold, 143
 - center, 143
 - endswith, 149
 - find, 156
 - index, 156
 - isalpha, 149
 - isalnum, 151
 - isdecimal, 151
 - isdigit, 151
 - isidentifier, 151
 - islower, 151
 - isnumeric, 151
 - isprintable, 151
 - isspace, 151
 - isupper, 151
 - itle, 151
 - join, 143
 - just, 143
 - ljust, 143
 - lstrip, 155
 - module, 166
 - operations, 141
 - partition, 155
 - replace, 155
 - rfind, 156
 - rindex, 156
 - rjust, 143
 - rpartition, 156
 - rstrip, 155
 - split, 151
 - startswith, 149
 - strip, 153
 - swapcase, 156
 - zfill, 156
- sum, 77
- super, 252
- T**
- Time interval, 280
- timeit module, 295
 - repeat, 296
 - timeit, 295
 - timer, 296
- time module, 267
 - asctime, 269
 - asctime, 269
 - ctime, 271
 - get_clock_info, 273
 - gmtime, 271
 - localtime, 271
 - mktime, 271
 - monotonic, 269
 - perf_counter, 270
 - process_time, 270
 - strptime, 271
 - strptime, 269
 - struct_time, 269
 - time, 267
 - timezone, 269

- timezone flag, [267](#)
- tzname, [269](#)
- Time standard, [265](#)
 - dst, [276](#)
- tobytes, [212](#)
- Top down approach, [23](#)
- total_ordering, [329](#)
- Triangular distribution, [205](#)
- True, [16](#)
- tuple, [71](#)
- TypeError, [79](#)
- tz, [283](#)
 - tzinfo, [282](#)
 - tzname, [282](#)

U

- Unicode, [137](#)
 - chr, [165](#)
 - code point, [137](#)
 - coding, [138](#)

- decoding, [138](#)
- encoding, [138](#)

- Uniform distribution, [205](#)
- UTC, [265](#)
 - date and time representation, [266](#)
- UTF-8, [138](#)

V

- value, [73](#)
- Variable, [7](#)
- Von mises distribution, [205](#)

W

- Weibull distribution, [205](#)
- while, [19](#)

Z

- Zip, [84](#)