

# INDEX

## A

AC, *see* Air conditioning  
Aesthetics, 33, 109, 133, 196  
Africa, 3, 46, 86, 192  
Agricultural wastes, 161  
Air conditioning (AC), 2, 3, 7, 9, 10,  
24, 30, 40, 44, 53, 54, 61, 63, 64,  
85, 88, 93, 100, 106, 152, 155,  
163, 182, 192  
Airflow, 28, 30, 40, 121, 127, 131, 133,  
140  
Air pollution, 7, 8, 10, 86, 88, 89, 112,  
122, 137, 139–142, 147, 193  
American Society of Heating,  
Refrigerating and Air-Conditioning  
Engineers (ASHRAE), 17, 27,  
34, 55

## B

Bangalore, 85  
Behavioural changes, 3, 109

Benchmarks, 13, 41, 45, 52, 55,  
56, 59  
Best practice, 23–34, 55, 151  
Biodiversity, 7, 69, 90, 95, 181  
Blue-green infrastructure, 88, 89, 95,  
96  
BREEAM, *see* Building Research  
Establishment Environmental  
Assessment Method  
Breezeway network patterns, 122, 123,  
130–133  
Building  
codes, 48, 59, 60, 107, 121  
configurations, 87, 121  
disposition, 121  
envelope, 25, 28, 29, 54, 60, 99  
forms, 37, 43, 46, 49, 90, 92–94, 99,  
121, 132, 145  
orientation, 61, 88, 98, 121, 132  
structures, 108  
Building coverage ratio, 123, 144,  
148n2

Note: Page numbers followed by “n” refers to note.

© The Author(s) 2018

A. Cheshmehzangi, C. Butters (eds.), *Designing Cooler Cities*,  
Palgrave Series in Asia and Pacific Studies,  
<https://doi.org/10.1007/978-981-10-6638-2>

199

- Building Research Establishment  
Environmental Assessment Method  
(BREEAM), 24, 33, 55, 57, 194
- C**
- Carbon footprint, 43, 106, 115, 122,  
186, 187, 197
- CASBEE, 33, 55, 194
- China, xii, 3, 8, 13, 23, 56, 86, 105,  
137, 158, 186
- Chinese Ministry of Housing and  
Urban-Rural Development  
(MOHURD), 33
- City  
blocks, 89, 105, 106, 109, 111, 142,  
176, 178, 181  
developments, 15, 62, 106–109, 181,  
186, 187  
drainage systems, 115  
energy solutions, 109  
patterns, 119
- Climate  
agenda, 193  
impacts, 12, 62, 106, 114  
responsive design, 25, 38, 40, 41, 47,  
53, 62, 106, 196
- Climatology, 23, 47, 139, 140, 147,  
192
- Coarse breezeway network, 125–127
- Cogeneration, 161–164, 167
- Colombo, 37–49
- Comfort demands, 109
- Comfort need, 39
- Community  
layout, 92  
life, 87  
living, 100  
setting, 87
- Compact city, 8, 87, 178, 183  
planning, 196
- Computational fluid dynamics (CFD)  
modelling, 32  
simulations, 28, 123
- Computational domain, 123
- Computational modelling, 28
- Computational settings, 123
- Cooler buildings, 33, 51–64, 174
- Cooler cities, xii, 17, 52, 59, 64, 86, 88,  
106, 109, 116, 167, 173–185, 191,  
193, 194
- Cooler indoor environment, 198
- Cooler layout, 199
- Cooling effects, 7, 11, 40, 41, 70, 90,  
96, 114, 122
- Cooling performance, 28, 30, 33, 59, 98
- Courtyards, 41–43, 46, 47, 92–94, 96,  
100, 112, 113, 179
- D**
- Discomfort, 10, 40, 87, 109, 119, 120
- District cooling (DC), 7, 11, 15, 62, 63,  
105, 106, 109, 114–116, 151–168,  
182, 183, 189, 196
- District energy systems, 6, 7, 15, 63,  
115, 151–153, 155, 165
- Dry bulb temperatures, 38, 40
- Dynamics of change, 194
- E**
- Eco-city, 184, 187
- Ecological impacts, 101, 115
- Eco-village, 85
- Electricity, 11, 32, 45, 48, 49, 52, 53,  
56, 61, 85, 114, 152, 155, 158,  
160–163, 184
- ELITH, *see* Energy and Low-Income  
Tropical Housing
- Embodied carbon, 13, 57, 58, 115,  
186, 197

- Embodied energy (EE), 6, 8, 12–14, 32, 48, 52, 53, 56, 58, 96, 98, 106, 114, 186, 187, 191
- Energy  
behaviour, 6, 16, 46, 52, 54  
consumption, 5, 10, 33, 40, 59, 86, 87, 90, 114, 116, 120, 160  
gap, 86  
management, 160  
planning, 11, 14, 62, 151, 160, 165, 166, 174  
policy, 16, 116, 152, 153, 161, 166–168  
prices, 10, 158, 160  
production, 28, 32, 46, 153, 183  
security, 153, 158, 162  
sources, 152, 153, 161  
supply, xii, 7, 12, 14, 160, 174, 189  
use, 2, 3, 5, 6, 8, 9, 12–17, 25, 27, 30, 32, 33, 41, 46, 51, 52, 54, 57, 58, 63, 70, 85, 106, 107, 152, 159, 167, 179, 181, 184, 186, 188, 191–193
- Energy and Low-Income Tropical  
Housing (ELITH), 51, 53–56, 58, 59, 105
- Energy efficient buildings, xii, 3, 52, 53
- Energy management system, 44
- Europe, 5, 8, 12, 13, 27, 32, 52, 57, 58, 63, 90, 109, 153, 165, 178, 187, 194, 195
- European city, 8, 109, 181
- Evaporative cooling, 6, 47, 100, 183
- F**  
*Feng shui*, 138
- Floor area ration (FAR), 107, 108, 110, 144, 148n2, 178, 187
- G**  
Garden cities, 8, 174, 187  
GI, *see* Green infrastructures  
Globe temperature, 72, 73  
Green buildings, 2, 24, 33, 34, 125, 195  
Greenhouse gas emissions, 6, 23, 49, 58, 152, 157, 162  
Greenification, 138  
Green infrastructures (GI), 7, 69–80, 87–89, 191  
Green roofs, 11, 115, 138  
Gross plot ratio (GPR), 123, 132  
Groundwater, 90, 95  
Guiyang, 138, 141, 142, 145–147
- H**  
Health, 1, 2, 7, 10, 24, 33, 43, 57, 64, 87, 88, 98, 106, 109, 116, 139, 142, 152, 163, 181, 187, 188, 192, 193, 197  
Healthy building products, 193  
Healthy urban environments, 192  
Heat exchangers, 115, 153, 155  
Heating, ventilation and air conditioning (HVAC) systems, 9, 24, 30  
High density, 3, 87, 94, 107, 119, 145–147, 164, 178, 179, 187  
High-rise residential, 87, 106, 108  
Hot-humid climate, 6, 14, 23–34, 38, 45–47, 53, 63, 151, 158, 166, 179  
Human  
activity, 137, 144  
comfort, 23, 38, 86, 138, 192  
factors, 193  
scale, 8, 9, 90  
HVAC systems, *see* Heating, ventilation and air conditioning systems

**I**

India, 85, 187  
 Indoor comfort, 5, 33, 61  
 Industrial ecology, 15, 166  
 Informal settlements, 85, 87, 101, 176  
 Integrated urban design, 105–116

**K**

KLCC, *see* Kuala Lumpur City Centre  
 Kuala Lumpur Airport, 164  
 Kuala Lumpur City Centre (KLCC),  
 160, 162  
 Kyoto protocol, 23

**L**

Latin America, 192  
 Leadership in Energy and  
 Environmental Design (LEED), 24  
 Light filtration, 76–78  
 Low carbon cities, 193, 197  
 Low-cost buildings, 192  
 Low-dense, 8, 187, 188, 191, 196  
 Low emission, 192  
 Low-rise, 8, 9, 87, 88, 90, 94, 101,  
 108, 111–114, 116, 178, 179,  
 183, 188, 189  
 Low temperature energy, 152  
 Lux, 73, 75, 77, 79

**M**

Malaysia, 15, 25, 151  
 Megacities, viii, 2, 3, 8, 15, 179, 184  
 Microclimates, xii, 2, 6, 7, 25, 37, 38,  
 41–43, 62, 78, 85–101, 107, 109,  
 115, 140, 174, 175, 181, 196  
 Mixed use, 86, 107, 184, 185, 187, 195  
 MOHURD, *see* Chinese Ministry of  
 Housing and Urban-Rural  
 Development

**N**

National Housing Authority (NHA),  
 56–59, 61  
 Natural  
 daylighting, 27, 28, 53, 87, 114,  
 176  
 environment, 10, 95, 109, 139  
 source, 10, 153–158  
 ventilation, 11, 24, 25, 27, 28, 30, 33,  
 38, 47, 62, 87, 90, 93, 98, 112,  
 120–122, 125, 126, 128, 129,  
 139, 179, 183  
 Ningbo, 9, 105, 158, 178  
 North America, 8, 155, 194

**O**

Operational energy, 6, 12, 13, 52, 58,  
 179, 186

**P**

Passive cooling design, 96, 98–100,  
 174, 176, 196  
 Passive cooling strategies, 27, 196  
 Passive design solution, 47  
 Passivhaus, 27, 59, 63, 167, 183  
 Patterns of behaviour, 70  
 Pedestrian  
 ventilation, 125, 127–131  
 wind velocity, 125  
 Persian Gulf States, 177  
 Photovoltaic (PV), 28, 29, 32, 41,  
 43–45, 49, 53, 99, 106, 114, 166,  
 183, 188  
 Plus-energy, 183, 188  
 Polygeneration, 167  
 Predicted Mean Vote (PMV) model,  
 71  
 Prevailing breeze, 6, 110, 112, 176  
 Public health, vii, 1, 109, 116, 152, 181,  
 187

**R**

Rainwater harvesting, 90  
 Regulatory plan, 144–146  
 Relative humidity, 25, 38, 69, 120  
 Renewables, 3, 6, 7, 12, 13, 28, 32,  
     42, 44, 45, 48, 49, 53, 54, 56,  
     63, 106, 152, 153, 161, 165,  
     182, 183, 196  
 Resultant emission, 153

**S**

Sanitation, 87, 176  
 SC, *see* Surface coverage  
 Shenzhen, 23, 27, 28, 30, 33  
 Singapore, xii, 69, 70, 72, 73, 80, 119,  
     120, 123, 131, 132, 158  
 Site infrastructures, 115  
 Skylights, 96, 99  
 Slums, 2, 9, 17, 57, 85, 87, 101,  
     188  
 Solar  
     access, 99, 166, 183  
     roofs, 43, 114  
     systems, 114, 183  
 Solitary trees, 72, 79, 80  
 Spatial layouts, 92, 166  
 Sri Lanka, xii, 37–39, 41, 45, 46, 48,  
     49, 53  
 Staggering, 88, 123, 128, 129  
 Stratification, 155  
 Street canyon geometry, 89, 121  
 Superblocks, 178  
 Surface coverage (SC), 107, 108, 178  
 Surface parking, 115  
 Sustainability, 3, 9, 100, 101, 107, 177,  
     184, 187, 192–194  
 Sustainable  
     cities, 1, 188, 194  
     development, 1, 3, 48, 86, 164, 167,  
     194, 195, 197  
     technologies, 27, 30, 32

**T**

Technological innovation, 193, 194  
 TES, *see* Thermal energy storage  
 Thailand, xii, 3, 8, 51  
 Thermal  
     comfort standards, 71  
     performance, 41, 48, 49, 56, 61, 71,  
     72, 76–78, 99  
     variables, 73, 75  
 Thermal energy storage (TES), 162, 163  
 Traditional city, 178  
 Traditional principles, 192  
 Traffic congestion, 87  
 Tree  
     arrangement, 71  
     canopy, 76  
     shade, 70, 71, 76, 79  
     specimens, 71, 72, 74  
 Triple bottom line, 194  
 Tropical Asia, 109, 119, 133  
 Tropical city, 109, 119, 122, 133, 173

**U**

UHI, *see* Urban heat island  
 Underground parking, 109, 110, 115,  
     181, 186  
 Urban  
     atmosphere, 137  
     canyons, 70, 120  
     density, 87, 101, 121, 178, 184, 191  
     design, 62, 105, 122, 146, 197  
     designers, 122  
     form, 8, 86, 87, 107, 173  
     growth, 1, 167  
     housing, 2  
     microclimate, 7, 62, 107, 181  
     models, 123, 125  
     morphometry, 121  
     parks, 69, 109, 138, 176, 181  
     poor, 2  
     thermal comfort, 132

Urban (*cont.*)  
transformation, 143  
ventilation, 86, 88, 119–133, 138,  
139, 141, 146, 148n3, 176  
wind corridor, 137–147  
Urban heat island (UHI), 2, 7, 54, 57,  
69, 86, 106, 119, 137, 142, 152,  
168, 189, 191, 192, 196  
Urbanisation, 1, 2, 57, 69, 137, 176  
Urban Wind Planning, 138–141,  
145–147

**V**

Variable Air Volume (VAV), 44

Vernacular, xii, 7, 14, 45–47, 54, 87,  
90, 96–98, 100, 179, 192

**W**

Waste heat, 7, 10, 11, 15, 115, 116,  
137, 153, 161, 162, 166, 183, 184,  
188

Water

collection, 94, 95  
recycling, 95  
runoff, 89

Wellbeing, 1, 7, 10, 173

Wind permeability, 121, 122

Wind velocity, 72, 73, 125