

Symbol Index

A

ABCP, 141
ABM, 51, 114
ACT, 122, 129
AdaBoost, 47, 106
Adam, 99
AGN, 192
AI, 229
AlexNet, 93
ANN, 208, 216
AP, 60, 141
ARD, 130

B

BagGP, 105
BCE, 97
BM, 51, 114
BoostGP, 105
BP, 70

C

CAC, 141
CACIE, 24
CAD, 48
CGP, 21, 93
CHECK, 122, 128
CIFAR10, 91, 92, 95
CNN, 64, 93, 100, 101
CPPN, 70, 83, 96, 101

D

DCGAN, 68
DE, 31, 144, 173, 216
DeepBind, 184

DeepNEAT, 89
DenseNet, 91
DNN, 89
DO, 122, 127
DPPN, 96
DREAM, 184

E

EANN, 77, 189
ERNe, 185, 208
Evo-Devo, 179

F

FN, 153
FP, 153

G

GA, 7, 29, 185
GAN, 68
GoogLeNet, 93
GP, 16
GPU, 91
GRN, 180
GTYPE, 7, 25

H

HyperNEAT, 86

I

IEC, 22, 83, 185
ILSDE, 145, 173
ILSVRC2012, 92

ImageNet, 67, 68
INTERNe, 185

K

KP, 122, 135, 141

L

LBP, 70
LeNet, 64
LISP, 16
LRU, 132

M

MAP, 41
MLE, 39, 124, 125, 129
MNIST, 99, 100
MONGERN, 190
MPS, 70
MRJ, 15
MRNA, 182
MSE, 97, 101, 109, 115, 117, 118, 121, 187,
215, 221

N

N700, 13
NASA, 15
NEAT, 80, 208
NENDE, 155, 173
NFE, 136, 137
NHST, 125, 128
NSM, 141

O

ODE, 210

P

PDCA, 122, 125
PLAN, 122, 127
PSO, 27, 184

PSOAP, 141
PTYPE, 7, 285

Q

QE, 48

R

RankSVM-DE, 147
RBF, 37
ReLU, 90, 95
ResNet, 91, 95
RGB, 68, 86, 91
RMSE, 124, 125, 135, 139
RVM, 38, 130
RVM-GP, 130

S

Sbart, 84
SBS, 141
SC, 141
SSC, 141
SVC-DE, 146, 151, 153, 176
SVHN, 91
SVM, 35, 146, 151, 158
SVR-DE, 147

T

TN, 153
TP, 153
TRADE, 150

V

VAEGAN, 68
VGGNet, 91, 92, 95
VIGP, 110

X

XOR, 121, 223

Author Index

D

Darwin, Charles, [2](#), [5](#)
Dawkins, Richard, [6](#), [233](#)

E

Eldredge, Niles, [233](#)

F

Fukushima, Kunihiko, [64](#)

G

Gould, Stephen. J., [233](#)
Grant, Peter, [4](#)

J

Jacob, Françoise, [234](#)

L

Lindenmayer, Aristid, [78](#)

M

Malthus, Thomas Robert, [3](#)
Muir, William, [11](#)

T

Tarski, Alfred, [48](#)
Turing, Alan, [77](#)

W

Wright Brothers, [4](#)

Subject Index

A

Acceleration constant, 143
Activator, 192
Adaptive moment estimation, 99
Adjacency relationship, 90
Adjusted R^2 , 134
Affinity propagation, 60, 141
Aggregation method, 44
Algebraic biology, 48
Alice's Adventures in Wonderland, 189
Ancestry, 81
Ants castle, 232
Approximate Buchberger–Mö algorithm, 51
Arc addition, 80
Arms races, 4, 12, 189
Artificial bee colony, 141, 143
Artificial gene network, 192
Artificial life, 189
Artificial neural networks, 208
Atari games, 89
Attenuation, 187
 attenuation coefficient, 28
Attractor, 181
Autoencoder, 99
 variational autoencoder, 68
Automatic relevance determination, 130
Availability, 60

B

Backpropagation, 65, 77, 80
Bagging, 47, 105
Bayes
 Bayesian linear regression, 39
 Bayesian method, 185
 Bayesian networks, 70
 Bayesian parameter estimation, 130

 Bayes' theory, 40
Belief propagation, 70, 184
 loopy belief propagation, 70
Benchmark function, 119, 143, 147, 152,
 156, 158, 161–163, 165–173
 Keijzer benchmark function, 116, 117,
 135, 136
 Nguyen benchmark function, 136, 139
Bias, 127, 162
Binary cross entropy, 97
Biochemical reaction, 228
Bloat, 110, 119
Blue jay, 12
Boolean
 Boolean concept formation, 107
 Boolean function, 181
 Boolean polynomial, 120
 random Boolean graph, 181
Boosting, 47, 105
Bootstrapping, 185
Buchberger–Möller algorithm, 51
Building blocks, 233
Bullet train, 13

C

Capping mechanism, 214
Centroid, 35
Chaos, 181
 chaotic time series, 107
 edge of chaos, 181
Child, 17, 81, 146, 149
Chromosome, 7, 180
Church–Rosser property, 52
Classification, 35
 binary classification, 44, 97, 153, 157
 classification accuracy, 37, 155

- Classification method, 161
 - Classifier, 46
 - Cluster, 34, 60, 141
 - Coding
 - direct coding, 78, 189
 - indirect coding, 78
 - sparse coding, 67
 - Co-evolution, 4, 12, 189
 - Coexistence, 231
 - Collaboration, 4
 - collaborative transportation, 15
 - Columnar structure, 84
 - Competition, 4
 - Complete solution, 130
 - Composing system, 24
 - Composition pattern-producing network, 83
 - Computational complexity, 37, 136
 - Concatenation, 95
 - Concentration, 192, 210, 215, 225, 227
 - initial concentration, 208
 - Contraction, 181
 - Convergence coefficient, 28
 - Convolution, 42, 89
 - Convolutional neural networks, 64
 - Cooperation, 231
 - Correlation, 185
 - Cortical column, 84
 - Cost, 145
 - Covariance matrix, 40, 129
 - Critical state, 181
 - Crossover, 4, 10, 19, 81, 146, 185, 208
 - crossover probability, 100, 116, 137, 186, 225
 - crossover rate, 162
 - NEAT crossover, 216, 217
 - one-point crossover, 20
 - two-point crossover, 212
 - uniform crossover, 33
 - Cumulative prediction, 106
 - Cylindrical algebraic decomposition, 48
- D**
- Data augmentation, 68
 - Database, 148, 152
 - Data compression, 66
 - DE, *see* differential evolution
 - auxiliary parent, 32
 - classic, 31
 - initialization, 31
 - principal parent, 32
 - selection, 32
 - support vector regression DE, 147
 - TRansfer learning for DE, 150
 - Deep convolutional generative adversarial networks, 68
 - Derivative, 150
 - Design matrix, 39
 - Developmental biology, 78, 179
 - Dialogue for Reverse Engineering Assessments and Methods, 184
 - Differentiable pattern producing networks, 96
 - Differential evolution, 31, 143, 144
 - Discriminator, 68
 - Diversity, 231
 - DNA
 - DNA computing, 228
 - DNA micro array, 182
 - DNA PEN Toolbox, 215, 228
 - DNA-binding, 184
 - DNA-enzyme, 209
 - Dorsal stream, 68
 - Drop out, 68
 - Dual Lagrangian, 37
 - Dynamic updating, 156
- E**
- E.coli, 185
 - Elimination algorithm, 56
 - Elite, 232
 - elite rate, 12, 116
 - elite strategy, 10
 - Emergence, 7
 - Euclidean distance, 34, 44, 47, 61, 85, 151, 154
 - Eulerian angle, 58
 - Evolution
 - Baldwinian evolution, 100
 - Darwinian evolution, 101
 - Lamarckian evolution, 100
 - Evolutionary artificial neural networks, 77
 - Evolutionary computation, 9, 12, 29
 - Evolutionary factor, 143
 - Evolutionary programming, 29
 - Evolutionary robotics, 15, 189
 - Evolvability, 180
 - Evolvable hardware, 189
 - Exaptation, 180
 - Expansion, 181
 - Exploitation, 31
 - Exploration, 31
 - Eye, 5

F

- Factor graph, 70
- False-negative, 153
- False-positive, 70, 153
- Feature, 35, 44, 128
 - feature generation module, 123
 - feature map, 65
 - feature space, 158
 - feature vector, 150, 155, 159
- Feedback, 221
 - negative feedback, 221
- Feed-forward network, 21, 65, 101
- Filter, 65, 90, 93
- Finance
 - financial data prediction, 110
 - financial engineering, 15
- Firefly algorithm, 143
- Fitness, 8, 22, 25, 79, 111, 116, 119, 126, 136, 137, 145, 147, 186, 189, 214, 215, 227
- Function
 - Ackley function, 163
 - basis function, 42, 133
 - ceiling function, 115
 - Gamma function, 128
 - Griewank function, 163
 - Kowalik function, 164
 - loss function, 106
 - mapping function, 37
 - multimodal function, 143
 - multipeak function, 152, 174
 - periodic function, 84
 - Quartic function, 163
 - radial basis function, 37
 - Rastrigin function, 143, 163
 - Rosenbrock function, 143, 163
 - Schwefel function, 143, 163
 - Shekel's Foxholes function, 164
 - sigmoid function, 99
 - single-peak function, 152
 - Sphere function, 143, 163
 - Step function, 163
 - unimodal function, 143

G

- Galapagos islands, 3
- Gaussian
 - Gaussian distribution, 29, 38, 90, 128
 - Gaussian function, 42, 84
 - Gaussian marginal distribution, 40
 - Gaussian mutation, 29
 - Gaussian noise, 129

- Grossover, 17
- Gene
 - disjoint gene, 81
 - Hox genes, 179
 - lethal gene, 19
 - master control gene, 179
 - non-matching gene, 81
 - selfish gene, 234
 - template gene, 208
- Gene Expression Omnibus dataset, 184
- Generalization, 35
- Generation, 9, 145, 221, 224
 - initial generation, 186
- Generative adversary networks, 68
- Generator, 69
- Gene regulatory network, 180
- Genetic Algorithms, 7, 29
- Genetic annealing, 31
- Genetic circuit, 228
- Genetic CNNs, 89
- Genetic operator, 10, 19, 25, 28, 29, 79
- Genetic overlapping, 180
- Genetic Programming, 16
- GenJam, 24
- Genotype, 7, 21, 78, 79, 83, 90, 94, 180, 193
- Geometry
 - geometric reasoning, 47
 - geometrical relationship, 86
 - geometrical theorem, 59
 - hypercube-based geometry, 88
- Ginversion, 17
- Giraffe's neck, 233
- Give-and-take, 231
- Gmutation, 17
- GP
 - cartesian GP, 21
 - GP operator, 19
 - GP parameter, 107
 - GP with context aware crossover, 141
 - GP with no same mate, 141
 - GP with semantic similarity-based crossover, 141
 - GP with soft brood selection, 141
 - GP with standard crossover, 141
 - liner GP, 17
 - vanishing Ideal GP, 110
- Gradual change, 233
- Gram matrix, 37
- Grammar-rewriting system, 78
- Graphical mode, 70
- Greatest common measure, 50
- Gröbner base, 47, 115
 - reduced Gröbner base, 54

H

Hamelin Pool, 1
 Hebb's rule, 80
 Heuristics, 110
 Hilbert basis theorem, 113
 Hill-climbing, 130
 History, 81
 Hit rate, 121
 Human faces, 67
 Human-friendly technology, 24
 Humanoid, 15, 190
 Hyperparameter, 42, 110, 117, 118, 132
 Hyperplane, 35, 150

I

Ideal, 49, 55, 110
 ideal elimination, 59
 Identity, 181
 ID number, 19
 Iguana, 4
 Image
 fooling images, 68
 handwritten image, 100
 image clustering, 63
 image cropping, 101
 image extraction, 63
 image magnification, 101
 Inertia coefficient, 142, 143
 Inhibition, 187
 Inhibitor, 192
 Innovation, 181
 innovation number, 208, 210
 In silico, 208
 Interactive evolutionary computation, 22
 INteractive evolutionary computation with
 ERNe, 185
 Intron, 22
 semantic intron, 114, 115, 120
 syntactic intron, 114
 Inverse robotic kinematics, 57
 Inversion, 10
 Inverted pendulum, 225
 In vitro, 228, 229

J

Jaccard coefficient, 61
 Jazz, 24
 Joint, 57, 190

K

Kaizen programming, 122

Kernel, 65

 Bayesian kernel, 130
 Gaussian kernel, 37
 kernel trick, 37
 liner kernel, 37
 polynomial kernel, 37
 RBF kernel, 151
k-means algorithm, 34, 143
k-nearest neighbor, *see k*-NN
k-NN, 155, 158, 161, 174
 k-NN classifier for DE, 155
 Knockout competition, 32
 Knuth–Bendix method, 52

L

Lagrange multiplier, 37
 Layer
 C layer, 65
 classification layer, 93
 convolution layer, 65, 67
 filtering layer, 93
 hidden layer, 67
 pooling layer, 65, 93
 S layer, 65
 Leading
 leading coefficient, 50
 leading monomial, 50, 113
 leading power product, 50
 Learning
 active learning, 63
 cooperative learning, 189
 learning rate, 80, 99
 multi-agent learning, 189
 reinforcement learning, 190
 sequential sparse Bayesian learning, 135
 transfer learning, 45
 Least common multiple, 50
 Least recently used, 132
 LGPC for Art, 85
 Limitcycle, 187, 215
 Logic operator, 120
 Loopy max-sum, 70
 L-system, 23, 78
 Luring module, 83

M

Mackey–Glass time series, 107
 Majority voting, 44
 Manifold, 48
 Marginal distribution, 41
 Marginal likelihood function, 42, 133

Mask, 65
 Maximum likelihood estimation, 39, 124, 125
 Maximum posterior, 41
 Mean square error, 97, 109, 113, 115, 187, 215
 root mean square error, 124
 Message passing, 60, 71
 Meta-heuristics, 27, 185
 Mimicry pattern, 12
 Minibatch, 99
 Mitsubishi regional jet, 15
 Model selection, 134
 Modification step, 214
 Momentum, 80
 Monomial, 49, 113, 115
 Most probable solution, 70
 Moth, 12
 MOtioN generation by GENE Regulatory Networks, 190
 Multi-dimensional space, 29
 Multi-modal problem, 29
 6-multiplexer, 107
 Mutation, 4, 10, 24, 146, 180, 185, 208, 210
 add activation mutation, 209, 212
 add inhibition mutation, 209, 212
 add sequence mutation, 209, 210
 differential mutation, 33
 disable template mutation, 209, 210
 mutation probability, 101, 116, 137, 225
 mutation vector, 145, 159
 parameter mutation, 209
 switch template mutation, 209, 212
 Mutual information, 185

N
 Naming mechanism, 209
 Naturalist, 234
 Nautilus, 5
 Negative example, 147, 153, 155, 157, 161
 Negative transfer, 150
 Neighborhood, 148
 Neocognitron, 64
 Neo-Darwinism, 234
 Neuroevolution, 77
 neuroevolution of augmenting topologies, 80
 Neuron, 65, 86, 100
 Node addition, 80
 Noise, 156
 Non-coding region, 22
 Non-separable, 36

 linearly non-separable, 224
 Non-terminal, 16
 Normal form, 51
 Normalization
 batch normalization, 89, 95
 normalization algorithm, 51
 normalization constant, 71
 Null hypothesis significance testing, 125, 128
 Number of function evaluation, 136
 Numerical substitution, 59

O

Oligator, 186, 209, 215, 216, 220
 elongated Oligator, 218
 Oligator motif, 221
 Oligonucleotide chip, 182
 Omniglot characters, 101
 Optimal separating plane, 35
 Optimization, 232
 function optimization, 28
 Optimum
 global optimum, 35, 162, 174
 local optimum, 28, 35, 90, 124, 130, 141, 175
 Order, 181
 Ordering
 purely lexicographical ordering, 49, 113
 total ordering, 49, 56
 Ordinary differential equation, 210
 Original standard, 130
 Origin of Species, 5
 Oscillating biochemical system, 214
 Oscillation, 187
 rectangular oscillation, 221, 223
 sawtooth oscillation, 221
 sine oscillation, 216
 Oscillator, 209, 220
 relaxation oscillator, 221
 switch oscillator, 223
 Overfitting, 68

P
 Pac-Man, 82
 Padé approximation, 118
 Parallelism, 231
 Parasite, 4
 Parent, 17, 146, 149, 150
 parent vector, 159
 6-parity, 121
 Particle, 28, 29

Particle Swarm Optimization (PSO), 27, 33, 184
 dissipative PSO, 184
 PSO workflow, 28
 Penalty weight, 117
 Phenotype, 7, 22, 79, 85, 90, 94, 180
 Phototaxis, 6
 Polynomial, 48
 rational polynomial, 118
 residual polynomial, 114
 Pooling
 average pooling, 95
 max pooling, 67, 95
 Positive example, 147, 150, 153, 155, 157, 161
 Posterior covariance, 43
 Postfix, 19
 Predator, 189
 Preference, 22
 Prefix, 19
 Prey, 189
 Probabilistic model building, 72
 Probability density function, 38, 128
 Promotion, 186, 187
 Protein, 192
 Punctuated equilibrium, 233
p-value, 126, 129, 215
 Pyramidal cell, 86

Q

Quantifier elimination, 48

R

Random forest search, 185
 Random number, 69
 Receptive field, 84
 Rectified linear unit, 90
 Recursion, 86
 Red Queen effect, 189
 Reduction, 50, 113
 Regression, 35, 185
 linear regression, 130
 Regularization constant, 36
 Relevance vector machine, 38, 130
 Reproduction, 10, 13
 reproduction rate, 12
 Responsibility, 60
 Retina, 6, 86
 Reverse engineering, 183
 Ring topology, 141
 RNA-binding, 184
 Robot

 behavior-based robot, 189
 Khepera robot, 189
 Robotic control, 228
 Robustness, 66, 67, 90, 128, 180, 232
 Root, 16
 Rotation matrix, 162

S

Saturating value, 192
 S.aureus, 185
 Scheduling, 15
 Search
 search efficiency, 29
 search region, 28
 searchability, 231
 Selection, 10, 13
 one-to-one selection, 32
 roulette selection, 10
 selection for reproduction, 32
 selection pressure, 180
 tournament selection, 10, 137
 Self-activating, 221
 Self-inhibition, 220
 S-expression, 16
 Shark Bay, 1
 Similarity, 60
 Simson's theorem, 59
 Simulated annealing, 185
 Singularity, 130
 Slack variable, 36
 Sliding window, 44
 Smoothing, 66
 Soft margin, 35
 Softmax, 67, 95
 Solvability, 55
 Source domain, 45
 Sparsity, 133
 Spatial resolution, 90
 Speciation, 208, 212, 223
 Species, 214, 223
 species visualization, 223
 Speech, 70
 Spider strategy, 190
 S-polynomial, 52
 S-System, 184
 Stack count, 20
 Stagnation, 233
 Standard deviation error, 187
 Standard normal deviate, 210
 Stromatolite, 2
 Student's *t*-distribution, 128
 Subpopulation, 105

Substructure, 233
Summation, 95
Super Mario, 89
Supervised learning, 35, 67
 supervised classification, 43
Support Vector Machine (SVM), 35
 linear SVM, 35
 non-linear SVM, 37
 ranking SVM-DE, 147
Swarm intelligence, 27
Symbolic regression, 110, 122
Symmetry, 84, 86
Synapse, 67

T
Target domain, 45
Taylor expansion, 118
Terminal, 16
Time series, 187
 chaotic time series, 107
 time series motion, 190
Topological compatibility distance, 213
Tournament, 101, 186
Training example, 158, 160
Training set, 105
Transcription, 185
Transcriptome, 182
Tree, 16, 23
Triangle inequality, 63
Trigonometric identities, 107
True-negative, 153
True-positive, 153
 t -test, 128, 160, 169, 215
Turing model, 86
Two-circle problem, 48

U
Ultra-Darwinist, 234
Uniform distribution, 135
User fatigue, 187

V
Vanishing ideal, 113
Variety, 48
Vector
 bad vector, 146
 good vector, 146
 location vector, 28
 2-bit input vector, 223
 velocity vector, 28
Vehicle, 234
Ventral stream, 68
Visual cortex, 67, 84, 86

W
Wave
 sawtooth wave, 186
 triangular wave, 188
Weighted median, 105
Weight sharing, 66
Wisdom-of-the-crowds approach, 185
Woodbury matrix identities, 133
Wu's method, 48

Z
Zebrafish, 87
Z scores, 185