

Index

A

Acid sulfate soil, 125, 127
Aerenchyma, 99, 101
Albite, 23–26
Al-humus complex, 4, 59, 73, 74, 76, 80, 82
Al hydroxide gel, 169
Alkali feldspar, 12, 23
Allophane, 4, 6, 14, 59, 60, 66–69, 73, 74, 76, 78, 80, 82, 90–92
Altermorph, 67, 80, 85, 86, 90
Amazonite, 26
Ammonium taranakite, 170
Amphibole, 19
Andesine, 25
Andesite, 60, 61, 165
Andisol, 28, 44, 51, 52, 59, 60, 67, 73–76, 79–82, 87, 88, 90, 91, 100, 110, 167–170, 173
Annite, 22
Anorthite, 23–26, 31
Apatite, 11, 31, 38, 163–168
Arbuscular mycorrhiza, 173
Augite, 17, 19, 20

B

Balance method, 172, 173
Basal spacing, 4, 7, 38, 42–44, 46–50, 158
Basalt, 60, 61
Basaltic andesite, 60, 61, 164–166
Beidellite, 38, 45
Beneficial element, 2, 3
Berry-like volcanic glass, 60, 64, 65

Biotite, 21, 22, 24, 29, 33, 34, 50, 51, 157, 158
Birnesite, 38, 54, 56
Brucite sheet, 39, 40
Bubble-wall type glass, 62, 63
Bytownite, 25

C

Calcic amphibole, 20
Carbon coating, 6, 72
Celadonite, 22
Characteristic X-ray, 6, 61, 117
Chicken manure, 121, 171, 173
Chickpea, 167
Chlorite, 38, 42, 45, 49
Chlorite schist, 49
Chloritized smectite, 49
Chloritized vermiculite, 49
Cinder, 60
Cleavage plane, 25, 29
Clinopyroxenes, 17
Colored volcanic glass, 60, 61, 64
Concentration of radiocesium per clay fraction, 160, 161
Conchoidal fracture, 26, 29
Congruent dissolution, 168
Continental crust, 12
Continuous submergence (CS), 102, 103, 110, 114
Cristobalite, 26, 81
Cultural service, 1, 2
Cyclosilicate, 13
Cylindrical iron mottle, 104–109, 115

D

Dacite, 60, 61
 Dark-colored scoria particle, 65
 Desalinization, 149, 150, 152
 Difference method, 172, 173
 Dioctahedral, 21, 40–42, 50, 56
 Dioctahedral mica, 21, 50, 56
 Dispersion, 5, 70
 Double chain silicate, 19

E

Earthquake, 134, 150
 Earth's crust, 12, 23, 162
 Eastonite, 22
 Ecosystem service, 1–5
 EDX spectrum-mimic graph, 20–22, 24, 26, 61
 Electrolyte concentration, 147
 Electroneutrality, 40
 Energy dispersive X-ray (EDX) analysis, 6, 7
 Enstatite, 17
 Environmental factor, 2–5, 33
 Epidermis, 101, 125
 Erosion, 4, 12, 29, 136, 137, 140, 159
 Essential element, 2, 3, 52, 124, 162
 Eutrophication, 3, 163
 Evaporite, 133, 142
 Exchangeable cation, 4, 37, 38, 42, 46,
 136–138, 144, 148
 Exchangeable Fe²⁺, 99, 105
 Exchangeable sodium percentage (ESP), 138,
 143, 145–147, 149
 Exodermis, 101, 109, 111, 116–119, 121, 125
 Extended X-ray absorption fine structure
 (EXAFS), 7

F

Feldspar, 12, 17, 20, 22–25, 29–31, 76, 77
 Ferrihydrite, 38, 76, 82, 87, 90, 99, 104, 105
 Ferrosilite, 17
 Fibrous glass, 60, 63, 64
 Fluoroapatite, 163
 Food chain, 2
 Framboidal pyrite, 126–128, 142

G

Gamma-ray spectrometry, 7, 154, 156
 Gibbsite, 38–40, 42, 50, 51, 53, 66, 170
 Gibbsite sheet, 39, 40, 50, 51, 66

Glyceration, 42–44, 47, 48
 Goethite, 38, 54, 55, 100
 Granitic soil, 21, 22, 33, 163
 Granitoid, 29
 Granular microstructure, 79
 Greene-Kelly test, 45, 47
 Gypsum, 38, 124, 126, 142, 145, 146

H

Half-life, 152
 Halite, 142
 Halloysite, 33, 38, 41–45, 48, 75, 76, 91, 92, 170
 Heavy mineral, 5, 61, 126
 High-temperature feldspar, 25, 31
 Hornblende, 20, 21, 29, 31, 33
 Hygrophyte, 105, 115
 Hypersthene, 17

I

Igneous rock, 12, 21, 49
 Ilmenite, 27, 28
 Imaging plate (IP), 7, 155–157
 Imogolite, 4, 6, 14, 59, 60, 66–69, 73, 74, 76,
 78, 80, 82, 90–92
 Indian Ocean tsunami, 152
 Infrared absorption spectroscopy, 169
 Inosilicate, 13
 Intermittent irrigation, 102, 103, 114
 Iron mottle, 101, 104–110, 114, 115, 121, 123
 Iron plaque, 100, 105, 106, 111, 115–119, 121,
 123, 124
 Iron plaque-like mottle, 105
 Irregular pore, 101, 108, 115
 Isomorphous substitution, 22, 42, 45, 47
 Ito pyroclastic flow, 63, 64

J

Jarosite, 127, 128
 Jogan tephra, 64

K

Kaolinite, 38, 41–44, 46
 Kaolin mineral, 42, 50, 74, 76, 146
 K_G value, 145, 147
 Kikai-Akahoya (K-Ah) tephra, 62, 63
 K saturation, 42–49
 Kunipia F, 46

L

Labradorite, 25, 26
 Lahar, 20, 21, 24–28
 Landscape, v, 2, 5, 20, 22, 44, 65, 78, 81, 129, 159
 Lapilli, 60
 Leaching index, 148
 Lepidocrocite, 105
 Lithiophorite, 38, 54–56
 Low-temperature quartz, 26, 29
 Lysigenous intercellular space, 99

M

Magnesio-hornblendes, 20
 Magnetite, 27
 Major soil element, 2
 Manganese nodule, 54, 55
 Manganese oxide, 51, 52, 54
 Maximum tillering stage, 102
 Melanic index, 76
 Merits of submergence, 98
 Mesophyte, 143, 149
 Metamorphic rock, 12, 21, 49
 Methane, 101
 Mica, 21–23, 152
 Micaceous mineral, 21, 42, 45, 48, 55, 56
 Microcline, 26
 Micromass, 76, 80
 Microtexture, 30, 31
 Midseason drainage, 102, 103, 114
 Montmorillonite, 38, 45–47, 105, 108
 Mottle formation, 98
 Muddy tsunami deposit, 7, 126, 138, 140–144, 146–149, 154–157
 Mudflow, 22
 Multisequum profile, 75
 Muscovite, 21–23, 33, 50, 51

N

Nantai-Imaichi (Nt-I) tephra, 79
 Nantai-Shichihonzakura (Nt-S) tephra, 79, 83
 Natrojarosite, 38, 127–129
 Nesosilicate, 12, 16, 66
 N-fixation ability, 98
 NH₄ exchangeable cation, 136
 Noncolored volcanic glasses, 52, 61–63, 65, 75, 76, 78, 85
 Noncrystalline aluminum phosphate, 169
 Noncrystalline iron(II) sulfide, 124, 125
 Non-silicate mineral, 12
 Nontronite, 38, 45

Numazawa-Numazawako (Nm-NK) tephra, 91, 92
 Nutrient element, 1–4, 34

O

Octahedral sheet, 39, 41
 Octahedral site, 22, 40, 42, 45, 47, 50
 Oligoclase, 25, 26, 31
 Olivine, 16, 64
 Opaline silica, 59, 60, 68–70, 73, 82, 90
 Optical micrograph, 6, 15, 18–21, 23–31, 33, 55, 62, 63, 67, 69–71, 76, 84, 89, 111, 118–120, 124, 163, 170
 Orthoclase, 23, 24, 26, 30
 Orthopyroxene, 17, 18
 Oxalate-extractable Al, 80
 Oxalate-extractable Fe, 87
 Oxalate-extractable Si, 67
 Oxidizing condition, 4, 97, 101, 105, 113, 118, 120
 Oxisol, 43, 51

P

Pachic Melanudand, 79, 81
 Paddy field soil, 98–104, 110, 112–115, 120, 121, 136, 147, 150, 172
 Paleovegetation, 69
 Particle-size fraction, 4, 11, 51, 52, 64, 69, 70, 156, 157
 Particle size fractionation, 5, 11, 157
 P cycle, 121
 Perylene quinone, 82
 ΔpH, 147, 148
 Phengite, 22
 Phlogopite, 22, 23
 Phosphate rock, 163
 Phosphorus-foraging root growth, 173
 Phyllosilicate, 14, 21, 37–39, 41, 50, 51
 Phytolith, 4, 59, 60, 69–73, 81, 82, 90, 118
 Pinatubo, 20, 22, 24–28, 62, 75–77, 163, 165–167
 Plagioclase, 12, 23, 25, 26, 30, 31, 63, 65, 85
 Plant opal, 69, 72
 Platinum electrode, 102
 Poorly drained paddy field, 104, 105, 122
 Pore surface coating, 105, 108
 P recovery, 172, 173
 Primary mineral, 4, 5, 11
 Provisioning service, 1
 P sorption, 114, 168, 169
 Pt–Pd coating, 6

- Puddling, 101, 102, 105
 Pumice, 17, 60, 62, 67, 76–80, 83, 87, 90
 Pyrite, 125, 127, 128, 142, 145
 Pyrophosphate extraction, 73
 Pyroxene, 17
- Q**
- Quartz, 12, 20, 22, 26, 27, 29, 31, 63, 76, 81,
 122, 123, 163
- R**
- Radiocesium, vi, 5, 7, 34, 133, 152–155,
 157–162
 Radiocesium fixation, 158
 Redoximorphic feature, 97
 Redox interface, 100, 101, 109, 111, 115–118
 Redox potential, 98, 103
 Redox reaction, v, 5, 97, 98, 100, 101, 103, 104,
 121, 124
 Red scoriaceous particle, 65
 Reference elemental composition, 15
 Regulating service, 1, 2
 Rhyolite, 60, 61
 Rice root, 6, 98–101, 110–119, 125, 126
 Rock cycle, 12, 13
- S**
- Saline-sodic soil, 143
 Saline soil, 143
 Salinization, 143
 Sandy tsunami deposit, 137, 138, 140, 141,
 143, 152, 154
 Sanidine, 26
 Scanning electron microscope (SEM), 6, 15, 16,
 18, 19, 21, 23–30, 32, 33, 39, 42–44,
 46–49, 52, 53, 62–67, 70–73, 77, 79–84,
 86–90, 106, 107, 109, 110, 112, 116,
 117, 119, 123, 125–129, 142, 158, 163,
 165–168, 170
 Sclerenchyma, 101, 109, 116
 Sclerotia grain, 81, 82, 84
 Scoria, 16, 60, 64–67, 87
 Secondary mineral, 4, 5, 11, 37–57
 Sedimentary rock, 12
 Side bar deposit, 158–162
 Siderite, 38, 101, 105, 111, 122–124
 Siderophyllite, 22
 Silicate tetrahedron, 12, 39, 41, 50
 Single chain silicate, 17
- SiO₄ tetrahedron, 40, 41
 Smectite, 37, 41, 45–46, 49, 76
 Snowmelt, 159, 162
 Sodic soil, 143
 Sodification, 38, 138, 143
 Sodium absorption ratio (SAR), 145–147
 Soil profile, 5, 16–18, 22, 29, 44, 45, 48, 54,
 63, 70, 75, 78, 81, 92, 97, 100, 102,
 105, 122, 123, 128, 129, 150–152,
 159, 168
 Sorosilicate, 13
 Spodosol, 59, 73
 Sponge-like volcanic glass, 20, 62, 76, 85
 Stability, 98, 100, 111–113
 Struvite, 38, 171, 172
 Subduction zone, 12
 Sulfide, 2, 12, 59, 98, 99, 101, 105, 111, 124,
 125, 136, 138, 141
 Sulfidic material, 127, 129
 Supporting service, 1
 Swine manure, 121, 171, 173
- T**
- Taranakite, 170, 171
 Tarumae-a (Ta-a) tephra, 17–19, 61
 TAS diagram, 60
 Tectosilicate, 14, 15, 23, 26
 TEM microgrid, 6
 Tephra, 17–19, 21, 27, 48, 60–64, 79, 83, 86,
 90–92, 151, 152, 164–167
 Tetraferriannite, 22
 Tetraferriphlogopite, 22
 Tetrahedral sheet, 40, 41
 Thaptic property, 75
 Titanomagnetite, 27–28
 Towada-a (To-a) tephra, 61, 151, 152
 Transmission electron microscope (TEM), 6,
 39, 42–48, 67, 69
 Transplanting, 99, 102, 110, 114
 Trioctahedral, 21, 22, 42, 48, 50
 Truog P, 113, 138, 141, 164, 166
 Tsunami, 4, 7, 126, 133–135, 137–157
- V**
- Variable-charge site, 147
 Vermiculite, 33, 38, 42, 45, 48, 49, 146, 160
 Vertisol, 48
 Vesicular pore, 63, 83, 86, 104, 105, 108
 Vesicular structure, 77, 79, 83, 85
 Vivianite, 38, 101, 105, 110–117, 119–121

Volcanic ejecta, 60
Volcanic glass, 12, 17, 20, 26, 52, 59–66,
69–76, 78, 80, 85, 87, 89, 90, 92
Volcanic mudflow, 75

W

Water management, 102, 103, 113–115
Water treatment residue (WTR), 161, 162
Weathered apatite, 167, 168
Weathered biotite, 21, 22, 33, 34, 50, 157, 158
Weathered feldspar, 22, 30

Weathered pumice, 67, 76–80, 83
Well-drained paddy field, 103
Wet scavenging, 153
White mica, 22, 23

X

X-ray absorption near edge structure (XANES), 7
X-ray diffraction (XRD), 5, 6, 15–26, 28, 38,
42–52, 54, 69, 110, 111, 122, 123,
126–129, 142, 163, 164, 166, 169–172
X-ray microdiffraction, 110, 111