

Index

- absolute gravity. *See also* relative gravity
 - example in cellular automata, 34, 35
 - rule in cellular automata, 22
 - setting in CASIM program, 165
- aggregation model, 70–71
- aqueous solutions modeling, 59
- asynchronous application of CA rules, 23
- atomic models, 2
- b**reak and join values setting in CASIM program, 165
- breaking probability in. *See also* free-moving probability
 - cellular automata, 20
 - modeling liquids other than water, 48
 - solution systems model, 63
 - water model, 43, 44
- CA. *See* cellular automata
- CASIM program
 - absolute gravity setting in, 165
 - break and join values setting in, 165
 - CASIM directory
 - organization, 158
 - data collection aspects of, 159
 - editing or viewing in, 162–167
 - error messages, 167
 - free movement parameter setting in, 165
 - GUI window and simulation, 159
 - identifying, 167
 - installation of, 158
 - P_R rules setting in, 165
 - P_T button setting in, 164
 - relative gravity setting in, 165
 - saving in, 162, 163
 - simulation setting steps, 160
 - size button in, 163
 - system requirements for, 158
- cell neighborhoods. *See also* cells
 - Moore neighborhood, 15, 16
 - von Neumann neighborhood, 15, 16
- cell rotation rules, 23
- cells, 14–15. *See also* grids

- cellular automata (CA), 9–37.
See also models
 absolute gravity example in, 34, 35
 cell neighborhoods, 15
 cells in, 14–15
 changes of state example in, 32,
 33, 34
 defined, 10–12
 grids in, 12–14
 ingredient interaction example, 31
 models, 35–37
 movement on grid application, 27,
 30
 random walk example, 28–29, 30
 rules in, 16–24
 absolute gravity rules, 22
 breaking probability, 20
 cell rotation rules, 23
 free-moving probability, 18
 joining parameter, 18, 20
 movement rules, 18
 relative gravity rules, 21
 rules types, 16–17
 synchronous or asynchronous
 application of rules, 23
 transition rules, 17
 simulation program. *See* CASIM
 program
 simulation running, 24–26
- chemical kinetics
 atomic models and, 2
 enzyme kinetics, 139–143
 excited-state photophysics,
 147–156
 first-order, 109–23
 Lindemann mechanism, 144–147
 liquid–vapor equilibrium, 143
 mathematical modeling and, 2
 second-order, 125–137
- chromatography model, 95–99. *See
 also* water–surface effects
 modeling
 dynamics, 96
 relative retention of two solutes,
 98, 99
 rules in, 96
 solute affinity to stationary phase,
 97–99
 structure of, 95
- cold water modeling. *See also* hot
 water modeling
 density-adjusted grid occupancy,
 50
 evaporation example, 53
- continuous excitation. *See under*
 excited-state photophysics
- crystal formation modeling, 81–82.
See also dynamic aqueous
 systems
- d**emixing, oil–water, 73–78
- density-adjusted grid occupancy
 water model (example)
 cold water, 50
 for intermediate temperatures of
 water, 51
 hot water, 51
- diffusion, 66
 hydrophobic state variation effect
 on, 68
 solute diffusion, 68
 temperature influence on solute, 68
- dissolution, 66
 hydrophobic state variation effect
 on, 65
 self-affinity effect on, 65
 solute dissolution, 64, 65
- dynamic aqueous systems, 73–85
 crystal formation modeling,
 81–82
 micelle formation modeling,
 78–80
 oil–water demixing, 73–78
 percolation modeling, 82–85

- Enzyme kinetics, 139–143. *See also*
first-order reaction kinetics;
second-order reaction kinetics
enzyme conversion probability
variation study, 142
modeling, 140
rate of reaction, 141
substrate concentration variation
study, 141–142
- equilibrium
first-order, 114–17, 122–23
liquid–vapor, 143
pre-equilibrium, 122–23
second-order, 132–135
- evaporation example of water model,
53–54
- excited-state photophysics,
147–156
continuous excitation, 152
excited-state decay following light
absorption, 149–150
of oxygen atoms, 154–156
pulse excitation, 150
- exponential decay, 110–14. *See also*
first-order chemical
kinetics
changing, 114
with 100 ingredients, 113
with 900 ingredients, 113
- First-order chemical kinetics,
109–23. *See also*
second-order chemical
kinetics
exponential decay, 110–14
first-order equilibrium,
114–17
kinetic and thermodynamic
reaction control, 120–21
parallel reaction, 119–20
pre-equilibrium, 122–23
series reaction, 117–19
- free-moving probability, 18. *See also*
breaking probability
- Gravity rules
absolute gravity, 22, 34, 35
for oil–water demixing model,
74
relative gravity rules, 21
grid occupancy example for water
model, 50
- grids, 12–14. *See also* cells
in water model, 41
- hot water modeling, 49. *See also*
cold water modeling
density-adjusted grid occupancy,
51
evaporation example, 54
using pattern aabb, 52
- hydrophobic effect, 61, 62, 63.
See also solution systems
model
- Immiscible solvent demixing,
75
- inert species influence on
second-order reaction
kinetics, 136
- ingredient interaction example in
CA, 31
- interactions, 4
- irreversible reactions (second-order)
large scale reaction, 129–132
small scale reaction, 127–129
- Jablonski diagram, 152
- joining parameter in
cellular automata, 18, 20
modeling liquids other than water,
48
solution systems model, 63
water model, 43, 44

- K**auffman, Stuart, 12. *See also*
cellular automata
- kinetic and thermodynamic reaction
control, 120–21
- L**ight absorption. *See under*
excited-state photophysics
- Lindemann mechanism,
144–147
- liquid modeling
liquids other than water,
46–49
water model, 39–55
- liquid simulation outputs, 26
- liquid–vapor equilibrium modeling,
143
- M**athematical models. *See* cellular
automata
- membrane permeability modeling,
99–107. *See also*
water–surface effects
modeling
- membrane cell ingredients,
selection rules for, 100
- model structure, 100
- solute effect on
membrane permeation of water,
102, 103
membrane transport,
103–105
water permeation, 101, 102
- micelle formation modeling, 78–80.
See also oil–water demixing
model
- modeling nature
interactions, defined, 4
observables, defined, 4
system
definition of, 3
states of, 3–4
- models. *See also* simulation
atomic, 2
cellular automata, 9–37
defined, 1
dynamic aqueous systems,
73–85
enzyme kinetics, 144
in chemistry, 6–8
molecular dynamics approach,
6
Monte Carlo calculations, 7
liquid–vapor equilibrium, 147
mathematical, 2, 9–37
solution systems model, 57–71
successful models, features of, 3
water as model, 39–55
water–surface effects modeling,
87–107
- molecular dynamics approach, 6.
See also cellular automata
- Monte Carlo method, 7. *See also*
cellular automata; molecular
dynamics approach
- Moore neighborhood, 15, 16
- movement rules, 18
in water model, 43
movement on grid, 27, 30
- N**eighborhood. *See* cell
neighborhoods
- Neumann, John von, 9. *See also*
cellular automata
- O**bservables, 4
- oil–water demixing model, 73–78.
See also micelle formation
modeling
experimental design, 74
gravity rules for, 74
hydropathic state variation effect
and, 77

- immiscible solvent demixing
 - application, 75, 76
 - partition coefficients application in, 77
- output, simulation, 26–27
 - chemical kinetic outputs, 27
 - liquid simulation outputs, 26
- P**arallel reaction kinetics, 119–20.
 - See also* series reaction kinetics
- partition coefficients in oil–water demixing model, 77
- percolation modeling, 82–85. *See also* dynamic aqueous systems
 - in dynamic systems, 85
 - in static systems, 84
- permeability modeling. *See* membrane permeability modeling
- photophysics, excited-state. *See* excited-state photophysics
- P_R rules setting in CASIM program, 165
- probability. *See also* joining parameter
 - breaking probability, 20, 43, 48, 63
 - free-moving, 18
- P_T rules setting in CASIM program, 164
- pulse excitation. *See under* excited-state photophysics
- R**andom walk example of CA, 28–29, 30
- rate constant, 111. *See also* chemical kinetics
- relative gravity. *See also* absolute gravity
 - rules, 21
 - setting in CASIM program, 165
- reversible competing reactions, 120
- rotation rules. *See* cell rotation rules
- S**econd-order chemical kinetics, 125–137. *See also* first-order chemical kinetics
 - cellular automata models, 126
 - change in starting concentrations, 134
 - change in starting reactant concentrations, 131, 135
 - inert species influence on, 136
 - irreversible large scale reaction, 129–132
 - irreversible small scale reaction, 127–129
 - joining parameter, 136
 - second-order equilibrium, 132–135
- self-affinity, solute, 65
- self-diffusion (water model example), 52–53
- series reaction kinetics, 117–19. *See also* parallel reaction kinetics
- simulation, 1, 2, 5–6. *See also* CASIM program; models
 - cellular automata, 24–26
 - CA runs, 25
 - initial conditions, 24
 - initial ingredients, 24
 - simulation outputs, 26–27

- simulation (*cont.*)
 chemical kinetic outputs, 27
 liquid simulation outputs, 26
- solubility, influence of water on, 59, 60
- solute dissolution, 64, 65
- solute–water encounter rules, 58, 62
- solution systems model, 57–71, 60.
See also water model
 aqueous solutions modeling, 59
 dissolution process observation in, 66
 freezing point depression example, 68–70
 hydrophobic effect, 61, 62, 63
 joining parameter and breaking probability in, 63
 rules in, 57–58
 solute
 aggregation model, 70–71
 concentration influence on water structure, 60, 61
 diffusion in water, 66, 67
 dissolution application in, 64, 65
 rules, 58
 solute–water encounter rules, 58, 62
 water influence on solubility, 59, 60
- synchronous application of CA rules, 23
- system
 definition of, 3
 states of, 3–4
- thermodynamic reaction control, 120–21
- transition rules, 17
- Ulam, Stanislaw, 9. *See also* cellular automata
- Variiegated water cell models, 51–52
- von Neumann neighborhood, 15, 16
- Water model, 39–55. *See also* solution systems model; water–surface effects modeling
 breaking probability rules in, 43, 44
 density-adjusted grid occupancy example of, 50–51
 cold water, 50
 for intermediate temperatures of water, 51
 hot water, 51
 dimensionality of, 40–41
 evaporation example, 53–54
 experimental design, 41
 for modeling liquids other than water, 46–49
 grids in, 41
 hot water modeling study, 49
 joining parameter rules in, 43, 44
 movement rules in, 43
 profile of f_x values, 55
 recorded attributes, 46
 representation of water, 42
 room temperature example of, 49
 self-diffusion example, 52–53
 statistical considerations in, 46
 variegated water cell models, 51–52
 water density consideration, 42
- water structure, solute–water encounter rules influence on, 62
- water–surface effects modeling, 87–107
 chromatography model, 95–99

- hydropathic wall state effect, 88, 89
 - on flow rate, 91
 - on solutes, 92
 - on water flow, 90
- hydrophobic wall state effect, 89
- membrane permeability modeling, 99–107
- solvent–wall relationships, 88
- wall and solute effects, 93, 94
- water flow rate influence on wall effect, 91
- wetting properties effect, 89
- wetting properties effect. *See under* water–surface effects modeling
- Wolfram, Stephen, 10. *See also* cellular automata
- Zuse, Konrad, 9. *See also* cellular automata