
Index

A

- Adenocarcinoma
 - gastric, 65
 - and GNET, 149
 - laparoscopic distal gastrectomy, 75
 - pancreatic, 132
 - small intestinal neoplasm, 158
 - treatment, 263
- American College of Surgeons Oncology Group (ACOSOG) Z6041 trial, 298
- American Society of Colon and Rectal Surgeons (ASCRS), 298
- Ampullary cancer. *See* Pancreaticoduodenectomy
- Anastomotic leak, 184
- AVR, surgical approaches
 - advantages, 264
 - lithotomy position, 264
 - operative positioning, in lithotomy position, 265
 - securing the radial margin, low rectal cancer, 264–265

C

- Calot's triangle, 123
- Cattell–Braasch maneuver, 122
- Colic vessels, 180–181
- Colon cancer
 - description, 181
 - laparoscopic colectomy, 207
 - treatment, 195
- Colon carcinoma Laparoscopic or Open Resection (COLOR) II trial, 247, 277
- Colotomies, 201, 202
- Complete mesocolic excision (CME), 196–197

D

- Da Vinci® surgical system, 187
- Delayed gastric emptying, 107
- Dennis clamps, 202–203
- Distal gastrectomy
 - contraindications, 67
 - indications, 66
 - laparoscopic gastrectomy (*see* Laparoscopic gastrectomy)

- D2 lymph node dissection, 75
- Double-stapled anastomosis, 203
- Duodenojejunal anastomosis, 126, 127

E

- En bloc esophagectomy
 - abdomen, 42, 44, 45
 - cervical lymph nodes, 40, 42
 - locoregional failure, 39
 - lymphadenectomy, 40
 - mediastinal and upper abdominal lymph node fields, 40, 41
 - multivariate regression analysis, 46
 - neck, 45–46
 - nodal metastases, 46
 - postoperative care, 46
 - preoperative assessment, 40
 - radical, 46
 - randomized trial, 46
 - thorax
 - aortic hiatus inferiorly, 40
 - midline abdominal incision and left neck incision, 42, 44
 - right fifth interspace thoracotomy, 40, 43
 - superior mediastinal lymph nodes, 42
 - tracheal bifurcation and pericardium, 42, 44
 - tumor-bearing esophagus, 40, 43
 - tumors traversing, hiatus, 42
 - vagus nerve, 42
- transthoracic esophagectomy/transhiatal esophagectomy, 39
- tumors, 39–40
- En bloc jejunal/ileal resection, 152–153
- Endorectal ultrasound (ERUS), 239, 310
- End-to-end anastomosis (EEA), 221
- Enhanced recovery after surgery (ERAS), 189
- Esophageal cancer
 - energy sealant device, 31
 - fiberoptic esophagoscopy, 50
 - liver/lung metastases, 50
 - neck incision, 32
 - peritoneum, 29

- Esophagectomy
 Ivor Lewis esophagectomy (*see* Minimally invasive Ivor Lewis esophagectomy)
 three-field esophagectomy (*see* Minimally invasive three-field esophagectomy)
 transhiatal (*see* Transhiatal esophagectomy)
- Esophago-gastric anastomosis. *See* Transhiatal esophagectomy
- Extended abdominoperineal resection
 perineal wound dehiscence, 271
 postoperative management, 271–273
 seminal vesicle/prostate capsule resection in men, 271
 surgical planes for APR, seminal vesicle resection, 272
 vaginectomy in women, 271
- Extrahepatic cholangiocarcinoma, 132, 139
- G**
- Gastric cancer
 adenocarcinomas, 65, 75, 104
 American Joint Commission for Cancer TNM system, 66
 anatomic considerations, 68
 Billroth II gastrojejunostomy, 72
 bursectomy, 99
 chemotherapy and radiation therapy, 65
 complications, 72–73
 diagnosis, 65–66, 76
 diagnostic laparoscopy and cytology, 66
 distal gastrectomy, 87 (*see also* Distal gastrectomy)
E-cadherin, 65
 endoscopic ultrasound (EUS), 66
Helicobacter pylori, 65
 intestinal and diffuse, 65
 lymphadenectomy, 67
 MIS-TG, 88, 96
 mobilization and resection
 avascular plane, 68, 69
 D2 lymph node dissection, 69, 71
 duodenum, TA stapling device, 69, 70
 gastroduodenal junction, 69
 GIA stapler, 69
 operating room setup, 68
 right gastric artery and vein, 69, 70
 right gastroepiploic vessel dissection, 69
 multidisciplinary approach, 65
 NCCN guidelines, 73
 positioning, incision and exposure, 67
 positron emission tomography (PET)/CT, 66
 postoperative management, 72
 Roux-en-Y gastrojejunostomy, 71–72
 surgical technique, 67
- Gastric staple line, 142
- Gastroduodenal artery (GDA), 101
- Gastrointestinal neuroendocrine (GNET)
 adenocarcinoma, 149
 small intestine, 151
- Gastrointestinal stromal tumors, 151
- Gauze, 230
- GDA. *See* Gastroduodenal artery (GDA)
- GelPoint Path system, 300
- Gerota's fascia, 208
- GNET. *See* Gastrointestinal neuroendocrine (GNET)
- H**
- Hand-sewn anastomosis, 153–154, 233
- Hepatic flexure, 180
- Hepaticojunostomy, 114, 115, 125, 126
- “Holy plane” of rectal surgery, 256
- Hybrid laparoscopic-robotic low anterior resection
 autonomic nerves, preservation, 249
 Colon carcinoma Laparoscopic or Open Resection (COLOR) II trial, 247
 factors, 247–248
 high ligation of the IMA, 248
 improved three-dimensional (3-D) optics, 259
 indications
 open partial or total mesorectal excision (TME), 248
 technical principles, 248
 inferior mesenteric artery (IMA) and vein (IMV), 248
 laparoscopic medial to lateral dissection of the left colon
 blunt maneuvers, 253
 IMV and IMA, medial to lateral dissection, 255
 IMV, division, 254
 level of the inferior mesenteric vein, dissection, 253
 plane between the descending mesocolon and the retroperitoneum, 254
 RUQ and RLQ ports, 252
 “T” shaped configuration, 255
 open or with combined laparoscopic-open approaches, 258
 Pfannenstiel incision, 249
 pneumoperitoneum and port placement, location keys, 251–252
 purse-string constructions, 249
 robotic TME (rTME) (*see* Robotic total mesorectal excision (RTME))
 room setup and positioning
 adequate positioning, 249
 operative positioning, 250–251
 transanal extraction, 251
 specimen extraction and colorectal anastomosis
 circular colorectal anastomosis, 260
 suprapubic Pfannenstiel incision, 258
 splenic flexure takedown
 line of Toldt, division, 255
 mobilization of the colon, 256
 transanal extraction, 249
- I**
- Ileocolic pedicle, 179–180
- Ileum. *See* Resection of cancers
- Improved three-dimensional (3-D) optics, 259

- Inferior mesenteric artery (IMA)
 and IMV, 208
 peritoneum distal, 249
- Inferior mesenteric vein (IMV) and IMA, 208
- Ivor Lewis esophagectomy
 abdominal anatomy, 4–6
 abdominal D2 lymphadenectomy and gastric artery
 division, 8, 9
 abdominal incision and exposure, 7–8
 anastomosis
 esophagogastrotomy, 12
 esophagus, 10, 11
 gastric conduit, 11
 gastrotomy, 11
 stapler, 11, 12
 anastomotic leak, 13–14
 bowel preparation/chlorhexidine, 7
 epidural analgesia, 7
 esophageal mobilization, thoracic duct ligation and
 lymphadenectomy, 10–12
 gastric and esophageal mobilization, 8
 gastric pedicle, 9–10
 indications, 6–7
 laparotomy, 3
 midline laparotomy and fifth interspace thoracotomy,
 3–4
 necrosis, 14
 neoadjuvant therapy, 13
 omental pedicle flap, 8, 13
 postoperative management, 13
 postoperative morbidity, 13
 preoperative evaluation and imaging, 7
 pylorus draining procedure, 8, 9
 squamous cell carcinoma, 3
 thoracic anatomy, 5, 6
 thoracotomy, 10
- J**
- Jejunum. *See* Resection of cancers
- L**
- Laparoscopically-assisted colorectal anastomosis
 circular colorectal anastomosis, 260
 suprapubic Pfannenstiel incision, 258
- Laparoscopic colectomy. *See* Laparoscopic right
 colectomy
- Laparoscopic gastrectomy
 adenocarcinomas, 75
 Billroth II reconstruction, 75
 celiac axis/trunk, 76–77
 classification, gastric carcinoma, 76–77
 closure, 21
 D1 and D2 lymphadenectomy, 77
 diagnosis, 78, 79
 en bloc resection, 75
 endoscopic ultrasound and computed tomography, 77
 feeding jejunostomy, 20–21
 gastric mobilization
 gastroepiploic artery, 19
 hiatal hernia, 19
 lesser curvature, 19
 LigaSure (Covidien) and Harmonic Scalpel
 (Ethicon), 18, 19
 lymph node, 19, 20
 mediastinal dissection, 19
 medium/thick tissue staple cartridges, 19
 omental flap, 19
 hepatic artery, 76
 indications, 76
 instruments, 78
 malignancy, 75
 minimal access surgery, 76
 patient positioning and setup, 78, 79
 peritoneum and omentum, 18
 postoperative care and complications, 83–84
 proximal transection, stomach and anastomosis,
 82–83
 splenic artery, 76
 stomach and duodenum, 17–18, 79–81
 techniques and equipment, 75–76
 trocar placement, 18, 19, 78, 80
 venous drainage, 76
 vessels and lymph node dissection, 80–82
- Laparoscopic hemicolectomy
 left, 211
 right, 208
- Laparoscopic left colectomy
 anastomosis, 212
 colon cancer, 207
 colon resection and specimen extraction, 212
 complications, 213
 Gerota's fascia, 208
 historical perspective, 207
 IMA, 208
 IMV, 208
 indications, 207–208
 inferior mesenteric vessels, 211
 lateral colon mobilization, 212
 middle colic vessels, 211
 operating room configuration, 208–209
 patient preparation and positioning, 208–210
 pneumoperitoneum, 210
 postoperative care, 213
 required instruments, 208
 splenic flexure takedown, 212
 surgical approach, 210–211
- Laparoscopic low anterior resection (LAR)
 anastomotic technique, 232
 anatomic considerations, 228
 contraindications, 227–228
 gauze, 230
 gonadal vessels, 230
 hand-sewn anastomosis, 233
 indication, ileostomy, 234
 linear stapler, 231
 mechanical anastomosis, 232
 5-mm LigaSure device, 230
 perioperative complications, 234

- Laparoscopic low anterior resection (LAR) (*cont.*)
- pneumoperitoneum, 228–229
 - port site closure, 233
 - postoperative management, 234
 - preoperative considerations, 228
 - rectal resection, 227
 - surgical technique, 228
 - theater organization, 229
 - TME, 227
 - trocars, 229
- Laparoscopic mobilization of gastric conduit
- closure, 21
 - feeding jejunostomy, 20
 - gastric conduit, creating, 19–20
 - gastric mobilization, 18–19
 - Harmonic Scalpel (Ethicon), 18
 - key lymph node stations, 20
 - LigaSure (Covidien), 18
 - operative positioning, 18
 - port placement, 17–18
 - trocars, 19
- Laparoscopic pancreaticoduodenectomy (LPD)
- Calot's triangle, 123
 - Cattell–Braasch maneuver, 122
 - description, 119
 - diagnostic laparoscopy, 119
 - duodenojejunal anastomosis, 126, 127
 - duodenum and pancreas, 123
 - evolution and technical variations, 127
 - gastroduodenal artery, 124
 - hepaticojejunostomy, 125, 126
 - indications, operation, 120
 - infra-colic dissection, 124
 - instrumentation, 122
 - intraoperative complications, 128
 - mobilization, pancreatic head, 122, 123
 - operative placement, ports, 121–122
 - pancreas resection, 124
 - pancreaticojejunal anastomosis, 125, 126
 - postoperative complications, 128
 - preoperative investigations, 120
 - preoperative preparation, 120
 - present status, 128
 - safety and outcomes, 119
 - staging and assessment, resectability, 123
 - team setup and port placement, 121
 - uncinate process resection, 124–125
- Laparoscopic right colectomy
- adoption, 175–176
 - anastomotic leak, 184
 - bleeding, ileocolic pedicle, 184
 - cholecystectomy and appendectomy, 176
 - colic artery, 175
 - colic vessels, 180–181
 - CT, 176
 - duodenal injury, 183–184
 - epigastric vessels, 183
 - hepatic flexure, 180
 - ileocecal junction, 181–182
 - ileocolic artery, 175
 - ileocolic pedicle, 179–180
 - indications, 176
 - laparoscopic set-up, 179
 - laparotomy, 176
 - patient positioning, 177, 178
 - perioperative preparation, 177
 - port insertion, 177
 - port placement, 178
 - postoperative management, 183
 - preoperative workup, 176
 - right hemicolectomy, 176
 - SMA, 175
 - specimen extraction, 182
 - ureteral injury, 183
- Left colectomy
- anatomic considerations, 195
 - CME, 196–197
 - colo-colonic, 201
 - colotomies, 201
 - Dennis clamps, 202–203
 - double-stapled anastomosis, 203
 - hemicolectomy, 195
 - incision, 198
 - lymphatic drainage, 196
 - marginal artery, 196
 - mesentery, 201–202
 - mobilization, 200
 - oncologic resection, 195
 - perioperative preparation, 197–198
 - peritoneal cavity, 199
 - postoperative care, 204–205
 - preoperative management, 197
 - sigmoid and left colon, 201
 - splenic flexure lesion resection, 199
 - stapled anastomosis, 201–202
 - venous drainage mirrors, 196
 - vessels, colon, 196
- Low anterior resection (LAR)
- anal canal, 216
 - anatomic highlights, 215–216
 - bowel transection, 221
 - complications, 223
 - EEA, 221
 - fascial planes, 215–216
 - historical perspective, 215
 - ileostomy and closure, 222–223
 - incidence, 215
 - indications for operation, 218
 - lymphatic drainage, 217
 - mobilization and resection, 219, 221
 - operative positioning and exploration, 219
 - perioperative preparation, 218–219
 - and POD, 223
 - preoperative workup, 218
 - rectum, 216
 - sigmoidoscopy, 221
 - stapling device, 222
 - St. Mark's abdominal retractor, 220
 - superior rectal vein, 216–217
- LPD. *See* Laparoscopic pancreaticoduodenectomy (LPD)
- Lymphoma, 151

M

- Minimally invasive Ivor Lewis esophagectomy
 botulinum toxin, 17
 description, 17
 esophagogastroduodenoscopy (EGD), 17
 laparoscopic mobilization (*see* Laparoscopic mobilization of gastric conduit)
- Minimally invasive surgical techniques
 adenocarcinoma, 159
 adenoma, 159
 carcinoid/neuroendocrine tumors, 159
 complications, 162
 distal ileum, 157
 GIST, 160
 historical perspective, 158
 indications, operation, 158
 jejunum, 157
 laparoscopic small intestine resection, 160
 lymphoma, 159–160
 perioperative preparation, 160
 port placement and operative details
 enterotomies, 161, 164
 location, tumor, 161, 163
 proximal small bowel pathology, 160, 162
 small intestinal resection, 160, 161
 trendelenburg position, 160, 161
 Veress needle, 160
 postoperative management, 161–162
 preoperative workup, 158
 small intestine, 157
- Minimally invasive three-field esophagectomy
 anastomotic leak, paralyzed vocal cords/chylothorax, 58–59
 anastomotic stricture, 59
 anesthesia, 50–51
 blood volume and systemic blood pressure, 58
 Botox injection technique, 59
 bowel preparation, 50
 cervical esophageal dissection, 56
 cervical incision, 49
 dietary modifications, 59
 drainage color, 58
 esophageal cancer, 49
 feeding jejunostomy catheter, 58
 gastric pull-up and esophago-gastric anastomosis
 cervical esophagus, 58
 endostapler, 56, 57
 Foley catheter, 57
 nasogastric tube, 58
 indications, 50
 intestinal vasomotor symptoms, 59
 laparoscopic gastric conduit
 endograsper, 54
 gastric drainage, 55–56
 gastric vessels, 55
 legs, 54–55
 port placement, 54, 56
 stomach and spleen, 55
 trocar, 54
 mediastinal lymph node dissection, 49
 posterior mediastinal route, 49
 postoperative chylothorax, 59
 pre-op evaluation and imaging, 50
 prophylactic antibiotics, 58
 pyloromyotomy/pyloroplasty, 59
 sphincter muscle, 58
 thoracic and abdominal approach, 49
 thoracic duct, 59–60
 thoracoscopic esophageal dissection
 azygos vein, 52, 53
 carbon dioxide insufflation, 51
 energy devices, 51
 esophagus and aorta, 51, 53
 inferior pulmonary ligament and dissection, 51
 mediastinal pleura, 52
 paratracheal lymph nodes, 53
 penrose drain, 51, 53
 port placement, 51, 52
 and subcarinal lymph nodes, 52, 54
 thoracic duct, 51, 52
 thoracic trocars, operation room setup, 51, 52
 vocal cord paralysis, 58
- Minimally invasive total gastrectomy (MIS-TG)
 description, 87
 distal esophagus, 91, 94
 D2 lymphadenectomy, 91, 93
 esophagojejunal anastomosis, 94
 gastroepiploic vessels, 90, 92
 laparoscopic distal gastrectomy, 87
 ligament of Treitz (LOT), 94
 mesenteric defects, 94
 omentectomy, 90, 92
 outcomes, 95–96
 patient positioning and port placement
 beanbag device, 88
 fenestrated bipolar grasper, 89
 hiatus and distal esophagus, 88
 Nathanson liver retractor, 89
 peritoneal/metastatic disease, 89
 pneumoperitoneum, 88
 robot position, RTG, 89, 91
 RTG, 88
 split-leg table, 88–89
 trendelenburg, 88
 patient selection, 87–88
 postoperative care, 94, 95
 proximal duodenum, 90–91, 93
 robotic gastrectomy, 96
 Roux-en-Y esophagojejunostomy, 94
 specimen retrieval, 94
 transoral anvil, 94, 95
 5-mm LigaSure device, 230
- N**
 National Comprehensive Cancer Network (NCCN), 298
 National Comprehensive Cancer Network Rectal Cancer Guidelines, 310

O

- Open abdominoperineal resection (APR), lithotomy position
 - abdominal phase, APR
 - abdominal incision, 268
 - levator resection in the abdominal phase, 270
 - low ligation, inferior mesenteric artery, 269
 - mobilization, middle and low rectum, 269–270
 - mobilization, upper rectum, 269
 - abdominoperineal resection
 - coccyx, preserving, 270
 - drainage, distal pelvis and deep perineal space, 271
 - perineal phase, 270–271
 - aim, 263
 - extended abdominoperineal resection
 - perineal wound dehiscence, 271
 - postoperative management, 271–273
 - seminal vesicle/prostate capsule resection in men, 271
 - surgical planes for APR, seminal vesicle resection, 272
 - vaginectomy in women, 271
 - full mechanical bowel cleansing, 264
 - indications, APR, 263–264
 - mortality associated with APR, 264
 - positioning, patient, 268
 - right iliac vessels, vaginectomy and resection, 273
 - sigmoid mobilization, 268
 - standard APR, variations
 - extralevator, 266
 - intralevator, 266
 - wide perineal resection, 266–268
 - surgical approaches
 - advantages, 264
 - lithotomy position, 264
 - operative positioning, 265
 - securing the radial margin, low rectal cancer, 264–265
 - transection, sigmoid colon, 269
- Open gastrectomy. *See* Gastric cancer
- Open partial or total mesorectal excision (TME), 248
- Open resection. *See* En bloc esophagectomy; Ivor Lewis esophagectomy; Resection of cancers
- Open right colectomy
 - abdominal wall incisions, 171
 - anastomosis, 171
 - closure, 173
 - colon, 171
 - colon mobilization, 169–170
 - exploration, 169
 - hepatic flexure, 170
 - ileum and right colon, 172
 - incision, 169
 - mesentery division, 171
 - operative positioning, 170
 - preparation, 169
 - resection and anastomosis, 172–173
 - transverse staple line, 172

Open technique for transanal resection

- historical perspective, 289
- local excision of rectal lesions, 289
- transanal endoscopic microsurgery (TEM), 289
- transanal minimally invasive surgery (TAMIS), 289
- indications
 - digital rectal exam, 290
 - endorectal ultrasound (ERUS)/MRI/CT, 290
 - Tis and T1 tumors, 290
- operative considerations
 - closure of the defect, 294
 - electrocautery, 291
 - everting sutures in the distal anal canal, 291
 - examination and marking, 291–294
 - nerve blocks and retraction, 291
 - operative diagram, 293
 - patient positioning and operating room setup., 292
 - positioning and anatomic considerations, 290–291
 - postoperative recovery, 294
 - preparation for surgery, 290
 - prone-jackknife position, 291
 - rectal cancer protocol, 294
 - rectal lesion, extent of a full-thickness resection, 293
 - resection of the specimen, 293–294
- pitfalls and complications
 - infections, 294
 - urinary retention, 294

P

- Pancreatic cancer, 131, 132. *See also* Pancreaticoduodenectomy
- Pancreatic fistula, 107, 118
- Pancreaticoduodenectomy
 - bile duct, 111, 112
 - Chevron-type incision, 109
 - description, 107
 - gastrojejunostomy, 116–117
 - head and uncinate process, 113–114
 - hepatic artery, 111
 - hepatic flexure, 110
 - hepaticojejunostomy, 114, 115
 - inferior border, pancreas, 109–110
 - Kocher maneuver, 110–111
 - liver and celiac trunk, 109
 - metastatic disease, 109
 - pancreas, 113
 - pancreatic duct, 117–118
 - pancreaticojejunostomy, 114, 115
 - patient positioning, 108
 - patient selection, 107
 - portal vein, 111, 112
 - proximal jejunum, 112, 113
 - stomach, 112
 - vascular involvement, 117
- Pancreaticojejunal anastomosis, 125, 126
- Pancreaticojejunostomy, 114, 115

Patient controlled analgesia (PCA), 84
 Periapillary cancer, 120, 122, 131
 Pfannenstiel incision, 249
 suprapubic, 258
 Pneumoperitoneum, 210
 Postoperative day (POD), 223

R

Radical esophagectomy
 cervical nodes, 40
 transthoracic/transhiatal approaches, 39, 46
 Rectal adenoma, 310
 Rectal cancer. *See* Low anterior resection (LAR)
 “Rectal cancer protocol”, 294
 Resection of cancers
 adenocarcinoma, 151
 carcinogens and bowel mucosa, 149
 clinical presentation, 150
 En Bloc Jejunum/Ileal resection, 152–153
 gastrointestinal stromal tumors, 151
 GNET, 149, 151
 hand-sewn anastomosis, 153–154
 jejunum and ileum, 149–150
 lymphoma, 151
 preoperative preparation, 151–152
 preoperative workup, 150–151
 SMA, 150
 small bowel cancer, 149
 stapled anastomosis, 154
 RGEV. *See* Right gastroepiploic vein (RGEV)
 Right colectomy
 controlled trial, 188
 da Vinci[®] surgical system, 187
 ERAS, 189
 FDA, 187–188
 hospital costs, 188–189
 indications, 189
 operative time, 188
 patient position, 189
 preoperative evaluation, 189
 robotic procedure
 complications, 193
 duodenum, 191
 endovascular linear stapler, 191
 entero-colotomy, 193
 hepatic flexure, 192
 ileocolic vessels, 192
 linear stapler, 192
 postoperative management, 193
 retroperitoneal space, 190–191
 terminal ileum, 191
 robotic setup, 189–190
 robotic system, 187
 SILS, 188
 Right gastroepiploic vein (RGEV), 101
 Robotic abdominoperineal resection (APR)
 anatomical highlights, 275
 Colorectal Cancer Laparoscopic or Open Resection
 (COLOR II) trial, 277
 complications and management

 bladder dysfunction, 286
 sexual dysfunction, 286
 wound problems, 286
 historical perspective, 277
 indications
 minimum distal mucosal margins, 277
 patient selection, 277
 operative procedure
 colostomy creation, 285
 completing the mesocolic dissection, 281
 dissection into the retroperitoneum, 282
 dissection of the inferior mesenteric artery, 281
 inferior mesenteric artery dissection, 279–281
 mobilization of distal mesorectum, 283
 operative positioning, 280
 patient positioning, 278
 pelvic dissection, 281–283
 perineal dissection, 283–284
 trocar placement, 278–279
 perioperative preparation
 bowel preparation in colon and rectal surgery, 278
 chemical prophylaxis with subcutaneous
 heparin, 278
 pneumoperitoneum and Trendelenburg
 position, 277
 planes of pelvic dissection
 anterior plane, 276
 lateral plane, 276
 pelvic floor, 276–277
 posterior plane, 276
 postoperative management
 early mobilization, 285
 fluid management, 285
 vascular supply and drainage
 lateral pelvic nodal metastasis, 276
 mid-rectal and pudendal vessels, 275
 venous drainage, 275
 Robotic pancreaticoduodenectomy (RPD)
 anatomic highlights/landmarks, 132–133
 A2 port, 140
 CHA, 139
 complications, 143
 diabetes and pancreatic insufficiency, 143
 duodenojejunostomy (DJ), 141–142
 gastric staple line, 142
 GDA, 139
 hepatic artery lymph node, 138
 hepaticojejunostomy (HJ), 141
 indication and preoperative evaluation, 132
 laparoscopic mobilization and resectability
 Cattell–Braasch maneuver, 136
 equipment table, 135–136
 gastrohepatic ligament, 137
 jejunum, 137
 port placement, 135, 136
 RUQ, 138
 “no touch” technique, 139
 operative positioning
 equipment table, 133, 136
 laparoscopic mobilization, 133, 134
 patient, 133, 134

- Robotic pancreaticoduodenectomy (RPD) (*cont.*)
 pancreatic cancer, 131
 port placement, 133–134
 postoperative management, 142
 preoperative preparation, 132–133
 robotic cholecystectomy, 141
 SMV-PV, 140
- Robotic total gastrectomy (RTG)
 laparoscopic TG (LTG), 88
 posterior wall, 90
- Robotic total mesorectal excision (RTME)
 digital rectal exam or flexible endoscopy, 258
 dissecting lateral stalks, 258
 division with laparoscopic or robotic stapler, 259
 “holy plane” of rectal surgery, 256
 and laparoscopic TME, comparison, 238
 pelvic dissection, 238
 rectal procedures, 256
 rectum and the prostate and seminal vesicles, 258
 reduced complications and reduction in postoperative pain, 238
 robotic TME (rTME), 256
 sacral promontory, 257
- Robotic whipple, 131, 171
- RTG. *See* Robotic total gastrectomy (RTG)
- S**
- Single-incision laparoscopic surgery (SILS) ports,
 188, 300
- SMA. *See* Superior mesenteric artery (SMA)
- Small bowel cancer, 149
- Splenic flexure takedown
 line of Toldt, division, 255
 mobilization of the colon, 256
- Standard APR, variations
 APR procedures, comparison, 268
 extended abdominoperineal resection, 268
 extralevator, 266
 intralevator, 266
 surgical planes, comparison, 267
 wide perineal resection, 266–268
- Stapled anastomosis, 154, 201–202
- Stapling device, 222
- St. Mark’s abdominal retractor, 220
- Subtotal gastrectomy, 65, 67, 73
- Superior mesenteric artery (SMA), 150
- Surgical technique
 esophagus, 6
 laparoscopic low anterior resection, 228–232
 minimally invasive surgical techniques
 (*see* Minimally invasive surgical techniques)
 and neoadjuvant therapy, 39
 right colectomy (*see* Right colectomy)
- esophageal mobilization, 21–22
 inferior pulmonary ligament, 21
 network of lymphatics, 21
 omental flap, 22
 operative diagram, 22–24
 penrose drain, 21, 23
 proximal esophagus, 22, 23
 subcarinal lymph node station, 22
- Three-field. *See* Minimally invasive three-field esophagectomy
- Total gastrectomy. *See also* Minimally invasive total gastrectomy (MIS-TG)
 D2 lymph node dissection
 colonic wall, 99
 omental-bursectomy, 99
 omentectomy, 100, 101
 splenectomy, 102, 103
 station 4sa, 102
 duodenal transection, 101–102
 esophageal transection, 104
 incision, 99, 100
 peritoneal cavity exploration, 99, 101
 Roux-en-Y esophagojejunostomy, 104–105
 stations 1 and 2, 104
 suprapancreatic lymph node dissection, 103–104
- Totally robotic low anterior resection of the rectum da Vinci Surgical System (intuitive), 237
 female pelvic anatomy, 238
 laparoscopic low anterior resection (LAR), 237
 minimally invasive approach, benefits, 237, 247
 mobilization of splenic flexure and left colon
 IMA, division, 240–241
 inferior mesenteric vein (IMV), 240
 peritoneum under the IMV, 240
 neoadjuvant chemoradiation (CRT) treatment, 239
 patient-controlled analgesia (PCA), 243–244
 patient positioning, 239
 patient selection, 239
 port placement, 239–240
 postoperative regimen, 247
 preoperative considerations, 239
 principles and justification, 237–239
 robotic TME (RTME) and laparoscopic TME,
 comparison, 238
 surgeon requirements, criteria, 239
 totally robotic approach, 239
 total mesorectal excision, 241–243
 transanal extraction techniques, 243
 trocar positioning, 240
- Total mesorectal excision (TME)
 abdominal/transanal approach, 235
 distal dissection and preparation of rectum, 242
 division, rectum, 242
 laparoscopic, 227
 patient reposition, 241, 242
 procedure, 241
 robotic, 238
- Transanal endoscopic operation (TEO) equipment, 309
- Transanal endoscopic surgery, rectal tumors
 local excision (LE), 309
 National Comprehensive Cancer Network Rectal Cancer Guidelines, 310
- T**
- TEM CO₂ insufflator, 314
- Thoracic dissection and anastomosis
 anastomosis, 22–24
 closure, 24

- postoperative management, 316
 - preoperative preparation
 - anesthesia, 311
 - operative equipment and positioning, 312
 - standard surgical strategy, 314–315
 - suture, with the needle-holder as, 315
 - TEM CO₂ insufflator, 314
 - TEM equipment, 311
 - TEO equipment, 312–314
 - ultrasonic scalpel, 314
 - selection of patients, treatment groups
 - colorectal adenomatous polyps, 310
 - endorectal ultrasound (ERUS), 310
 - group i (curative intent), 310
 - group ii (curative intent), 310
 - group iii (indication by consensus), 310–311
 - group iv (palliative), 310–311
 - rectal adenoma, 310
 - T1 tumors treated with TEM, 310
 - tumor markers, 310
 - TEM equipment, 313
 - TEM, technical limitations, 316
 - TEM/TEO, postoperative morbidity and mortality
 - perforation, 317
 - perineal sepsis due to rectal manipulation, 316
 - postoperative bleeding, 316
 - rectovaginal fistula, risk of, 316
 - total mesorectal excision (TME), 309
 - transanal endoscopic microsurgery (TEM), 309
 - transanal endoscopic operation (TEO) equipment, 309
 - Transanal excision (TAE), 297
 - Transanal extraction techniques
 - beginning, surgeon's learning curve, 243
 - outside of rectum and mesorectum, 243
 - Transanal minimally invasive surgery (TAMIS) for rectal cancer
 - additional diagnostic studies, 299
 - anatomic considerations
 - anatomic indications, 299
 - diagnosis and workup, 299
 - complications
 - functional complications, 306
 - peritoneal entry, 306
 - rectal bleeding, 306
 - suture dehiscence, 306
 - disease-specific/oncologic considerations, 298
 - equipment
 - GelPoint Path system, 300
 - single-incision laparoscopic surgery (SILS) ports, 300
 - indications, 298
 - lesions in the distal rectum, 298–299
 - nodal metastasis by T-stage, 298
 - preoperative considerations
 - mechanical bowel preparation, 299
 - operative field in TAMIS, 299
 - selecting patients for TAMIS, 298
 - surgical technique
 - circumferential dissection, 302–304
 - excision of rectal lesion, 304
 - full-thickness incision, rectal wall, 301–302
 - identification of excision margins, 301
 - LapraTy (Ethicon), 305
 - 1 cm margins of excision of rectal lesion, 303
 - port placement and exposure, 300–301
 - positioning and preparation, 300
 - postoperative care, 305
 - prone-jackknife or lithotomy, 300
 - surveillance, 306
 - TAMIS, operative positioning, 301–302
 - transanal port in anal canal, 303
 - TAMIS and TEM, common features, 297
 - transanal excision (TAE), 297
 - transanal minimally invasive surgery (TAMIS), 297
 - Transhiatal esophagectomy
 - abdominal and cervical neck incisions, 31, 32
 - anastomosis, absorbable suture, 34–35
 - anastomotic leak, 36
 - anterior-posterior orientation, 32
 - anterior wall, gastric fundus, 33
 - aorto-esophageal branches, 31
 - cervical anastomosis, 29
 - cervical esophagus and stomach, 34
 - cervical mobilization, 31
 - Deaver/Harrington retractor, 32
 - dense adhesions, 32
 - diaphragmatic hiatus, 33
 - drainage procedure, 30
 - esophageal mobilization, 36
 - esophageal staple, 33
 - flexible jejunostomy, 31
 - gastric blood supply, 28
 - gastric conduit, 29
 - gastrointestinal continuity, 27
 - hemostasis, 36
 - high/excessive chest tube, 36
 - indications, 29
 - jejunostomy tube, 36
 - laryngeal nerve injury, 27, 36
 - linear stapler, gastric tube creation, 32
 - lymph nodes, 30–31
 - mediastinal dissection, 28–29
 - meta-analysis, 27
 - neoadjuvant chemotherapy and radiation, 29
 - partial gastrectomy, 32, 33
 - patient positioning and operating room setup, 29, 30
 - postoperative care, 35
 - pyloromyotomy, 33
 - smoking, 29
 - stapler jaws, 34
 - sump drain, 32
 - thoracotomy, 35–36
 - tracheal tears, 35
- U**
- Uncinate process resection, 124–125