

Inequalities for Differential Forms

Inequalities for Differential Forms

Ravi P. Agarwal
Florida Institute of Technology
Melbourne, FL, USA

Shusen Ding
Seattle University
Seattle, WA, USA

and

Craig Nolder
Florida State University
Tallahassee, FL, USA

 Springer

Ravi P. Agarwal
Department of Mathematical Sciences
Florida Institute of Technology
Melbourne, FL 32901
agarwal@fit.edu

Shusen Ding
Department of Mathematics
Seattle University
Seattle, WA 98122
sding@seattleu.edu

Craig Nolder
Department of Mathematics
Florida State University
Tallahassee, FL 32306
nolder@math.fsu.edu

ISBN 978-0-387-36034-8 e-ISBN 978-0-387-68417-8
DOI 10.1007/978-0-387-68417-8
Springer New York Dordrecht Heidelberg London

Library of Congress Control Number: 2009931765

Mathematics Subject Classification (2000): Primary: 26D10, 58A10, 35J60, Secondary: 26D15, 26D20, 30C65, 31B05, 46E35, 53A45

© Springer Science+Business Media, LLC 2009

All rights reserved. This work may not be translated or copied in whole or in part without the written permission of the publisher (Springer Science+Business Media, LLC, 233 Spring Street, New York, NY 10013, USA), except for brief excerpts in connection with reviews or scholarly analysis. Use in connection with any form of information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed is forbidden.

The use in this publication of trade names, trademarks, service marks, and similar terms, even if they are not identified as such, is not to be taken as an expression of opinion as to whether or not they are subject to proprietary rights.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

This book is dedicated to
Sadhna Agarwal, Yuhao Ding, Raymond W. Nolder, Laura Yang

Preface

Differential forms have been widely studied and used in many fields, such as physics, general relativity, theory of elasticity, quasiconformal analysis, electromagnetism, and differential geometry. They can be used to describe various systems of partial differential equations and to express different geometrical structures on manifolds. Hence, differential forms have become invaluable tools for many fields. One of the purposes of this monograph is to present a series of estimates and inequalities for differential forms, particularly, for the forms satisfying the homogeneous A -harmonic equations, or the nonhomogeneous A -harmonic equations, or the conjugate A -harmonic equations in \mathbf{R}^n , $n \geq 2$. These estimates and inequalities are critical tools to investigate the properties of solutions to the nonlinear differential equations and to control oscillatory behavior in domains or on manifolds. These results can be further used to explore the global integrability of differential forms and to estimate the integrals of differential forms. Throughout this monograph we always keep in our mind that differential forms are the extensions of functions (functions are 0-forms). Hence, all results about differential forms presented in this monograph remain valid for functions defined in \mathbf{R}^n .

In Chapter 1, we study various versions of the Hardy–Littlewood inequalities for differential forms satisfying the conjugate A -harmonic equation. We first introduce some definitions and notation related to differential forms, which will be used in this monograph. Then, we discuss different versions of the A -harmonic equations and weight classes. From Sections 1.5, 1.6, and 1.7, we present the local and global Hardy–Littlewood inequalities with different weights in John domains and $L^s(\mu)$ -averaging domains, respectively. We also give the best integrable exponents in Section 1.8. Finally, we investigate the Hardy–Littlewood inequalities with Orlicz norms.

In Chapter 2, we concentrate on the L^p -estimates for solutions of the nonhomogeneous A -harmonic equation. We also extend these estimates to the

$A_r(\Omega)$ -weighted cases. We conclude Chapter 2 with the global norm comparison inequalities and some applications to the compositions of operators.

Chapters 3 and 4 treat the Poincaré inequalities and the Caccioppoli inequalities, respectively. Specifically, we present the Poincaré inequalities with L^p -norms and Orlicz norms for differential forms. We provide some estimates for Green's operator and the projection operator. As applications of the Poincaré inequalities, we also obtain some estimates for Jacobians of the Sobolev mappings. We develop both local and global Caccioppoli-type estimates with different weights in a domain or on a manifold in Chapter 4. Roughly speaking, these estimates provide upper bounds for the L^s -norm of ∇u (if u is a function) or du (if u is a form) in terms of the L^s -norm of differential form u . We also discuss Caccioppoli-type estimates with Orlicz norms.

Chapters 5 and 6 are concerned with the imbedding inequalities and the reverse Hölder inequalities, respectively. The imbedding inequalities for functions can be found in almost every book on partial differential equations; see Sections 7.7 and 7.8 in [63], for example. Hence, we only study the imbedding inequalities for differential forms in Chapter 5. We also explore the imbedding inequalities for some operators applied to differential forms and discuss various weighted cases. In Chapter 6, various versions of the reverse Hölder inequalities are established.

Chapter 7 is devoted to the integral estimates for some related operators, such as the homotopy operator, Laplace–Beltrami operator, and the gradient operator. We also develop some estimates for the compositions of operators, including the Hardy–Littlewood maximal operator and the sharp maximal operator. We know that the Jacobian of a quasiconformal mapping satisfies a stronger estimate, the reverse Hölder inequality. Then, what kind of estimates can we expect for the Jacobian of a mapping in a Sobolev class? We discuss the integrability of Jacobians in Chapter 8. Finally, in Chapter 9, we develop norm comparison theorems related to BMO -norms and Lipschitz norms. We also prove that the integrability exponents described in the Lipschitz norm comparison theorem are the best possible.

This monograph presents an up-to-date account of the advances made in the study of inequalities for differential forms and will hopefully stimulate further research in this area.

We would like to express our deep gratitude to our colleagues and friends who gave us various help and support during the preparation of this monograph. In particular, we are grateful for the valuable discussions with Professor Janet Mills, Professor Wynne Guy, and Professor John Carter. During the preparation of this monograph, Professor Yuming Xing, Professor Bing Liu, and Professor Peilin Shi generously devoted considerable time and effort in

reading various versions of the manuscript and giving us many precious and thoughtful suggestions which led to substantial improvements in the text. We also want to thank Ms. Damle Vaishali at Springer Verlag, New York, for her support and cooperation.

Melbourne, Florida
Seattle, Washington
Tallahassee, Florida

Ravi P. Agarwal
Shusen Ding
Craig A. Nolder

August, 2008

Contents

| | | |
|----------|--------------------------------------|----------|
| 1 | Hardy–Littlewood inequalities | 1 |
| 1.1 | Differential forms | 1 |
| 1.1.1 | Basic elements | 1 |
| 1.1.2 | Definitions and notations | 5 |
| 1.1.3 | Poincaré lemma | 6 |
| 1.2 | A -harmonic equations | 8 |
| 1.2.1 | Quasiconformal mappings | 9 |
| 1.2.2 | A -harmonic equations | 10 |
| 1.3 | p -Harmonic equations | 14 |
| 1.3.1 | Two equivalent forms | 14 |
| 1.3.2 | Three-dimensional cases | 15 |
| 1.3.3 | The equivalent system | 17 |
| 1.3.4 | An example | 19 |
| 1.4 | Some weight classes | 21 |
| 1.4.1 | $A_r(\Omega)$ -weights | 21 |
| 1.4.2 | $A_r(\lambda, E)$ -weights | 23 |
| 1.4.3 | $A_r^\lambda(E)$ -weights | 25 |
| 1.4.4 | Some classes of two-weights | 27 |
| 1.5 | Inequalities in John domains | 29 |
| 1.5.1 | Local inequalities | 29 |
| 1.5.2 | Weighted inequalities | 32 |
| 1.5.3 | Global inequalities | 34 |
| 1.6 | Inequalities in averaging domains | 37 |
| 1.6.1 | Averaging domains | 37 |
| 1.6.2 | $L^s(\mu)$ -averaging domains | 38 |
| 1.6.3 | Other weighted inequalities | 41 |
| 1.7 | Two-weight cases | 43 |
| 1.7.1 | Local inequalities | 43 |
| 1.7.2 | Global inequalities | 45 |
| 1.8 | The best integrable condition | 45 |
| 1.8.1 | An example | 45 |
| 1.8.2 | Remark | 47 |

| | | |
|----------|--|-----------|
| 1.9 | Inequalities with Orlicz norms | 47 |
| 1.9.1 | Norm comparison theorem | 48 |
| 1.9.2 | $L^p(\log L)^\alpha$ -norm inequality | 49 |
| 1.9.3 | $A_r(\Omega)$ -weighted case | 52 |
| 1.9.4 | Global $L^s(\log L)^\alpha$ -norm inequality | 55 |
| 2 | Norm comparison theorems | 57 |
| 2.1 | Introduction | 57 |
| 2.2 | The local unweighted estimates | 58 |
| 2.2.1 | Basic L^p -inequalities | 58 |
| 2.2.2 | Special cases | 60 |
| 2.3 | The local weighted estimates | 61 |
| 2.3.1 | L^s -estimates for d^*v | 61 |
| 2.3.2 | L^s -estimates for du | 64 |
| 2.3.3 | The norm comparison between d^* and d | 65 |
| 2.4 | The global estimates | 67 |
| 2.4.1 | Global estimates for d^*v | 67 |
| 2.4.2 | Global estimates for du | 68 |
| 2.4.3 | Global L^p -estimates | 69 |
| 2.4.4 | Global L^s -estimates | 70 |
| 2.5 | Applications | 72 |
| 2.5.1 | Imbedding theorems for differential forms | 72 |
| 3 | Poincaré-type inequalities | 75 |
| 3.1 | Introduction | 75 |
| 3.2 | Inequalities for differential forms | 75 |
| 3.2.1 | Basic inequalities | 75 |
| 3.2.2 | Weighted inequalities | 76 |
| 3.2.3 | Inequalities for harmonic forms | 78 |
| 3.2.4 | Global inequalities in averaging domains | 83 |
| 3.2.5 | A_r^λ -weighted inequalities | 84 |
| 3.3 | Inequalities for Green's operator | 86 |
| 3.3.1 | Basic estimates for operators | 88 |
| 3.3.2 | Weighted inequality for Green's operator | 90 |
| 3.3.3 | Global inequality for Green's operator | 92 |
| 3.4 | Inequalities with Orlicz norms | 92 |
| 3.4.1 | Local inequality | 93 |
| 3.4.2 | Weighted inequalities | 96 |
| 3.4.3 | The proof of the global inequality | 98 |
| 3.5 | Two-weight inequalities | 100 |
| 3.5.1 | Statements of two-weight inequalities | 100 |
| 3.5.2 | Proofs of the main theorems | 101 |
| 3.5.3 | $A_r^\lambda(\Omega)$ -weighted inequalities | 104 |
| 3.6 | Inequalities for Jacobians | 107 |
| 3.6.1 | Some notations | 108 |
| 3.6.2 | Two-weight estimates | 109 |

- 3.7 Inequalities for the projection operator 111
 - 3.7.1 Statement of the main theorem 111
 - 3.7.2 Inequality for Δ and G 112
 - 3.7.3 Proof of the main theorem 116
- 3.8 Other Poincaré-type inequalities 116
- 4 Caccioppoli inequalities** 119
 - 4.1 Preliminary results 119
 - 4.2 Local and global weighted cases 120
 - 4.2.1 $A_r(\Omega)$ -weighted inequality 120
 - 4.2.2 $A_r(\lambda, \Omega)$ -weighted inequality 123
 - 4.2.3 $A_r^\lambda(\Omega)$ -weighted inequality 125
 - 4.2.4 Parametric version 126
 - 4.2.5 Inequalities with two parameters 127
 - 4.3 Local and global two-weight cases 127
 - 4.3.1 An unweighted inequality 127
 - 4.3.2 Two-weight inequalities 129
 - 4.4 Inequalities with Orlicz norms 133
 - 4.4.1 Basic $\|\cdot\|_{L^p(\log L)^\alpha(E)}$ estimates 133
 - 4.4.2 Weak reverse Hölder inequalities 136
 - 4.4.3 $A_r(M)$ -weighted cases 137
 - 4.5 Inequalities with the codifferential operator 140
 - 4.5.1 L^q -estimate for d^*v 140
 - 4.5.2 Two-weight estimate for d^*v 141
- 5 Imbedding theorems** 145
 - 5.1 Introduction 145
 - 5.2 Quasiconformal mappings 145
 - 5.3 Solutions to the nonhomogeneous equation 146
 - 5.4 Imbedding inequalities for operators 147
 - 5.4.1 The gradient and homotopy operators 148
 - 5.4.2 Some special cases 152
 - 5.4.3 Global imbedding theorems 153
 - 5.5 Other weighted cases 154
 - 5.5.1 L^s -estimates for T 154
 - 5.5.2 L^s -estimates for $\nabla \circ T$ 156
 - 5.5.3 $A_r(\lambda, \Omega)$ -weighted imbedding theorems 158
 - 5.5.4 Some corollaries 159
 - 5.5.5 Global imbedding theorems 162
 - 5.5.6 $A_r^\lambda(\Omega)$ -weighted estimates 164
 - 5.6 Compositions of operators 165
 - 5.6.1 $A_r(\Omega)$ -weighted estimates for $T \circ d \circ G$ 165
 - 5.6.2 $A_r(\Omega)$ -weighted estimates for $\nabla \circ T \circ G$ 169
 - 5.6.3 Imbedding for $T \circ d \circ G$ 171

| | | |
|----------|---|------------|
| 5.7 | Two-weight cases | 172 |
| 5.7.1 | Two-weight imbedding for the operator T | 173 |
| 5.7.2 | $A_{r,\lambda}(E)$ -weighted imbedding | 178 |
| 5.7.3 | $A_r(\lambda, E)$ -weighted imbedding | 181 |
| 5.7.4 | Global imbedding theorem | 184 |
| 6 | Reverse Hölder inequalities | 187 |
| 6.1 | Preliminaries | 187 |
| 6.1.1 | Gehring's lemma | 187 |
| 6.1.2 | Inequalities for supersolutions | 188 |
| 6.2 | The first weighted case | 189 |
| 6.2.1 | $A_r(\Omega)$ -weighted inequalities | 190 |
| 6.2.2 | Inequalities in $L^s(\mu)$ -averaging domains | 193 |
| 6.2.3 | Inequalities in John domains | 195 |
| 6.2.4 | Parametric inequalities | 196 |
| 6.2.5 | Estimates for du | 200 |
| 6.3 | The second weighted case | 201 |
| 6.3.1 | Inequalities with $A_r^\alpha(\Omega)$ -weights | 201 |
| 6.3.2 | Inequalities with two parameters | 205 |
| 6.3.3 | $A_r^\lambda(\Omega)$ -weighted inequalities for du | 209 |
| 6.4 | The third weighted case | 209 |
| 6.4.1 | Local inequalities | 210 |
| 6.4.2 | Global inequality | 212 |
| 6.4.3 | Analogies for du | 213 |
| 6.5 | Two-weight inequalities | 214 |
| 6.5.1 | $A_{r,\lambda}(\Omega)$ -weighted cases | 214 |
| 6.5.2 | $A_r(\lambda, \Omega)$ -weighted cases | 216 |
| 6.5.3 | Two-weight inequalities for du | 218 |
| 6.6 | Inequalities with Orlicz norms | 219 |
| 6.6.1 | Elementary inequalities | 219 |
| 6.6.2 | $L^p(\log L)^\alpha$ -norm inequalities | 220 |
| 7 | Inequalities for operators | 225 |
| 7.1 | Introduction | 225 |
| 7.2 | Some basic estimates | 226 |
| 7.2.1 | Estimates related to Green's operator | 226 |
| 7.2.2 | Estimates for $\nabla \circ T$ | 229 |
| 7.2.3 | Estimates for $d \circ T$ | 234 |
| 7.3 | Compositions of operators | 236 |
| 7.3.1 | Estimates for $\nabla \circ T \circ G$ and $T \circ \Delta \circ G$ | 236 |
| 7.3.2 | Global estimates on manifolds | 242 |
| 7.3.3 | L^s -estimates for $T \circ G$ | 244 |
| 7.3.4 | Local imbedding theorems for $T \circ G$ | 248 |
| 7.3.5 | Global imbedding theorems for $T \circ G$ | 250 |
| 7.3.6 | Some special cases | 251 |
| 7.3.7 | L^s -estimates for $\Delta \circ G \circ d$ | 252 |

| | | |
|----------|--|------------|
| 7.4 | Poincaré-type inequalities for operators | 256 |
| 7.4.1 | Poincaré-type inequalities for $T \circ G$ | 256 |
| 7.4.2 | Poincaré-type inequalities for $G \circ T$ | 275 |
| 7.5 | The homotopy operator | 281 |
| 7.5.1 | Basic estimates for T | 281 |
| 7.5.2 | $A_r(\Omega)$ -weighted estimates for T | 283 |
| 7.5.3 | Poincaré-type imbedding for T | 284 |
| 7.5.4 | Two-weight Poincaré-type imbedding for T | 285 |
| 7.6 | Homotopy and projection operators | 288 |
| 7.6.1 | Basic estimates for $T \circ H$ | 288 |
| 7.6.2 | $A_r(\Omega)$ -weighted inequalities for $T \circ H$ | 290 |
| 7.6.3 | Other single weighted cases | 291 |
| 7.6.4 | Inequalities with two-weights in $A_r(\lambda, \Omega)$ | 292 |
| 7.6.5 | Inequalities with two-weights in $A_r^\lambda(\Omega)$ | 293 |
| 7.6.6 | Basic estimates for $H \circ T$ | 295 |
| 7.6.7 | Weighted inequalities for $H \circ T$ | 297 |
| 7.6.8 | Two-weight inequalities for $H \circ T$ | 299 |
| 7.6.9 | Some global inequalities | 302 |
| 7.7 | Compositions of three operators | 304 |
| 7.7.1 | Basic estimates for $T \circ d \circ H$ | 304 |
| 7.7.2 | $A_r(\Omega)$ -weighted inequalities for $T \circ d \circ H$ | 306 |
| 7.7.3 | Cases of other weights | 307 |
| 7.7.4 | Cases of two-weights | 308 |
| 7.7.5 | Estimates for $T \circ H \circ d$ | 311 |
| 7.7.6 | Estimates for $H \circ T \circ d$ | 312 |
| 7.8 | The maximal operators | 313 |
| 7.8.1 | Global L^s -estimates | 313 |
| 7.8.2 | The norm comparison theorem | 315 |
| 7.8.3 | The fractional maximal operator | 316 |
| 7.9 | Singular integrals | 318 |
| 8 | Estimates for Jacobians | 323 |
| 8.1 | Introduction | 323 |
| 8.2 | Global integrability | 324 |
| 8.2.1 | Preliminary lemmas | 325 |
| 8.2.2 | $L^p(\log L)^\alpha(\Omega)$ -integrability | 327 |
| 8.2.3 | Applications | 329 |
| 8.2.4 | Examples | 331 |
| 8.2.5 | The norm comparison | 333 |
| 9 | Lipschitz and BMO norms | 339 |
| 9.1 | Introduction | 339 |
| 9.2 | BMO spaces and Lipschitz classes | 340 |
| 9.2.1 | Some recent results | 340 |
| 9.2.2 | Sharpness of integrability exponents | 342 |

| | | |
|-------|--|-----|
| 9.3 | Global integrability | 344 |
| 9.3.1 | Estimates for du | 344 |
| 9.3.2 | Estimates for du^+ | 345 |
| 9.4 | Lipschitz and BMO norms | 346 |
| 9.4.1 | Estimates for Lipschitz norms | 346 |
| 9.4.2 | Lipschitz norms of $T \circ G$ | 350 |
| 9.4.3 | Lipschitz norms of $G \circ T$ | 353 |
| 9.4.4 | Lipschitz norms of $T \circ H$ and $H \circ T$ | 354 |
| 9.4.5 | Estimates for BMO norms | 355 |
| 9.4.6 | Weighted norm inequalities | 357 |
| 9.4.7 | Estimates in averaging domains | 360 |
| 9.4.8 | Applications | 366 |
| | References | 369 |
| | Index | 385 |