

# Chapter 1

## Graphs and Combinatorics

[3] A theorem on graphs, <i>Annals of Math.</i> (2) v. 32, 1931, 378–390 . . . . .	24
[5] Non-separable and planar graphs, <i>AMS Transac.</i> v. 34, 1932, 339–362 . . . . .	37
[6] Congruent graphs and the connectivity of graphs, <i>Am. Jour. Math.</i> v. 54, 1932, 150–168 . . . . .	61
[10] The coloring of graphs, <i>Annals of Math.</i> , (2) v. 33, 1932, 688–718 . . . . .	80
[12] A set of topological invariants for graphs, <i>Am. Jour. Math.</i> , v. 55, 1933, 231–235 . . . . .	111
[13] On the classification of graphs, <i>Am. Jour. Math.</i> , v. 55, 1933, 236–244 . . . . .	116
[14] 2-Isomorphic graphs, <i>Am. Jour. Math.</i> , v. 55, 1933, 245–254 . . . . .	125
[17] Planar graphs, <i>Fundamenta Math.</i> , V. 21, 1933, 73–84 . . . . .	135
[23] On the abstract properties of linear dependence, <i>Am. Jour. Math.</i> , v. 57, 1935, 509–533 . . . . .	147
[37] A numerical equivalent of the four color problem, <i>Monatshefte fur Math. un Phys.</i> 3, 1937–207–213 . . . . .	172
[77] On reducibility in the four color problem, unpublished manuscript, 1971 . . . . .	179
[78] (With W. T. Tutte) Kempe chains and the four colour problem, <i>Utilitas Mathematica</i> 2(1972), 241–281 . . . . .	185