

Lecture Notes in Mathematics

1965

Editors:

J.-M. Morel, Cachan

F. Takens, Groningen

B. Teissier, Paris

Charles Chidume

Geometric Properties of Banach Spaces and Nonlinear Iterations

 Springer

Charles Chidume
Abdus Salam International Centre for
Theoretical Physics
Mathematics Section
Strada Costiera 11
34014 Trieste
Italy
chidume@ictp.it

ISBN: 978-1-84882-189-7 e-ISBN: 978-1-84882-190-3
DOI: 10.1007/978-1-84882-190-3

Lecture Notes in Mathematics ISSN print edition: 0075-8434
ISSN electronic edition: 1617-9692

Library of Congress Control Number: 2008938194

Mathematics Subject Classification (2000): 47XX, 46XX, 45XX, 49XX, 65XX, 68XX

© Springer-Verlag London Limited 2009

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers.

The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant laws and regulations and therefore free for general use.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

9 8 7 6 5 4 3 2 1

Springer Science+Business Media, LLC

springer.com

To my beloved family:

Ifeoma (wife),

and children:

Chu Chu; Ada; KK and Okey (Okido).

Preface

The contents of this monograph fall within the general area of nonlinear functional analysis and applications. We focus on an important topic within this area: *geometric properties of Banach spaces and nonlinear iterations*, a topic of intensive research efforts, especially within the past 30 years, or so.

In this theory, some geometric properties of Banach spaces play a crucial role. In the first part of the monograph, we expose these geometric properties most of which are well known. As is well known, among all infinite dimensional Banach spaces, Hilbert spaces have the *niciest* geometric properties. The availability of the inner product, the fact that the *proximity map or nearest point map* of a real Hilbert space H onto a closed convex subset K of H is Lipschitzian with constant 1, and the following two identities

$$\|x + y\|^2 = \|x\|^2 + 2\langle x, y \rangle + \|y\|^2, \quad (*)$$

$$\|\lambda x + (1 - \lambda)y\|^2 = \lambda\|x\|^2 + (1 - \lambda)\|y\|^2 - \lambda(1 - \lambda)\|x - y\|^2, \quad (**)$$

which hold for all $x, y \in H$, are some of the geometric properties that characterize inner product spaces and also make certain problems posed in Hilbert spaces more manageable than those in general Banach spaces. However, as has been rightly observed by M. Hazewinkel, "... many, and probably most, mathematical objects and models do not naturally live in Hilbert spaces". Consequently, to extend some of the Hilbert space techniques to more general Banach spaces, analogues of the identities (*) and (**) have to be developed. For this development, the duality map which has become a most important tool in nonlinear functional analysis plays a central role. In 1976, Bynum [61] obtained the following analogue of (*) for l_p spaces, $1 < p < \infty$:

$$\|x + y\|^2 \leq (p - 1)\|x\|^2 + \|y\|^2 + 2\langle x, j(y) \rangle, \quad 2 \leq p < \infty,$$

$$(p - 1)\|x + y\|^2 \leq \|x\|^2 + \|y\|^2 + 2\langle x, j(y) \rangle, \quad 1 < p \leq 2.$$

Analogues of (**) were also obtained by Bynum. In 1979, Reich [408] obtained an analogue of (*) in uniformly smooth Banach spaces. Other analogues of (*) and (**) obtained in 1991 and later can be found, for example, in Xu [509] and in Xu and Roach [525].

In Chapters 1 and 2, basic well-known facts on geometric properties of Banach spaces which are used in the monograph are presented. The materials here (and much more) can be found in any of the excellent books on this topic (e.g., Diestel [206]; Lindenstrauss and Tzafriri [312]). The *duality map* which is central in our work is presented in Chapter 3. Here, we have also computed explicitly the duality maps in some concrete Banach spaces. In Chapters 4 and 5, we sketch the proofs of the analogues of the identities (*) and (**) obtained in 1991 and later. In the last section of Chapter 5, we present characterizations of real uniformly smooth Banach spaces and Banach spaces with uniformly Gâteaux differentiable norms by means of continuity properties of the normalized duality maps. Applications of the geometric properties of Banach spaces presented in Chapters 1 to 5 to iterative algorithms for solutions of nonlinear equations, an intensive and extensive area of research work (Berinde [28] contains 1575 entries in the reference list on this topic) begin in Chapter 6. To motivate some of the reasons for our choices of the classes of nonlinear operators studied in this monograph, we begin with the following.

Let K be a nonempty subset of a real normed linear space E and let $T : K \rightarrow K$ be a map. A point $x \in K$ is said to be a *fixed point* of T if $Tx = x$. Now, consider the differential equation $\frac{du}{dt} + Au(t) = 0$ which describes an evolution system where A is an *accretive map* from a Banach space E to itself. In Hilbert spaces, accretive operators are called *monotone*. At equilibrium state, $\frac{du}{dt} = 0$, and so a solution of $Au = 0$ describes the equilibrium or stable state of the system. This is very desirable in many applications in, for example, ecology, economics, physics, to name a few. Consequently, considerable research efforts have been devoted to methods of solving the equation $Au = 0$ when A is accretive. Since generally A is nonlinear, there is no closed form solution of this equation. The standard technique is to introduce an operator T defined by $T := I - A$ where I is the identity map on E . Such a T is called a *pseudo-contraction* (or is called *pseudo-contractive*). It is then clear that any zero of A is a fixed point of T . As a result of this, the study of fixed point theory for pseudo-contractive maps has attracted the interest of numerous scientists and has become a flourishing area of research, especially within the past 30 years or so, for numerous mathematicians. A very important subclass of the class of pseudo-contractive mappings is that of *nonexpansive* mappings, where $T : K \rightarrow K$ is called nonexpansive if $\|Tx - Ty\| \leq \|x - y\|$ holds for arbitrary $x, y \in K$.

Apart from being an obvious generalization of the contraction mappings, nonexpansive maps are important, as has been observed by Bruck [59], mainly for the following two reasons:

- Nonexpansive maps are intimately connected with the monotonicity methods developed since the early 1960's and constitute one of the first classes of nonlinear mappings for which fixed point theorems were obtained by using the fine geometric properties of the underlying Banach spaces instead of compactness properties.
- Nonexpansive mappings appear in applications as the transition operators for initial value problems of differential inclusions of the form $0 \in \frac{du}{dt} + T(t)u$, where the operators $\{T(t)\}$ are, in general, set-valued and are *accretive* or *dissipative* and *minimally continuous*.

If K is a closed nonempty subset of a Banach space and $T : K \rightarrow K$ is nonexpansive, it is known that T may not have a fixed point (unlike the case if T is a strict contraction), and even when it has, the sequence $\{x_n\}$ defined by $x_{n+1} = Tx_n, n \geq 1$ (the so-called *Picard sequence*) may fail to converge to such a fixed point. This can be seen by considering an anti-clockwise rotation of the unit disc of \mathbb{R}^2 about the origin through an angle of say, $\frac{\pi}{4}$. This map is nonexpansive with the origin as the unique fixed point, but the Picard sequence fails to converge with any starting point $x_0 \neq 0$. Krasnosel'skii [291], however, showed that in this example, if the Picard iteration formula is replaced by the following formula,

$$x_0 \in K, \quad x_{n+1} = \frac{1}{2}(x_n + Tx_n), \quad n \geq 0, \quad (0.1)$$

then the iterative sequence converges to the unique fixed point. In general, if E is a normed linear space and T is a nonexpansive mapping, the following generalization of (0.1) which has proved successful in the approximation of a fixed point of T (when it exists) was given by Schaefer [431]:

$$x_0 \in K, \quad x_{n+1} = (1 - \lambda)x_n + \lambda Tx_n, \quad n \geq 0, \quad \lambda \in (0, 1). \quad (0.2)$$

However, the most general iterative formula for approximation of fixed points of nonexpansive mappings, which is called the *Mann iteration formula* (in the light of Mann [319]), is the following:

$$x_0 \in K, \quad x_{n+1} = (1 - \alpha_n)x_n + \alpha_n Tx_n, \quad n \geq 0, \quad (0.3)$$

where $\{\alpha_n\}$ is a sequence in the interval $(0, 1)$ satisfying the following conditions: (i) $\lim_{n \rightarrow \infty} \alpha_n = 0$ and (ii) $\sum_{n=1}^{\infty} \alpha_n = \infty$. The recursion formula (0.2) is consequently called the *Krasnoselskii-Mann (KM)* formula for finding fixed points of *nonexpansive (ne)* mappings. The following quotation indicates part of the interest in iterative approximation of fixed points of *nonexpansive mappings*.

- “Many well-known algorithms in signal processing and image reconstruction are iterative in nature ... A wide variety of iterative procedures used in signal processing and image reconstruction and elsewhere are special cases of the KM iteration procedure, for particular choices of the ne operator...” (Charles Byrne, [63]).

For the past 30 years or so, the study of the Krasnoselskii-Mann iterative procedures for the approximation of fixed points of nonexpansive mappings and fixed points of some of their generalizations, and approximation of zeros of accretive-type operators have been flourishing areas of research for many mathematicians. Numerous applications of analogues of (*) and (**) to nonlinear iterations involving various classes of nonlinear operators have since then been topics of intensive research. Today, substantial definitive results have been proved, some of the methods have reached their boundaries while others are still subjects of intensive research activity. However, it is apparent that the theory has now reached a level of maturity appropriate for an examination of its central themes.

The aim of this monograph is to present an in-depth and up-to-date coverage of the main ideas, concepts and most important results on iterative algorithms for approximation of fixed points of nonlinear nonexpansive mappings and some of their important generalizations; iterative approximation of zeros of accretive-type operators; iterative approximation of solutions of variational inequality problems involving these operators; iterative algorithms for solutions of Hammerstein integral equations; and iterative approximation of common fixed points (and common zeros) of families of these mappings. Furthermore, some important open questions related to these selected topics are included.

We assume familiarity with basic concepts of analysis and topology. The monograph is addressed to graduate students of mathematics, computer science, statistics, informatics, engineering, to mathematicians interested in learning about the subject, and to numerous specialists in the area.

I have great pleasure in thanking Professor Giovanni Vidossich of Institute for Advanced Studies, SISSA, Trieste, Italy for his constant encouragement, and Professor Billy Rhoades of the Department of Mathematics, Indiana University, Bloomington, Indiana, USA, who read a version of the first draft and whose comments spurred me on. Professors Vasile Berinde and Naseer Shahzad helped with putting my Latex files into the Springer LNM format. I am very grateful to them for this. Very special thanks go to the staff of the Publications Department of The Abdus Salam ICTP, for their patience and ever-ready assistance in typesetting the original version of the monograph. Finally, I have great pleasure in expressing my sincere gratitude to my wife, Ify, and to our children for their encouragement and understanding.

The monograph was written, over a period of several years at The Abdus Salam International Centre for Theoretical Physics, Trieste. I am grateful to the various Directors: Professor Abdus Salam (Founding Director), Professor M.A. Virasoro (Second Director), Professor K.R. Sreenivasan (Present Director), and to UNESCO and IAEA for hospitality.

Trieste,
June 2008

Charles Ejike Chidume

Contents

1	Some Geometric Properties of Banach Spaces	1
1.1	Introduction	1
1.2	Uniformly Convex Spaces	2
1.3	Strictly Convex Banach Spaces	3
1.4	The Modulus of Convexity	4
1.5	Uniform Convexity, Strict Convexity and Reflexivity	7
1.6	Historical Remarks	9
2	Smooth Spaces	11
2.1	Introduction	11
2.2	The Modulus of Smoothness	11
2.3	Duality Between Spaces	14
2.4	Historical Remarks	18
3	Duality Maps in Banach Spaces	19
3.1	Motivation	19
3.2	Duality Maps of Some Concrete Spaces	23
3.3	Historical Remarks	28
4	Inequalities in Uniformly Convex Spaces	29
4.1	Introduction	29
4.2	Basic Notions of Convex Analysis	30
4.3	p -uniformly Convex Spaces	34
4.4	Uniformly Convex Spaces	39
4.5	Historical Remarks	44
5	Inequalities in Uniformly Smooth Spaces	45
5.1	Definitions and Basic Theorems	45
5.2	q -uniformly Smooth Spaces	46
5.3	Uniformly Smooth Spaces	49

5.4	Characterization of Some Real Banach Spaces by the Duality Map	51
5.4.1	Duality Maps on Uniformly Smooth spaces	51
5.4.2	Duality Maps on Spaces with Uniformly Gâteaux Differentiable Norms	51
6	Iterative Method for Fixed Points of Nonexpansive Mappings	57
6.1	Introduction	57
6.2	Asymptotic Regularity	59
6.3	Uniform Asymptotic Regularity	61
6.4	Strong Convergence	66
6.5	Weak Convergence	68
6.6	Some Examples	69
6.7	Halpern-type Iteration Method	73
6.7.1	Convergence Theorems	77
6.7.2	The Case of Non-self Mappings	80
6.8	Historical Remarks	84
7	Hybrid Steepest Descent Method for Variational Inequalities	87
7.1	Introduction	87
7.2	Preliminaries	91
7.3	Convergence Theorems	92
7.4	Further Convergence Theorems	99
7.4.1	Convergence Theorems	99
7.5	The Case of L_p spaces, $1 < p \leq 2$	107
7.6	Historical Remarks	111
8	Iterative Methods for Zeros of Φ-Accretive-Type Operators	113
8.1	Introduction and Preliminaries	113
8.2	Some Remarks on Accretive Operators	116
8.3	Lipschitz Strongly Accretive Maps	117
8.4	Generalized Φ -Accretive Self-Maps	120
8.5	Generalized Φ -Accretive Non-self Maps	124
8.6	Historical Remarks	127
9	Iteration Processes for Zeros of Generalized Φ-Accretive Mappings	129
9.1	Introduction	129
9.2	Uniformly Continuous Generalized Φ -hemi-contractive Maps	130
9.3	Generalized Lipschitz, Generalized Φ -quasi-accretive Mappings	134
9.4	Historical Remarks	138

- 10 An Example; Mann Iteration for Strictly Pseudo-contractive Mappings** 141
 - 10.1 Introduction and a Convergence Theorem 141
 - 10.2 An Example 141
 - 10.3 Mann Iteration for a Class of Lipschitz Pseudo-contractive Maps 145
 - 10.4 Historical Remarks 149

- 11 Approximation of Fixed Points of Lipschitz Pseudo-contractive Mappings** 151
 - 11.1 Iteration Methods for Lipschitz Pseudo-contractions 151
 - 11.2 Historical Remarks 157

- 12 Generalized Lipschitz Accretive and Pseudo-contractive Mappings** 161
 - 12.1 Introduction 161
 - 12.2 Convergence Theorems 161
 - 12.3 Some Applications 166
 - 12.4 Historical Remarks 166

- 13 Applications to Hammerstein Integral Equations** 169
 - 13.1 Introduction 169
 - 13.2 Solution of Hammerstein Equations 169
 - 13.2.1 Convergence Theorems for Lipschitz Maps 175
 - 13.2.2 Convergence Theorems for Bounded Maps 177
 - 13.2.3 Explicit Algorithms 178
 - 13.3 Convergence Theorems with Explicit Algorithms 179
 - 13.3.1 Some Useful Lemmas 179
 - 13.3.2 Convergence Theorems with Coupled Schemes for the Case of Lipschitz Maps 180
 - 13.3.3 Convergence in $L_p, 1 < p \leq 2$ 183
 - 13.4 Coupled Scheme for the Case of Bounded Operators 185
 - 13.4.1 Convergence Theorems 185
 - 13.4.2 Convergence for Bounded Operators in L_p Spaces, $1 < p \leq 2$ 188
 - 13.4.3 Convergence Theorems for Generalized Lipschitz Maps 188
 - 13.5 Remarks and Open Questions 190
 - 13.6 Historical Remarks 191

- 14 Iterative Methods for Some Generalizations of Nonexpansive Maps** 193
 - 14.1 Introduction 193
 - 14.2 Iteration Methods for Asymptotically Nonexpansive Mappings 193
 - 14.2.1 Modified Mann Process 193

14.2.2	Iteration Method of Schu	197
14.2.3	Halpern-type Process	198
14.3	Asymptotically Quasi-nonexpansive Mappings	200
14.4	Historical Remarks	204
15	Common Fixed Points for Finite Families of Nonexpansive Mappings	205
15.1	Introduction	205
15.2	Convergence Theorems for a Family of Nonexpansive Mappings	209
15.3	Non-self Mappings	213
16	Common Fixed Points for Countable Families of Nonexpansive Mappings	215
16.1	Introduction	215
16.2	Path Convergence Theorems	218
16.3	Path Convergence in Uniformly Convex Real Banach Spaces	220
16.4	Iterative Convergence in Uniformly Convex Real Banach Spaces	223
16.5	Non-self Mappings	227
16.6	Historical Remarks	229
17	Common Fixed Points for Families of Commuting Nonexpansive Mappings	231
17.1	Introduction	231
17.2	Three Commuting Nonexpansive Mappings	232
17.3	Common Fixed Points for Family of Commuting Nonexpansive Mappings	237
17.4	Convergence Theorems for Infinite Family of Commuting Nonexpansive Mappings	239
17.5	Historical Remarks	242
18	Finite Families of Lipschitz Pseudo-contractive and Accretive Mappings	243
18.1	Introduction	243
18.2	Convergence Theorems	243
18.3	Finite Families of Lipschitz Accretive Operators	249
18.4	Some Applications	250
18.5	Historical Remarks	250
19	Generalized Lipschitz Pseudo-contractive and Accretive Mappings	251
19.1	Introduction	251
19.2	Generalized Lipschitz Pseudo-contractive Mappings	251
19.3	Generalized Lipschitz Accretive Operators	255
19.4	Some Applications	255
19.5	Historical Remarks	256

20 Finite Families of Non-self Asymptotically Nonexpansive Mappings 257

20.1 Introduction 257

20.2 Preliminaries 259

20.3 Strong Convergence Theorems 260

20.4 Weak Convergence Theorems 267

20.5 The Case for Nonexpansive Mappings 269

20.6 Historical Remarks 270

21 Families of Total Asymptotically Nonexpansive Maps 271

21.1 Introduction 271

21.2 Convergence Theorems 273

 21.2.1 Necessary and Sufficient Conditions for Convergence
 in Real Banach Spaces 275

 21.2.2 Convergence Theorem in Real Uniformly Convex
 Banach Spaces 277

21.3 The Case of Non-self Maps 281

21.4 Historical Remarks 282

22 Common Fixed Points for One-parameter Nonexpansive Semigroup 283

22.1 Introduction 283

22.2 Existence Theorems 284

22.3 Convergence Theorems 285

22.4 Historical Remarks 285

23 Single-valued Accretive Operators; Applications; Some Open Questions 287

23.1 Introduction 287

23.2 Lower Semi-continuous Accretive Operators
 are Single-valued 287

23.3 An Application to Variational Inequalities 293

23.4 General Comments on Some Fixed Point Theorems 295

23.5 Examples of Accretive Operators 296

23.6 Examples of Nonexpansive Retracts 297

23.7 Some Questions of Interest 297

23.8 Further Reading 299

References 301

Index 325