

SpringerBriefs in Materials

The SpringerBriefs Series in Materials presents highly relevant, concise monographs on a wide range of topics covering fundamental advances and new applications in the field. Areas of interest include topical information on innovative, structural and functional materials and composites as well as fundamental principles, physical properties, materials theory and design. SpringerBriefs present succinct summaries of cutting-edge research and practical applications across a wide spectrum of fields. Featuring compact volumes of 50 to 125 pages, the series covers a range of content from professional to academic. Typical topics might include:

- A timely report of state-of-the-art analytical techniques
- A bridge between new research results, as published in journal articles, and a contextual literature review
- A snapshot of a hot or emerging topic
- An in-depth case study or clinical example
- A presentation of core concepts that students must understand in order to make independent contributions

Briefs are characterized by fast, global electronic dissemination, standard publishing contracts, standardized manuscript preparation and formatting guidelines, and expedited production schedules.

More information about this series at <http://www.springer.com/series/10111>

Sujata K. Bhatia · Krish W. Ramadurai

3D Printing and Bio-Based Materials in Global Health

An Interventional Approach to the Global
Burden of Surgical Disease in Low-and
Middle-Income Countries

 Springer

Sujata K. Bhatia
John F. Kennedy School of Government
Harvard University
Cambridge, MA
USA

Krish W. Ramadurai
John F. Kennedy School of Government,
Faculty of Arts and Sciences
Harvard University
Cambridge, MA
USA

and

Chemical and Biomolecular Engineering
University of Delaware
Newark, DE
USA

ISSN 2192-1091

SpringerBriefs in Materials

ISBN 978-3-319-58276-4

DOI 10.1007/978-3-319-58277-1

ISSN 2192-1105 (electronic)

ISBN 978-3-319-58277-1 (eBook)

Library of Congress Control Number: 2017941459

© The Author(s) 2017

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publisher, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publisher nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made. The publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Printed on acid-free paper

This Springer imprint is published by Springer Nature

The registered company is Springer International Publishing AG

The registered company address is: Gewerbestrasse 11, 6330 Cham, Switzerland

Preface

In taking a step back and looking at our world through a macroscopic lens, we soon realize that we are all functional constituents within the realm of global health and its sphere of influence. Global health affects everyone, in which threats to our health and well-being are prominent all around us, yet we as human beings have the innate capacity to challenge these threats and derive solutions through technological innovation and scientific breakthroughs. But what if these innovations and breakthroughs were only available and adapted to one segment of the population, while millions of others who desperately need these innovations have no access? Imagine if millions of people still die each year due to conditions that could be easily averted and remedied by basic medical care...quite a shocking paradigm isn't it? We characterize this paradigm as the "global burden of surgical disease", a complex and multi-faceted global health threat that is not only characterized by the medical conditions and maladies it comprises, but also of the lesser-noted social and economic conditions upon which it afflicts. This is a unique "disease pathology," in which it is not defined by a microscopic entity such as a viral or bacterial agent, but rather by a host of surgically-treatable conditions clouded by social and economic components that influence the delivery of palliative surgical care.

While specifically these surgically treatable diseases are not classified as disease-pathologies, the manner and scope in which they impact human health is indeed quite similar. Specifically, the dissonance between healthcare access and delivery between different economic tiers of countries is staggering and allows for global health threats, such as the surgical burden of disease, to perpetually prey on low- and middle-income countries. A question that both my co-author and I have always pondered as researchers is, "how can we live in a modern era which is graced by continual advancements in science, engineering, and medicine, but still have millions of individuals that do not have access to these innovations, and in turn, suffer perpetually or succumb to conditions that could be easily remedied?" This question has no doubt crossed the minds of many researchers, and serves as a pillar of reflection and an impetus for future research initiatives.

In this book, we take a unique and integrative approach to examining the global burden of disease and in particular, the surgical burden of disease. We examine the

interventional capacity for modern technologies and innovations to be applied, adapted, and directly sourced in low- and middle-income countries. We specifically examine the interventional capacities of 3D printing technologies to fabricate surgical instruments and tools to be utilized to enhance surgical care and delivery in resource poor settings. In further following the true tenets of intellectual curiosity and innovation, we take a unique focus on the use of natural and sustainable bio-based materials in fabrication of these medical devices. In this book, we derive a multifaceted approach that examines everything from the social and economic elements related to the burden of surgical conditions on human health, to examining the tenets of applied frugal engineering of 3D printing technologies and the global medical device supply chain, to that of the materials science behind bio-based materials.

We first begin by setting the stage for the global burden of disease, in which we describe the economic tiers that countries are organized into and their respective capacities to deliver palliative care. We specifically define what types of surgical conditions are classified as “essential” and explore the premise of “surgically avertable deaths” and the social and economic impacts of surgical care. We further define the disparities in the access to surgical supplies amongst countries, and then explore a potential remedy for this supply shortage via the use of 3D printing technologies. Specifically, we discuss the use of RepRap 3D printing devices and break these technologies down to their fundamental components and processes, and examine the use integration of frugal engineering to adapt these technologies for resource poor settings. We then further explore the complementary use of 3D printing devices with bio-based materials, further expanding upon the chemical and physical materials profile of various printing filaments such as polylactic acid. We then transition to the feasible application and process analysis of utilizing these devices and their modified bio-based material components to fabricate a cohort of surgical instruments and tools to efficiently and effectively create a surgical toolkit for deployment in the surgical field. Lastly, we delve into the interventional capacities of 3D printing technologies coupled with bio-based materials in the global health field and their respective applications in low- and middle-income countries. The book examines the associated barriers to entry and adoption of these technologies as well as their impact on global medical device supply chains and the future realm of applications to improve global health.

While we indeed focus on only a subset of conditions and elements that contribute to the overall global burden of disease, we hope to foster intellectual inquiry and reflection by our readers and provide a platform that can effectively inform future policy decisions related to how we tackle the most pertinent health threats in our world today. It is through knowledge and inquiry, that we can effectively transform the theories of today into the interventions of tomorrow.

Cambridge, MA, USA

Sujata K. Bhatia
Krish W. Ramadurai

Contents

1	The Current Global Surgical Care Paradigm: An Introduction	1
1.1	The Global Burden of Surgical Disease: An Unubiquitous Global Health Threat	4
1.2	Defining Essential Surgical Conditions in LMICs.	5
1.3	Surgically Avertable Deaths: A Silent Anomaly.	10
1.4	Surgical Interventions in Global Health: Social and Economic Implications.	12
1.5	Catastrophic Healthcare Expenditures.	15
1.6	Disparities in Provisional Access to Surgical Supplies in LMICs	17
	References.	19
2	3-Dimensional Printing and Rapid Device Prototyping	21
2.1	The Dawn of Disruptive Innovation and Frugal Engineering	21
2.2	3-Dimensional Printing: An Introduction to Rapid Device Prototyping and Extant Fabrication Processes.	24
2.3	Fused Deposition Modeling and the RepRap Rapid Prototyping Device.	32
	References.	37
3	3-Dimensional Device Fabrication: A Bio-Based Materials Approach	39
3.1	Bio-Based Thermoplastic Polymers in 3-Dimensional Printing	40
3.2	Poly(lactic-Acid): Bio-Based Thermoplastic Polymer Properties and Medical Device Applications	45
3.3	Chemical and Mechanical Profile Modification of Bio-Based Materials: Natural Biocomposite Enhancement.	50
3.4	Poly(lactic Acid Versus Acrylonitrile Butadiene Styrene Thermoplastics	54
	References.	59

- 4 3-Dimensional Printing of Medical Devices and Supplies 63**
 - 4.1 Fabrication of High-Utility Surgical Toolkits 63
 - 4.2 3-Dimensional Printing in the Surgical Field: Applications and Considerations 74
 - 4.3 3D Printed Instrument and Medical Supply Price Competencies 86
 - References. 92
- 5 3-Dimensional Printing: Interventional Capacities in the Global Health Arena 95**
 - 5.1 Barriers to Entry and Adoption of Medical Device Innovations in LMICs 96
 - 5.2 3D Printing: A Paradigm Shift in the Global Medical Device and Humanitarian Supply Chain 101
 - 5.3 The Future of 3-Dimensional Printing: Bio-Based Materials, Medical Device Fabrication, and Open-Source Information Dissemination 105
 - 5.4 Concluding Remarks 112
 - References. 114

List of Figures

Fig. 1.1	World Bank country income group classifications (Country Income Groups, 2011)	2
Fig. 1.2	Global volumes of surgical interventions per 100,000 individuals amongst HICs and LMICs (Weiser et al., 2008)	3
Fig. 1.3	Allocation of basic and advanced surgical care for various surgical conditions based upon healthcare facility access (adapted from Higashi et al., 2015).	7
Fig. 1.4	Global surgical need estimates by country based upon World Health Organization Global Health Estimate disease subcategory (Rose et al., 2015)	8
Fig. 1.5	Surgical procedure type and need based upon epidemiological region (Rose et al., 2015)	9
Fig. 1.6	Distribution of surgical burden by LMIC super regions including percentage of avertable and non-avertable conditions (adapted from Higashi et al., 2015).	11
Fig. 1.7	Depiction of the proportion of the global population without access to surgery based upon geographic locality. The darker shades represent increased lack of access to essential surgical care services (Alkire et al., 2015)	12
Fig. 1.8	Number of surgically avertable deaths in LMICs (Mock et al., 2015)	13
Fig. 1.9	Cost-effectiveness of surgical interventions compared to other public health interventions (Chao et al., 2014).	14
Fig. 1.10	Cyclical nature of poverty in relation to the elective care of an acute trauma that eventually becomes a chronic condition if not properly treated (Dare, 2015).	16
Fig. 1.11	Annual and cumulative Gross Domestic Product (GDP) lost in LMICs from five categories of surgical conditions (Meara et al., 2015).	17
Fig. 2.1	Depiction of the 3-dimensional printing process from 3D CAD Model to 3D object fabrication (Taneva et al., 2015). . . .	24

Fig. 2.2	Representation of the coordinate geometric configuration of information in an .STL file; the object as depicted on the <i>left</i> was created in a CAD program and saved as an .STL file. The graphical information displayed in the .STL file is shown on the <i>right</i> for the same object, with the surface of the object being represented in a coordinate triangulated pattern (Gross et al., 2014)	25
Fig. 2.3	Stereolithography (SLA) 3-dimensional printing process (Gross et al., 2014)	27
Fig. 2.4	Selective Laser Sintering (SLS) 3-dimensional printing process (Gross et al., 2014).	27
Fig. 2.5	Fused Deposition Modeling (FDM) 3-dimensional printing process (Gross et al., 2014).	28
Fig. 2.6	Digital Light Processing (DLP) 3-dimensional printing process (Gross et al., 2014).	29
Fig. 2.7	Inkjet 3-dimensional printing process (Gross et al., 2014).	30
Fig. 2.8	Overview schematic of the RepRap FDM 3D printer design and self-replicated components shown in <i>red</i> (Simonite, 2010)	32
Fig. 2.9	RepRap self-replicated plastic components (Romero et al., 2014)	34
Fig. 2.10	Internal and axial mechanics of RepRap FDM rapid prototyping (Jin et al., 2015).	36
Fig. 2.11	A RepRap Mendel FDM 3D Printer with threaded aluminum rod frame assembly and modular build platform (RepRapPro, 2017)	36
Fig. 3.1	Potential benefits of combining 3D printing technology with biomaterials (Adapted from Van Wijk & Van Wijk, 2015)	40
Fig. 3.2	Conversion of biomass into biomaterials and bio-based plastics (Van Wijk & Van Wijk, 2015).	42
Fig. 3.3	Cellulose and starch chemical compositions (Storz & Vorlop, 2013).	44
Fig. 3.4	Bio-based materials comparison table (Adapted from Van Wijk & Van Wijk, 2015).	45
Fig. 3.5	PLA bone tissue engineering scaffold (Tissue Repair, 2016).	46
Fig. 3.6	Abbott ABSORB II PLA Bioresorbable Stent (Hodsden, 2015)	47
Fig. 3.7	The natural cycle of PLA extraction (Xiao et al., 2012)	48
Fig. 3.8	PLA L-Lactide (<i>left</i>), D-Lactide (<i>middle</i>), and Meso-Lactide (<i>right</i>) stereoisomeric confirmations (Corneillie & Smet, 2015).	48
Fig. 3.9	Amorphous (<i>left</i>) and crystalline (<i>right</i>) polymer structures (Ströck, 2006)	50

Fig. 3.10 Types of PLA materials property modifiers (Adapted from Hamad et al., 2015; Mathew et al., 2004; Van Wijk & Van Wijk, 2015) 51

Fig. 3.11 Types of fiber biocomposite materials for PLA enhancement (adapted from Li et al., 2013; Shih & Huang, 2011; Tokoro et al., 2007; Xiao et al., 2012) 53

Fig. 3.12 Comparative analysis of PLA versus ABS impact, compressive, flexural, and tensile strength (PLA and ABS Strength Data) 55

Fig. 3.13 Summary of time-varied UFP emission rates for 16 different 3D printer and filament combinations. Each data point represents data from 1 min intervals, with the combination of data points representing the entire printing period (ranging between 2.5–4 h). Boxes show the 25th and 75th percentile values with the 50th percentile in between. Whiskers represent upper and lower adjacent values, and circles represent outliers beyond those values (Azimi et al., 2016) 56

Fig. 3.14 VOC emission rate and the sum of the top 10 detectable VOCs (Σ VOC) resulting from operation of 16 different 3D printer and filament combinations, which is divided into **a** low emitters, with $E\Sigma$ VOC < 40 μ g/min, and **b** high emitters, with $E\Sigma$ VOC > 40 μ g/min (Azimi et al., 2016) 57

Fig. 3.15 Comparison of total UFP and VOC emissions per mass of filament (Azimi et al., 2016) 57

Fig. 4.1 Surgical instrument profile: *Left side* Stainless steel surgical instruments: *A* Debakey tissue forceps, *B* scalpel handle, *C* right angle clamp, *D* curved hemostat, *E* Allis tissue clamp, *F* straight hemostat, *G* sponge clamp, *H* Adson’s toothed forceps, and *I* smooth forceps. *Right side* 3D-printed acrylonitrile butadiene styrene surgical instruments: *O* Debakey tissue forceps, *P* Scalpel handle, *Q* Towel clamp, *R* Right-angle clamp, *S* Curved hemostat, *T* Allis tissue clamp, *U* Kelly hemostat, *V* Sponge clamp, *W* Smooth forceps, and *X* Adson’s toothed forceps (Wong & Pfahnl, 2014) 65

Fig. 4.2 3D-printed polylactic acid Army-Navy surgical retractor (Rankin et al., 2014) 65

Fig. 4.3 3D-printed acrylonitrile butadiene styrene needle driver (Kondor et al., 2013) 66

Fig. 4.4 3D-printed acrylonitrile butadiene styrene umbilical cord clamp (Molitch, 2013) 66

Fig. 4.5	Modified CAD model with driving dimensions and two-piece hinge connection point (Kondor et al., 2013)	67
Fig. 4.6	PLA axial mechanical properties (3D Matter, 2016)	68
Fig. 4.7	3D Printer infill density configurations (Budmen, 2013)	68
Fig. 4.8	Infill patterns at varying densities. <i>Left to right</i> : 20, 40, 60, and 80%. <i>Top to bottom</i> : Honeycomb, concentric, line, rectilinear, hilbert curve, archimedean chords, and octagram spiral (Hodgson, 2016)	70
Fig. 4.9	3D CAD PLA modified scalpel handle, 3D coordinate plane (Scalpel Truss Handle, 2016)	71
Fig. 4.10	3D CAD PLA modified scalpel handle, angular view (Scalpel Truss Handle, 2016)	72
Fig. 4.11	3D CAD PLA modified Kelly hemostat, 3D coordinate plane (Pugliese, 2016)	72
Fig. 4.12	3D CAD PLA modified Kelly hemostat, angular view (Pugliese, 2016)	73
Fig. 4.13	3D CAD PLA tenaculum, 3D coordinate plane (Tenaculum 3D Model, 2012)	73
Fig. 4.14	3D CAD PLA tenaculum, angular view (Tenaculum 3D Model, 2012)	74
Fig. 4.15	3D CAD PLA modified vascular clamp, 3D coordinate plane (Vascular Clamp, 2013)	75
Fig. 4.16	3D CAD PLA modified vascular clamp, angular view (Vascular Clamp, 2013)	76
Fig. 4.17	3D CAD PLA modified umbilical cord clamp, 3D coordinate plane (Umbilical Cord Clamp, 2016)	77
Fig. 4.18	3D CAD PLA modified umbilical cord clamp, angular view (Umbilical Cord Clamp, 2016)	78
Fig. 4.19	3D CAD PLA modified Army-Navy surgical retractor, 3D coordinate plane (Rankin et al., 2014)	79
Fig. 4.20	3D CAD PLA modified Adson's toothed forceps, 3D coordinate plane (Toothed Forceps, 2016)	80
Fig. 4.21	3D CAD PLA modified Adson's toothed forceps, angular view (Toothed Forceps, 2016)	81
Fig. 4.22	3D CAD PLA modified allis tissue clamp/forceps, 3D coordinate plane (Tissue Forceps, 2011)	82
Fig. 4.23	3D CAD PLA modified allis tissue clamp/forceps, angular view (Tissue Forceps, 2011)	82
Fig. 4.24	3D CAD PLA modified smooth tissue forceps, 3D coordinate plane (Forceps, 2012)	83
Fig. 4.25	3D CAD PLA modified smooth tissue forceps, angular view (Forceps, 2012)	83

Fig. 4.26 3D CAD PLA modified sponge clamp, 3D coordinate plane (Sponge Forceps, 2012) 84

Fig. 4.27 3D CAD PLA modified sponge clamp, angular view (Sponge Forceps, 2012). 84

Fig. 4.28 3D CAD PLA modified pennington clamp, 3D coordinate plane (Pennington Clamp 3D Model, 2012). 85

Fig. 4.29 3D CAD PLA modified pennington clamp, angular view (Pennington Clamp 3D Model, 2012) 85

Fig. 4.30 3D CAD PLA modified needle driver, 3D coordinate plane (Needle Driver, 2012) 86

Fig. 4.31 3D CAD PLA modified needle driver, angular view (Needle Driver, 2012) 87

Fig. 4.32 3D CAD PLA modified senn retractor, 3D coordinate plane (Senn Retractor, 2012). 88

Fig. 4.33 3D CAD PLA modified senn retractor, angular view (Senn Retractor, 2012). 89

Fig. 4.34 3D CAD PLA modified debakey tissue forceps, 3D coordinate plane (Tweezers V2, 2009) 90

Fig. 4.35 3D CAD PLA modified debakey tissue forceps, angular view (Forceps V2, 2009) 91

Fig. 5.1 Barriers to open-source appropriate technology (Zelenika & Pearce, 2011). 97

Fig. 5.2 Solar power printer schematic design. Photovoltaic cells are connected in parallel with a combiner box utilized to combine and drive the DC supply towards a 30-amp charge controller, to control the charging and discharging of the batteries. During charging periods four 120 AH batteries are fed DC current, while discharging continues to power the RepRap printer and a laptop through a DC/AC inverter (King & Babasola, 2014) 98

Fig. 5.3 Community-scale solar-powered open-source RepRap 3D printer system for off-grid communities (King & Babasola, 2014) 99

Fig. 5.4 Current global medical device supply chain (Engel, 2014) 102

Fig. 5.5 Global medical device supply chain schematic with implementation of 3D printing (Engel, 2014) 103

Fig. 5.6 District-level healthcare facilities and their role in surgical care access and delivery (Meara et al., 2015) 104

Fig. 5.7 Access to fundamental surgical elements increases surgical output and delivery in LMICs (adapted from Henry et al., 2012) 105

Fig. 5.8 ROW 3D printed prosthetic hand (3D Printing and Prosthetics, 2017; Refuge Open War, 2017). 108

Fig. 5.9 3D printing and the medical device value chain (Engel, 2014) 109

Fig. 5.10 Radiographic images can be converted to 3D print files to create customized anatomical models; radiographic image conversion of spinal segment into .STL format shown (Ventola, 2014) 110

Fig. 5.11 Surgeons extract tumor utilizing 3D-printed model (Surgeons extract tumor, 2014) 110

Fig. 5.12 The NIH 3D print exchange website (Ventola, 2014) 111

List of Tables

Table 1.1	Three categories of essential surgical conditions, including number of deaths and disability-adjusted life years per condition as depicted (adapted from Debas et al., 2015)	7
Table 2.1	Five primary types of 3-dimensional printing processes: SLA, SLS, FDM, DLP, and Inkjet (AlAli et al., 2015)	26
Table 3.1	PLA physical properties depend on tacticity and stereo-isomeric confirmation (Adapted from Marshall)	49
Table 4.1	PLA and stainless steel surgical instrument per-unit and total toolkit cost comparison	91
Table 5.1	Future biomaterials for 3D printing (adapted from Van Wijk & Van Wijk, 2015)	106