

Lecture Notes in Physics

Editorial Board

R. Beig, Wien, Austria
J. Ehlers, Potsdam, Germany
U. Frisch, Nice, France
K. Hepp, Zürich, Switzerland
W. Hillebrandt, Garching, Germany
D. Imboden, Zürich, Switzerland
R. L. Jaffe, Cambridge, MA, USA
R. Kippenhahn, Göttingen, Germany
R. Lipowsky, Golm, Germany
H. v. Löhneysen, Karlsruhe, Germany
I. Ojima, Kyoto, Japan
H. A. Weidenmüller, Heidelberg, Germany
J. Wess, München, Germany
J. Zittartz, Köln, Germany

Springer

Berlin
Heidelberg
New York
Barcelona
Hong Kong
London
Milan
Paris
Singapore
Tokyo

Physics and Astronomy



<http://www.springer.de/phys/>

The Editorial Policy for Proceedings

The series Lecture Notes in Physics reports new developments in physical research and teaching – quickly, informally, and at a high level. The proceedings to be considered for publication in this series should be limited to only a few areas of research, and these should be closely related to each other. The contributions should be of a high standard and should avoid lengthy redraftings of papers already published or about to be published elsewhere. As a whole, the proceedings should aim for a balanced presentation of the theme of the conference including a description of the techniques used and enough motivation for a broad readership. It should not be assumed that the published proceedings must reflect the conference in its entirety. (A listing or abstracts of papers presented at the meeting but not included in the proceedings could be added as an appendix.)

When applying for publication in the series Lecture Notes in Physics the volume's editor(s) should submit sufficient material to enable the series editors and their referees to make a fairly accurate evaluation (e.g. a complete list of speakers and titles of papers to be presented and abstracts). If, based on this information, the proceedings are (tentatively) accepted, the volume's editor(s), whose name(s) will appear on the title pages, should select the papers suitable for publication and have them refereed (as for a journal) when appropriate. As a rule discussions will not be accepted. The series editors and Springer-Verlag will normally not interfere with the detailed editing except in fairly obvious cases or on technical matters.

Final acceptance is expressed by the series editor in charge, in consultation with Springer-Verlag only after receiving the complete manuscript. It might help to send a copy of the authors' manuscripts in advance to the editor in charge to discuss possible revisions with him. As a general rule, the series editor will confirm his tentative acceptance if the final manuscript corresponds to the original concept discussed, if the quality of the contribution meets the requirements of the series, and if the final size of the manuscript does not greatly exceed the number of pages originally agreed upon. The manuscript should be forwarded to Springer-Verlag shortly after the meeting. In cases of extreme delay (more than six months after the conference) the series editors will check once more the timeliness of the papers. Therefore, the volume's editor(s) should establish strict deadlines, or collect the articles during the conference and have them revised on the spot. If a delay is unavoidable, one should encourage the authors to update their contributions if appropriate. The editors of proceedings are strongly advised to inform contributors about these points at an early stage.

The final manuscript should contain a table of contents and an informative introduction accessible also to readers not particularly familiar with the topic of the conference. The contributions should be in English. The volume's editor(s) should check the contributions for the correct use of language. At Springer-Verlag only the prefaces will be checked by a copy-editor for language and style. Grave linguistic or technical shortcomings may lead to the rejection of contributions by the series editors. A conference report should not exceed a total of 500 pages. Keeping the size within this bound should be achieved by a stricter selection of articles and not by imposing an upper limit to the length of the individual papers. Editors receive jointly 30 complimentary copies of their book. They are entitled to purchase further copies of their book at a reduced rate. As a rule no reprints of individual contributions can be supplied. No royalty is paid on Lecture Notes in Physics volumes. Commitment to publish is made by letter of interest rather than by signing a formal contract. Springer-Verlag secures the copyright for each volume.

The Production Process

The books are hardbound, and the publisher will select quality paper appropriate to the needs of the author(s). Publication time is about ten weeks. More than twenty years of experience guarantee authors the best possible service. To reach the goal of rapid publication at a low price the technique of photographic reproduction from a camera-ready manuscript was chosen. This process shifts the main responsibility for the technical quality considerably from the publisher to the authors. We therefore urge all authors and editors of proceedings to observe very carefully the essentials for the preparation of camera-ready manuscripts, which we will supply on request. This applies especially to the quality of figures and halftones submitted for publication. In addition, it might be useful to look at some of the volumes already published. As a special service, we offer free of charge \LaTeX and \TeX macro packages to format the text according to Springer-Verlag's quality requirements. We strongly recommend that you make use of this offer, since the result will be a book of considerably improved technical quality. To avoid mistakes and time-consuming correspondence during the production period the conference editors should request special instructions from the publisher well before the beginning of the conference. Manuscripts not meeting the technical standard of the series will have to be returned for improvement.

For further information please contact Springer-Verlag, Physics Editorial Department II, Tiergartenstrasse 17, D-69121 Heidelberg, Germany

Series homepage – <http://www.springer.de/phys/books/lnpp>

Tobias Brandes (Ed.)

Low-Dimensional Systems

Interactions and Transport Properties

Lectures of a Workshop Held in Hamburg,
Germany, July 27-28, 1999



Springer

Editor

Tobias Brandes
1. Institut für Theoretische Physik
Universität Hamburg
Jungiusstr. 9
20355 Hamburg, Germany

Library of Congress Cataloging-in-Publication Data applied for.

Die Deutsche Bibliothek - CIP-Einheitsaufnahme

Low dimensional systems : interactions and transport properties ;
lectures of a workshop held in Hamburg, Germany, July 27 - 28, 1999 /
Tobias Brandes (ed.). - Berlin ; Heidelberg ; New York ; Barcelona ;
Hong Kong ; London ; Milan ; Paris ; Singapore ; Tokyo : Springer,
2000
(Lecture notes in physics ; 544)
ISBN 3-540-67237-0

ISSN 0075-8450
ISBN 3-540-67237-0 Springer-Verlag Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

Springer-Verlag is a company in the BertelsmannSpringer publishing group.
© Springer-Verlag Berlin Heidelberg 2000
Printed in Germany

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Typesetting: Camera-ready by the authors/editor
Cover design: *design & production*, Heidelberg

Printed on acid-free paper
SPIN: 10720741 55/3144/du - 5 4 3 2 1 0

Preface

Experimental progress over the past few years has made it possible to test a number of fundamental physical concepts related to the motion of electrons in low dimensions. The production and experimental control of novel structures with typical sizes in the sub-micrometer regime has now become possible. In particular, semiconductors are widely used in order to confine the motion of electrons in two-dimensional heterostructures. The quantum Hall effect was one of the first highlights of the new physics that is revealed by this confinement. In a further step of the technological development in semiconductor-heterostructures, other artificial devices such as quasi one-dimensional ‘quantum wires’ and ‘quantum dots’ (artificial atoms) have also been produced. These structures again differ very markedly from three- and two-dimensional systems, especially in relation to the transport of electrons and the interaction with light. Although the technological advances and the experimental skills connected with these new structures are progressing extremely fast, our theoretical understanding of the physical effects (such as the quantum Hall effect) is still at a very rudimentary level.

In low-dimensional structures, the interaction of electrons with one another and with other degrees of freedoms such as lattice vibrations or light gives rise to new phenomena that are very different from those familiar in the bulk material. The theoretical formulation of the electronic transport properties of small devices may be considered well-established, provided interaction processes are neglected. On the other hand, the influence of interactions on quantities such as the conductance and conductivity remains one of the most controversial issues of recent years. Progress has been achieved partly in the understanding of new quasiparticles such as skyrmions, composite fermions, and new states of the interacting electron gas (e.g., Tomonaga–Luttinger liquids), both theoretically and in experiments. At the same time, it has now become clear that for fast processes in small structures not only the interaction but also the non-equilibrium aspect of quantum transport is of fundamental importance. It is also apparent now that, in order to understand a major part of the experimental results, transport theories are required that comprise both the non-equilibrium and the interaction aspect, formulated in the framework of a physical language that was born almost exactly one century ago: quantum mechanics.

This volume contains the proceedings of the 219th WEH workshop ‘Interactions and transport properties of low dimensional systems’ that took place on July 27 and 28, 1999, at the Warburg–Haus in Hamburg, Germany. Talks were

given by leading experts who presented and discussed recent advances for the benefit of participants from all over the world, among whom were many young students. This is one reason why the present volume is more than simply a state-of-the-art collection of review articles on electronic properties of interacting lower dimensional systems. We have also tried to achieve a style of presentation that allows an advanced student or newcomer to use this as a textbook. Further study is facilitated by the many references at the end of each article. Thus we encourage all those interested to use this book together with pencil and sometimes the further reading, to gain an entry into this fascinating field of modern physics.

The articles in Part I present the physics of interacting electrons in one-dimensional systems. Here, one of the key issues is the identification of power-laws appearing as a function of energy scales such as the voltage, the frequency, or the temperature. A generic theoretical description of the physics of such systems is provided by the Tomonaga–Luttinger model, where in general power-law exponents depend on the strength of the electron–electron interaction. Further important issues are the proper definition of the conductance of interacting systems, the experimental verification of the predictions, and the search for new phases in quantum wires, as discussed in detail in the individual contributions.

The articles in Part II present an introduction to non-equilibrium transport through quantum dots, a survey of spin-related effects appearing in electronic transport properties, and new phenomena in two-dimensional systems under quantum Hall conditions, i.e. in strong magnetic fields.

All the contributions contain new and surprising results. One can definitely predict that many more novel aspects of the physics of ‘interactions plus non-equilibrium in low dimensions’ will emerge in the future. At this point, let me express the wish that this book will help to motivate readers to take part in this fascinating, rapidly developing field of physics. I would like also to use the present opportunity to thank all the participants and the speakers of the workshop for their contributions, and to acknowledge the friendly support of the WE Heraeus foundation.

Hamburg, November 1999

Tobias Brandes

Contents

Part I Transport and Interactions in One Dimension

Nonequilibrium Mesoscopic Conductors Driven by Reservoirs <i>Akira Shimizu, Hiroaki Kato</i>	3
A Linear Response Theory of 1D-Electron Transport Based on Landauer Type Model <i>Arisato Kawabata</i>	23
Gapped Phases of Quantum Wires <i>Oleg A. Starykh, Dmitrii L. Maslov, Wolfgang Häusler, and Leonid I. Glazman</i>	37
Interaction Effects in One-Dimensional Semiconductor Systems <i>Y. Tokura, A. A. Odintsov, S. Tarucha</i>	79
Correlated Electrons in Carbon Nanotubes <i>Arkadi A. Odintsov, Hideo Yoshioka</i>	97
Bosonization Theory of the Resonant Raman Spectra of Quantum Wires <i>Maura Sassetti, Bernhard Kramer</i>	113

Part II Transport and Interactions in Zero and Two Dimensions

An Introduction to Real-Time Renormalization Group <i>Herbert Schoeller</i>	137
Spin States and Transport in Correlated Electron Systems <i>Hideo Aoki</i>	167
Non-linear Transport in Quantum-Hall Smectics <i>A.H. MacDonald and Matthew P.A. Fisher</i>	195
Thermodynamics of Quantum Hall Ferromagnets <i>Marcus Kasner</i>	207