

Lecture Notes in Computer Science

Edited by G. Goos, J. Hartmanis and J. van Leeuwen

1407

Hans Burkhardt Bernd Neumann (Eds.)

Computer Vision – ECCV'98

5th European Conference on Computer Vision
Freiburg, Germany, June 2-6, 1998
Proceedings, Volume II



Springer

Series Editors

Gerhard Goos, Karlsruhe University, Germany
Juris Hartmanis, Cornell University, NY, USA
Jan van Leeuwen, Utrecht University, The Netherlands

Volume Editors

Hans Burkhardt
Computer Science Department, University of Freiburg
Am Flughafen 17, D-79085 Freiburg, Germany
E-mail: burkhardt@informatik.uni-freiburg.de

Bernd Neumann
Computer Science Department, University of Hamburg
Vogt-Koelln-Str. 30, D-22527 Hamburg, Germany
E-mail: neumann@informatik.uni-hamburg.de

Cataloging-in-Publication data applied for

Die Deutsche Bibliothek - CIP-Einheitsaufnahme

Computer vision : proceedings / ECCV '98, 5th European Conference on Computer Vision, Freiburg, Germany, June 2 - 6, 1998. Hans Burkhardt ; Bernd Neumann (ed.). - Berlin ; Heidelberg ; New York ; Barcelona ; Budapest ; Hong Kong ; London ; Milan ; Paris ; Santa Clara ; Singapore ; Tokyo : Springer.

Vol. 2. - (1998)
(Lecture notes in computer science ; Vol. 1407)
ISBN 3-540-64613-2

CR Subject Classification (1991): I.3.5, I.5, I.2.9-10, I.4

ISSN 0302-9743

ISBN 3-540-64613-2 Springer-Verlag Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer -Verlag. Violations are liable for prosecution under the German Copyright Law.

© Springer-Verlag Berlin Heidelberg 1998
Printed in Germany

Typesetting: Camera-ready by author
SPIN 10637168 06/3142 - 5 4 3 2 1 0 Printed on acid-free paper

Preface

Following the highly successful conferences held in Antibes (ECCV '90), Santa Margherita Ligure (ECCV '92), Stockholm (ECCV '94), and Cambridge (ECCV '96), the Fifth European Conference on Computer Vision (ECCV '98) will take place from 2–6 June 1998 at the University of Freiburg, Germany. It is an honour for us to host this conference which has turned out to be one of the major events for the computer vision community. The conference will be held under the auspices of the European Vision Society (EVS) and the German Association for Pattern Recognition (DAGM).

ECCV is a single track conference consisting of highest quality, previously unpublished, contributed papers on new and original research on computer vision presented either orally or as posters. 223 manuscripts were reviewed double-blind each by three reviewers from the program committee. Forty-two papers were selected to be delivered orally and seventy to be presented at poster sessions.

Based on a generous donation from the OLYMPUS Europe Foundation “Science for Life” 10,000.- DM will be awarded for the best papers.

ECCV '98 is being held at the University of Freiburg, located in the lovely surroundings of the Black Forest. It is one of the oldest universities in Germany, founded in 1457, with an outstanding international reputation. This university with a long tradition has been recently enriched through the foundation of a new 15th Faculty for Applied Sciences consisting of two Institutes: the Institute of Computer Science which will host the ECCV '98 and the Institute of Microsystem Technology.

We wish to thank the members of the program committee and the conference board for their help in the reviewing process. It is their competence and hard work which provides the key for the continuing success of this conference series.

Our thanks are extended also to the University of Freiburg and its rector W. Jäger for hosting this conference; to Springer-Verlag in Heidelberg for their support of this conference through the proceedings; and to k&k for the local organization.

Finally we would like to express our appreciation to the members of our institutes and especially to Nikos Canterakis, to Christoph Schnörr, and to Helen Brodie for their never-ending patience and humour.

We wish all participants a successful and inspiring conference and a pleasant stay in Freiburg.

Conference Chairs

Hans Burkhardt

University of Freiburg

Bernd Neumann

University of Hamburg

Conference Board and Program Committee

N. Ayache

INRIA, Sophia Antipolis

R. Bajcsy

University of Pennsylvania

A. Blake

University of Oxford

P. Bouthemy

IRISA/INRIA, Rennes

M. Brady

University of Oxford

B. Buxton

University College London

H. Buxton

University of Sussex

S. Carlsson

KTH, Stockholm

H. Christensen

KTH, Stockholm

J. L. Crowley

INRIA, Rhône-Alpes

R. Cipolla

University of Cambridge

R. Deriche

INRIA, Sophia Antipolis

M. Dhome

Blaise Pascal University

J.-O. Eklundh

KTH, Stockholm

W. Enkelmann

IITB, Karlsruhe

O. Faugeras

INRIA, Sophia Antipolis

W. Förstner

University of Bonn

G. Granlund

Linköping University

B. M. ter Haar Romeny

University Hospital Utrecht

D. Hogg

Leeds University

R. Horaud

INPG, Grenoble

H. Knutsson

Linköping University

J. J. Koenderink

University of Utrecht

J. Malik

University of California at Berkeley

J. Mayhew

Sheffield University

R. Mohr

INPG, Grenoble

H.-H. Nagel

IITB, Karlsruhe

S. Peleg

The Hebrew University of Jerusalem

G. Sandini

University of Genova

W. von Seelen

Ruhr University at Bochum

F. Solina

Ljubljana University

G. Sparr

Lund University

M. Tistarelli

University of Genova

S. Tsuji

Wakayama University

L. Van Gool

Catholic University, Leuven

D. Vernon

Maynooth University, Ireland

A. Verri

University of Genova

J. J. Villanueva

Autonomous University of Barcelona

D. Weinshall

The Hebrew University of Jerusalem

A. Zisserman

University of Oxford

S. Zucker

Yale University

Contents of Volume II

Matching and Registration

- Matching hierarchical structures using association graphs 3
M. Pelillo, K. Siddiqi, S. W. Zucker
- Stereo matching with Implicit detection of occlusions 17
R. Trapp, S. Drüe, G. Hartmann
- A solution for the registration of multiple 3D point sets
using unit quaternions 34
R. Benjemaa, F. Schmitt
- Robust registration of dissimilar single and multimodal images 51
C. Nikou, F. Heitz, J.-P. Armspach

Image Sequences and Video

- Decoupling Fourier components of dynamic image sequences:
A theory of signal separation, image segmentation, and optical
flow estimation 69
D. Vernon
- Spatiotemporally adaptive estimation and segmentation of OF-fields 86
H.-H. Nagel, A. Gehrke
- Robust video mosaicing through topology inference and local to
global alignment 103
H. S. Sawhney, S. Hsu, R. Kumar

Matching and Registration / Shape and Shading / Motion and Flow / Medical Image Understanding and Rendering

- Flexible syntactic matching of curves 123
Y. Gdalyahu, D. Weinshall
- Holistic matching 140
A. D. J. Cross, E. R. Hancock
- Creaseness from level set extrinsic curvature 156
A. M. López, F. Lumberras, J. Serrat
- Multichannel shape from shading techniques for moving specular surfaces .. 170
G. Balschbach, J. Klinke, B. Jähne
- Modelling objects having quadric surfaces incorporating
geometric constraints 185
N. Werghi, R. Fisher, C. Robertson, A. Ashbrook

| | |
|---|-----|
| Surface reconstruction with multiresolution discontinuity analysis..... | 202 |
| <i>N. F. Law, R. Chung</i> | |
| Shape from Chebyshev nets..... | 215 |
| <i>J. Koenderink, A. van Doorn</i> | |
| Changes in surface convexity and topology caused by distortions of stereoscopic visual space..... | 226 |
| <i>G. Baratoff, Y. Aloimonos</i> | |
| Reconstruction of smooth surfaces with arbitrary topology adaptive splines..... | 241 |
| <i>A. J. Stoddart, M. Baker</i> | |
| (Mis?-) Using DRT for generation of natural language text from image sequences..... | 255 |
| <i>R. Gerber, H.-H. Nagel</i> | |
| The structure of the optic flow field..... | 271 |
| <i>M. Nielsen, O. F. Olsen</i> | |
| Optical flow using overlapped basis functions for solving global motion problems..... | 288 |
| <i>S. Srinivasan, R. Chellappa</i> | |
| The role of total least squares in motion analysis..... | 305 |
| <i>M. Mühlich, R. Mester</i> | |
| Study of dynamical processes with tensor-based spatiotemporal image processing techniques..... | 322 |
| <i>B. Jähne, H. Haußecker, H. Scharr, H. Spies, D. Schmundt, U. Schurr</i> | |
| Motion recovery from image sequences: Discrete viewpoint vs. differential viewpoint..... | 337 |
| <i>Y. Ma, J. Košecká, S. Sastry</i> | |
| Discrete wavelet analysis: A new framework for fast optic flow computation..... | 354 |
| <i>C. P. Bernard</i> | |
| Automatic detection and labelling of the human cortical folds in magnetic resonance data sets..... | 369 |
| <i>G. Lohmann, D. Y. von Cramon</i> | |
| Efficient 3-D scene visualization by image extrapolation..... | 382 |
| <i>T. Werner, T. Pajdla, V. Hlaváč</i> | |
| Shading and Shape | |
| What shadows reveal about object structure..... | 399 |
| <i>D. J. Kriegman, P. N. Belhumeur</i> | |
| Shape representations from shading primitives..... | 415 |
| <i>J. Haddon, D. Forsyth</i> | |

A comparison of measures for detecting natural shapes in cluttered backgrounds 432
L. R. Williams, K. K. Thornber

Bias-variance tradeoff for adaptive surface meshes 449
R. C. Wilson, E. R. Hancock

Appearance and Recognition

Recognizing 3-D objects with linear support vector machines 469
M. Pontil, S. Rogai, A. Verri

Active appearance models 484
T. F. Cootes, G. J. Edwards, C. J. Taylor

Estimating coloured 3D face models from single images:
 An example based approach 499
T. Vetter, V. Blanz

A comparison of active shape model and scale decomposition based features for visual speech recognition 514
I. Matthews, J. A. Bangham, R. Harvey, S. Cox

Motion Segmentation

Motion segmentation and depth ordering based on morphological segmentation 531
L. Bergen, F. Meyer

Image sequence restoration: A PDE based coupled method for image restoration and motion segmentation 548
P. Kornprobst, R. Deriche, G. Aubert

Joint estimation-segmentation of optic flow 563
É. Mémin, P. Pérez

Recognition / Robotics and Active Vision

Face recognition using active appearance models 581
G. J. Edwards, T. F. Cootes, C. J. Taylor

Face recognition using evolutionary pursuit 596
C. Liu, H. Wechsler

Recognizing faces by weakly orthogonalizing against perturbations 613
K. Nagao, M. Sohma

A probabilistic approach to object recognition using local photometry and global geometry 628
M. C. Burl, M. Weber, P. Perona

| | |
|---|------------|
| Hypothesis verification in model-based object recognition with a Gaussian error model | 642 |
| <i>F. Jurie</i> | |
| Continuous audio-visual speech recognition | 657 |
| <i>J. Luetttin, S. Dupont</i> | |
| Finding surface correspondence for object recognition and registration using pairwise geometric histograms | 674 |
| <i>A. P. Ashbrook, R. B. Fisher, C. Robertson, N. Werghi</i> | |
| Integrating iconic and structured matching | 687 |
| <i>R. B. Fisher, A. MacKirdy</i> | |
| Combining multiple views and temporal associations for 3-D object recognition | 699 |
| <i>A. Massad, B. Mertsching, S. Schmalz</i> | |
| Model-based recognition of 3D objects from one view | 716 |
| <i>I. Weiss, M. Ray</i> | |
| A two-stage probabilistic approach for object recognition | 733 |
| <i>S. Z. Li, J. Hornegger</i> | |
| Combining geometric and probabilistic structure for active recognition of 3D objects | 748 |
| <i>S. Herbin</i> | |
| Spatial dependence in the observation of visual contours | 765 |
| <i>J. MacCormick, A. Blake</i> | |
| Handling uncertainty in 3d object recognition using Bayesian networks | 782 |
| <i>B. Krebs, M. Burkhardt, B. Korn</i> | |
| Optimal robot self-localization and reliability evaluation | 796 |
| <i>K. Kanatani, N. Ohta</i> | |
| Mobile robot localisation using active vision | 809 |
| <i>A. J. Davison, D. W. Murray</i> | |
| Structure from Motion | |
| From reference frames to reference planes: Multi-view parallax geometry and applications | 829 |
| <i>M. Irani, P. Anandan, D. Weinshall</i> | |
| Duality, rigidity and planar parallax | 846 |
| <i>A. Criminisi, I. Reid, A. Zisserman</i> | |
| On degeneracy of linear reconstruction from three views: Linear line complex and applications | 862 |
| <i>G. P. Stein, A. Shashua</i> | |
| Author Index | 879 |

Contents of Volume I

Multiple View Geometry

- A common framework for multiple view tensors 3
A. Heyden
- Computation of the quadrifocal tensor 20
R. I. Hartley
- Self-calibration of a 1D projective camera and its application
to the self-calibration of a 2D projective camera 36
O. Faugeras, L. Quan, P. Sturm

Stereo Vision and Calibration I

- Multi viewpoint stereo from uncalibrated video sequences 55
R. Koch, M. Pollefeys, L. Van Gool
- Recognition of planar point configurations using the density
of affine shape 72
R. Berthilsson, A. Heyden
- Autocalibration from planar scenes 89
B. Triggs

Multiple View Geometry / Stereo Vision and Calibration / Geometry and Invariance / Structure from Motion

- A new characterization of the trifocal tensor 109
T. Papadopoulo, O. Faugeras
- Threading fundamental matrices 124
S. Avidan, A. Shashua
- Use your hand as a 3D mouse, or, Relative orientation from
extended sequences of sparse point and line correspondences
using the affine trifocal tensor 141
L. Bretzner, T. Lindeberg
- Do we really need an accurate calibration pattern to achieve
a reliable camera calibration? 158
J.-M. Lavest, M. Viala, M. Dhome
- Optimal estimation of three-dimensional rotation and reliability
evaluation 175
N. Ohta, K. Kanatani
- From regular images to animated heads: A least squares approach 188
P. Fua, C. Miccio

| | |
|---|-----|
| Stereo vision-based navigation in unknown indoor environment | 203 |
| <i>O. Schreer</i> | |
| Epipolar geometry of panoramic cameras | 218 |
| <i>T. Svoboda, T. Pajdla, V. Hlaváč</i> | |
| Occlusions, discontinuities, and epipolar lines in stereo | 232 |
| <i>H. Ishikawa, D. Geiger</i> | |
| Symmetry in perspective | 249 |
| <i>S. Carlsson</i> | |
| Projective and illumination invariant representation of disjoint shapes | 264 |
| <i>S. Startchik, R. Milanese, T. Pun</i> | |
| Robust techniques for the estimation of structure from motion in the uncalibrated case | 281 |
| <i>M. J. Brooks, W. Chojnacki, A. van den Hengel, L. Baumela</i> | |
| A factorization method for projective and Euclidean reconstruction from multiple perspective views via iterative depth estimation | 296 |
| <i>T. Ueshiba, F. Tomita</i> | |
| Automatic camera recovery for closed or open image sequences | 311 |
| <i>A. W. Fitzgibbon, A. Zisserman</i> | |
| Structure and motion from points, lines and conics with affine cameras | 327 |
| <i>F. Kahl, A. Heyden</i> | |
| Simultaneous estimation of viewing geometry and structure | 342 |
| <i>T. Brodský, C. Fermüller, Y. Aloimonos</i> | |
| What is computed by structure from motion algorithms? | 359 |
| <i>C. Fermüller, Y. Aloimonos</i> | |

Stereo Vision and Calibration II

| | |
|---|-----|
| Complete dense stereovision using level set methods | 379 |
| <i>O. Faugeras, R. Keriven</i> | |
| The geometry and matching of curves in multiple views | 394 |
| <i>C. Schmid, A. Zisserman</i> | |
| Automatic modelling and 3D reconstruction of urban house roofs from high resolution aerial imagery | 410 |
| <i>T. Moons, D. Frère, J. Vandekerckhove, L. Van Gool</i> | |
| Closed-form solutions for the Euclidean calibration of a stereo rig | 426 |
| <i>G. Csurka, D. Demirdjian, A. Ruf, R. Horaud</i> | |

Colour and Indexing

| | |
|--|-----|
| Is machine colour constancy good enough? | 445 |
| <i>B. Funt, K. Barnard, L. Martin</i> | |

| | |
|--|-----|
| Colour model selection and adaptation in dynamic scenes..... | 460 |
| <i>Y. Raja, S. J. McKenna, S. Gong</i> | |
| Comprehensive colour image normalization..... | 475 |
| <i>G. D. Finlayson, B. Schiele, J. L. Crowley</i> | |
| Invariant-based shape retrieval in pictorial databases..... | 491 |
| <i>M. Kliot, E. Rivlin</i> | |

Grouping and Segmentation

| | |
|--|-----|
| Concerning Bayesian motion segmentation, model averaging, matching and the trifocal tensor..... | 511 |
| <i>P. H. S. Torr, A. Zisserman</i> | |
| Self inducing relational distance and its application to image segmentation..... | 528 |
| <i>J. Shi, J. Malik</i> | |
| Contour continuity in region based image segmentation..... | 544 |
| <i>T. Leung, J. Malik</i> | |

Colour and Indexing / Grouping and Segmentation / Tracking

| | |
|---|-----|
| On spatial quantization of color images..... | 563 |
| <i>J. Ketterer, J. Puzicha, M. Held, M. Fischer, J. M. Buhmann, D. Fellner</i> | |
| Using ifs and moments to build a quasi invariant image index..... | 578 |
| <i>J. M. Marie-Julie, H. Essafi</i> | |
| Determining a structured spatio-temporal representation of video content for efficient visualization and indexing..... | 595 |
| <i>M. Gelgon, P. Bouthemy</i> | |
| Demosaicing: Image reconstruction from color CCD samples..... | 610 |
| <i>R. Kimmel</i> | |
| Perceptual smoothing and segmentation of colour textures..... | 623 |
| <i>M. Petrou, M. Mirmehdi, M. Coors</i> | |
| Visual recognition using local appearance..... | 640 |
| <i>V. C. de Verdière, J. L. Crowley</i> | |
| A factorization approach to grouping..... | 655 |
| <i>P. Perona, W. Freeman</i> | |
| Faithful least-squares fitting of spheres, cylinders, cones and tori for reliable segmentation..... | 671 |
| <i>G. Lukács, R. Martin, D. Marshall</i> | |
| Multi-step procedures for the localization of 2D and 3D point landmarks and automatic ROI size selection..... | 687 |
| <i>S. Frantz, K. Rohr, H. S. Stiehl</i> | |

| | |
|--|------------|
| Object oriented motion estimation in color image sequences | 704 |
| <i>V. Rehrmann</i> | |
| Multi-scale and snakes for automatic road extraction | 720 |
| <i>H. Mayer, I. Laptev, A. Baumgartner</i> | |
| A model-free voting approach for integrating multiple cues | 734 |
| <i>C. G. Bräutigam, J.-O. Eklundh, H. I. Christensen</i> | |
| Finding boundaries in natural images: A new method using point descriptors and area completion | 751 |
| <i>S. Belongie, J. Malik</i> | |
| A smoothing filter for CONDENSATION | 767 |
| <i>M. Isard, A. Blake</i> | |
| Camea-based ID verification by signature tracking | 782 |
| <i>M. E. Munich, P. Perona</i> | |
| Model based tracking for navigation and segmentation | 797 |
| <i>B. Southall, J. A. Marchant, T. Hague, B. F. Buxton</i> | |
| Beginning a transition from a local to a more global point of view in model-based vehicle tracking | 812 |
| <i>M. Haag, H.-H. Nagel</i> | |
| View-based adaptive affine tracking | 828 |
| <i>F. de la Torre, S. Gong, S. McKenna</i> | |
| An efficient combination of 2D and 3D shape descriptions for contour based tracking of moving objects | 843 |
| <i>J. Denzler, B. Heigl, H. Niemann</i> | |
| Tracking, CONDENSATION | |
| 2D-Object tracking based on projection-histograms | 861 |
| <i>S. Huwer, H. Niemann</i> | |
| W4S: A real-time system for detecting and tracking people in 2 1/2D | 877 |
| <i>I. Haritaoglu, D. Harwood, L. S. Davis</i> | |
| ICONDENSATION: Unifying low-level and high-level tracking in a stochastic framework | 893 |
| <i>M. Isard, A. Blake</i> | |
| A probabilistic framework for matching temporal trajectories: CONDENSATION-based recognition of gestures and expressions | 909 |
| <i>M. J. Black, A. D. Jepson</i> | |
| Author Index | 925 |