

Commenced Publication in 1973

Founding and Former Series Editors:

Gerhard Goos, Juris Hartmanis, and Jan van Leeuwen

Editorial Board

David Hutchison

Lancaster University, UK

Takeo Kanade

Carnegie Mellon University, Pittsburgh, PA, USA

Josef Kittler

University of Surrey, Guildford, UK

Jon M. Kleinberg

Cornell University, Ithaca, NY, USA

Friedemann Mattern

ETH Zurich, Switzerland

John C. Mitchell

Stanford University, CA, USA

Moni Naor

Weizmann Institute of Science, Rehovot, Israel

Oscar Nierstrasz

University of Bern, Switzerland

C. Pandu Rangan

Indian Institute of Technology, Madras, India

Bernhard Steffen

University of Dortmund, Germany

Madhu Sudan

Massachusetts Institute of Technology, MA, USA

Demetri Terzopoulos

University of California, Los Angeles, CA, USA

Doug Tygar

University of California, Berkeley, CA, USA

Moshe Y. Vardi

Rice University, Houston, TX, USA

Gerhard Weikum

Max-Planck Institute of Computer Science, Saarbruecken, Germany

Bernt Schiele Anind K. Dey
Hans Gellersen Boris de Ruyter
Manfred Tscheligi Reiner Wichert
Emile Aarts Alejandro Buchmann (Eds.)

Ambient Intelligence

European Conference, AmI 2007
Darmstadt, Germany, November 7-10, 2007
Proceedings

Volume Editors

Bernt Schiele
Alejandro Buchmann
TU Darmstadt, Germany
E-mail: {schiele, buchmann}@informatik.tu-darmstadt.de

Anind K. Dey
Carnegie Mellon University, Pittsburgh, PA, USA
E-mail: anind@cs.cmu.edu

Hans Gellersen
Lancaster University, UK
E-mail: hwg@comp.lancs.ac.uk

Boris de Ruyter
Emile Aarts
Philips Research Europe, Eindhoven, The Netherlands
E-mail: {boris.de.ruyter, emile.aarts}@philips.com

Manfred Tscheligi
University of Salzburg, Austria
E-mail: manfred.tscheligi@sbg.ac.at

Reiner Wichert
Fraunhofer-IGD, Darmstadt, Germany
E-mail: reiner.wichert@igd.fraunhofer.de

Library of Congress Control Number: 2007938404

CR Subject Classification (1998): H.4, C.2, D.4.6, H.5, I.2, K.4

LNCS Sublibrary: SL 3 – Information Systems and Application, incl. Internet/Web and HCI

ISSN 0302-9743
ISBN-10 3-540-76651-0 Springer Berlin Heidelberg New York
ISBN-13 978-3-540-76651-3 Springer Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer. Violations are liable to prosecution under the German Copyright Law.

Springer is a part of Springer Science+Business Media
springer.com

© Springer-Verlag Berlin Heidelberg 2007
Printed in Germany

Typesetting: Camera-ready by author, data conversion by Scientific Publishing Services, Chennai, India
Printed on acid-free paper SPIN: 12187645 06/3180 5 4 3 2 1 0

Preface

Ambient Intelligence (AmI) was introduced in the late 1990s as a novel paradigm for electronic environments for the years 2010–2020. The concept builds on the early ideas of Weiser, who was aiming at a novel mobile computing infrastructure integrated into the networked environment of people. AmI takes the embedding of computing devices one step ahead by integrating computational intelligence into the entire surrounding of people, thus moving technology fully to the background and the user into the foreground by supporting him or her with intuitive and natural interaction concepts. According to the definition, AmI refers to smart electronic environments that are sensitive and responsive to the presence of people. Since its introduction the vision has grown mature, so as to become quite influential in the development of new concepts for information processing, combining multi-disciplinary fields including electrical engineering, computer science, industrial design, user interfaces, and cognitive sciences.

The AmI paradigm provides a basis for new models of technological innovation within a multi-dimensional society. The added value of the AmI vision lies in the fact that the large-scale integration of electronics into the environment enables the actors, i.e., people and objects, to interact with their surrounding in a seamless, trustworthy, and natural manner. This is directly connected to the growing societal need for communication and the exchange of information. AmI environments will therefore not only support peoples lives with the purpose of increasing their productivity, but they will also serve the largely unmet need of people for self-expression, personalized health-care, and social connectedness. A major issue in this respect is given by the growing awareness that novel concepts should meet elementary user requirements such as usefulness and simplicity. Hence, it is generally believed that novel AmI technologies should not aim at increasing functional complexity in the first place, but they particularly should contribute to the development of easy-to-use and simple-to-experience products and services. Obviously, this statement has a broad endorsement by a wide community of both designers and engineers, but reality reveals that it is hard to achieve in practise, and that novel approaches, as may be provided by the AmI vision, are needed to make it work.

Since the introduction of AmI in the beginning of this decade much research effort has been invested in the development of the concept. As a direct result of the large European investment made in the area through the Framework Program 6 (FP6) of the European Commission, there are many interesting developments that provide first proof points of the realization of the AmI vision. AmI 2007 is a conference that serves the scientific community with a platform to present research results and discuss progress in the field made so far. AmI 2007 can be seen as the continuation of a sequence of AmI symposiums and conferences in Europe. It builds on EUSAI the European Symposium on Ambient

Intelligence. EUSAI 2003 and EUSAI 2004 can be seen as the first two scientific symposiums ever held on AmI. In 2005 EUSAI was organized as a joint activity with sOc (Smart Objects Conference) and presented as the sOc-EUSAI conference. Last year we decided to drop the European flavor a to fully join the activities of the two research communities to continue as the AmI conference of which AmI 2007 was the first edition.

AmI 2007 put much emphasis on the desire to combine both scientific research and practical evaluation of novel concepts. Therefore, the conference was organized along the lines of two tracks named as Research Track and Experience Track. The current LNCS volume, which is the formal proceedings of AmI 2007, is structured along the lines of these two tracks. AmI 2007 furthermore provided the research community in AmI with a venue to discuss in an informal setting preliminary results and upcoming ideas through a number of workshops. We felt that we should not hold back the results obtained in these workshops as they are in many cases quite intriguing and therefore may be stimulating in the development of novel ideas. Therefore, we decided to publish these results in a separate Springer volume under the title *Constructing Ambient Intelligence AmI 2007 Workshop Proceedings*.

The material contained in the present volume reveals that the realization and implementation of the AmI vision in its relative short period of time of existence is rapidly gaining traction, and that some of the early ideas following from the vision are growing mature. Examples are the use of context-aware services in smart environments and the high level of personalization that is attained in ambient-assisted living environments. Also the experience design results indicate that there is a growing awareness of the fact that the success of the AmI paradigm heavily depends on the social acceptance of the newly proposed AmI technology and that we need to look carefully at the human factors side of the vision to study the relation between AmI technology and the behavior of people, thus revealing the true added value of AmI in the everyday-life of people.

In view of this, the AmI 2007 proceedings can be considered as a timely document that provides many new results and insights in the development of AmI. We are fairly confident that it provides a meaningful contribution to the dissemination of the AmI vision and we would like to thank all those who have contributed. We hope that you as a reader will have many pleasant and fruitful reading hours.

September 2007

Emile Aarts
Alex Buchmann

Message from the Program Chairs Research Papers

On behalf of the Program Committee for the Research Papers, we would like to welcome you to AmI 2007 - European Conference on Ambient Intelligence. We received 48 research paper submissions, with authors from 22 countries, and we accepted 17 papers.

Each paper was assigned to three Program Committee members for review (resulting in a total of 46.000 words). The reviewing phase was followed by a discussion phase among the respective Program Committee members in order to suggest papers for acceptance. The three PC Chairs then met in Darmstadt to make final decisions about acceptance based on all reviews, the discussion results and, if necessary, additional reviewing. We would like to thank all members of the Program Committee for their most valuable and highly appreciated contribution to the community by reading submissions, writing reviews, and participating in the discussion phase.

The range of topics evident in the selected papers covers many important topics in ambient intelligence: from sensors and mobile devices, over localization, context awareness and middleware to interfaces and applications of ambient intelligence.

We hope that you find the papers to be interesting, informative, and thought-provoking.

September 2007

Anind K. Dey
Hans Gellersen
Bernt Schiele

Message from the Program Chairs Case Studies and Lessons Learned Papers

The introduction of Ambient Intelligence (AmI) has shifted the focus from system-centric interactions towards user-centric experiences with intelligent environments. Such a shift did not only bring forward new requirements for technologies but has also created the need for innovative research methods and tools. The main goals of user-centric experiences with environments are to investigate how technology can deliver positive experiences into every day life environments, to consider people's social, creative and cognitive skills and to face the users' acceptance of the system, their privacy and trust concern.

A lot of research groups in universities, research institutes and in the industry have applied this way of technology development in the past few years. Many research labs have been funded and were built that offer a daily life ambience to support the testing and evaluation of technology prototypes under real life conditions. This kind of living and early involvement laboratories will dramatically increase the social acceptance of technology. First products are already on the market that support this kind of ambient experience as well as accomplish assistive function for health and security. Thus, this paradigm change of developing technology proofs its advantages and has started a success story that will dominate the way research will be conducted and developments will be implemented in at least the next decade.

The conference track case studies and lessons learned introduces high-level reports of researchers relating to this AmI core. The following papers introduce first hand reports from AmI laboratories and thus highlight innovative and novel results that deal with experience prototyping and user-centered design. End user insights into current AmI development are given. The Program Committee is proud to present a high level selection of current research reports and papers that reflect the most important activities of current AmI research.

In this special track of AmI 2007, the European Conference on Ambient Intelligence, we present five selected papers discussing the experiences and lessons learned in the area of research and application development for AmI environments. These papers touch upon methodological, infrastructural and technical issues involved in AmI research.

Although any paper focusing on AmI application and experience research will bring forward methodological, infrastructural and technical challenges, the papers in this special track present a more elaborate discussion of these issues rather than on only the research findings. By making explicit the lessons learned and experiences of AmI research we bring forward the way of working in AmI-related research.

AmI environments do not only offer supporting and comforting experiences to its end users, but these environments can also become socially connected spaces

that provide a sense of presence with, for example, remote family and friends. In the paper “Expected Information Needs of Parents for Pervasive Awareness Systems,” Kahn et al present their experiences with using an on-online survey technique to gather end user requirements for an intelligent awareness system that connects parents with their children. This paper taps into the problem of suitable user requirements gathering techniques for designing AmI services.

AmI research has introduced the concept of Experience and Application Research Centers (EARC). These EARCs offer realistic testing environments for end users to experience innovative concepts while researchers have advanced instruments in place to learn more about, for example, the usability and acceptability of the proposed solutions. In their paper “User-Centered Research in ExperienceLab,” de Ruyter et al. present their lessons learned in deploying three EARCs in the context of AmI application development. Highlighting both the infrastructural and the methodological aspects of using EARCs this paper aims at providing the AmI researcher with some valuable insights into the role of EARCs.

In the paper “Assemblies of Heterogeneous Technologies at the Neonatal Intensive Care Unit,” Grönvall et al. share their experience in designing an AmI environment for a demanding and dynamic context as found in a neonatal intensive care unit. Specifically, the authors discuss their lessons learned with solutions that enable end user composition and control of AmI assemblies of technologies.

Besides experiences with methodologies and testing environments, this track presents a paper focusing on the lessons learned for using a specific technology in AmI application development. In their paper “Improving Mobile Solution Workflows and Usability Using Near Field Communication Technology,” Jaring et al. share their lessons learned for deploying near field communication (NFC) technology in solutions to improve workflows in mobile situations. The experience presented in this paper is of high value for researchers and application developers in the area of AmI for mobile contexts.

To conclude, this track presents a paper discussing the lessons learned in developing and testing AmI scenarios for a public environment such as the retail environment. In their paper “Enhancing the Shopping Experience with Ambient Displays: A Field Study in a Retail Store,” Reitberger et al. discuss their experiences in designing and evaluating a system for creating a sense of shared awareness between shop visitors. Such applications illustrate the potential role of AmI technology as a social mediator.

September 2007

Boris de Ruyter
Manfred Tscheligi
Reiner Wichert

Organization

Program Committee

Jakob Bardram	IT University of Copenhagen
James Begole	PARC
Michael Beigl	TU Braunschweig
Andreas Butz	University of Munich
Siobhán Clarke	Trinity College Dublin
Jolle Coutaz	Université Joseph Fourier
James Crowley	INRIA Rhone Alpes
José Encarnação	IGD
Geraldine Fitzpatrick	University of Sussex
James Fogarty	University of Washington
Tom Gross	Bauhaus University Weimar
Beverly Harrison	Intel Research Seattle
Stephen Intille	Massachusetts Institute of Technology
Antonio Krüger	University of Münster
Spyros Lalis	University of Thessaly
Anthony LaMarca	Intel Research Seattle
Marc Langheinrich	ETH Zurich
Paul Lukowicz	University of Passau
Panos Markopoulos	Eindhoven University of Technology
Rene Mayrhofer	Lancaster University
Henk Muller	University of Bristol
Tom Pfeifer	Waterford Institute of Technology, TSSG
Aaron Quigley	University College Dublin
Kurt Rothermel	University of Stuttgart, Germany
Khai Truong	University of Toronto
Kay Roemer	ETH Zurich
Chris Schmandt	Massachusetts Institute of Technology
Albrecht Schmidt	Fraunhofer IAIS and b-it University of Bonn
Kristof Van Laerhoven	TU Darmstadt

Table of Contents

Mobility and Sensing

Mobile Interaction with the Real World: An Evaluation and Comparison of Physical Mobile Interaction Techniques	1
<i>Enrico Rukzio, Gregor Broll, Karin Leichtenstern, and Albrecht Schmidt</i>	
Portable Wireless Sensors for Object Usage Sensing in the Home: Challenges and Practicalities	19
<i>Emmanuel Munguia Tapia, Stephen S. Intille, and Kent Larson</i>	
Role Assignment Via Physical Mobile Interaction Techniques in Mobile Multi-user Applications for Children	38
<i>Karin Leichtenstern, Elisabeth André, and Thurid Vogt</i>	

Applications of AmI

Context-Sensitive Microlearning of Foreign Language Vocabulary on a Mobile Device	55
<i>Jennifer S. Beaudin, Stephen S. Intille, Emmanuel Munguia Tapia, Randy Rockinson, and Margaret E. Morris</i>	
Ambient Intelligence for Decision Making in Fire Service Organizations	73
<i>Ralph Bergmann</i>	
Supporting Independent Living of the Elderly with Mobile-Centric Ambient Intelligence: User Evaluation of Three Scenarios	91
<i>Marketta Niemelä, Rafael Gonzalez Fuentetaja, Eija Kaasinen, and Jorge Lorenzo Gallardo</i>	

Activity and Location Sensing

A Study on the Suitability of GSM Signatures for Indoor Location	108
<i>Carlos Bento, Teresa Soares, Marco Veloso, and Bruno Baptista</i>	
How Computer Vision Can Help in Outdoor Positioning	124
<i>Ulrich Steinhoff, Dušan Omerčević, Roland Perko, Bernt Schiele, and Aleš Leonardis</i>	
Toward Recognition of Short and Non-repetitive Activities from Wearable Sensors	142
<i>Andreas Zinnen, Kristof van Laerhoven, and Bernt Schiele</i>	

AmI and Artificial Intelligence

Distributed AI for Ambient Intelligence: Issues and Approaches	159
<i>Theodore Patkos, Antonis Bikakis, Grigoris Antoniou, Maria Papadopouli, and Dimitris Plexousakis</i>	

Active Coordination Artifacts in Collaborative Ubiquitous-Computing Environments	177
<i>Marco P. Locatelli and Marco Loregian</i>	

AmI Middleware and Infrastructure

A Communication Middleware for Smart Room Environments	195
<i>Gábor Szeder and Walter F. Tichy</i>	

Evaluating Confidence in Context for Context-Aware Security	211
<i>Marc Lacoste, Gilles Privat, and Fano Ramparany</i>	

A Compiler for the Smart Space	230
<i>Urs Bischoff and Gerd Kortuem</i>	

Interaction with the Environment

Situated Public News and Reminder Displays	248
<i>Jörg Müller, Oliver Paczkowski, and Antonio Krüger</i>	

A Web 2.0 Platform to Enable Context-Aware Mobile Mash-Ups	266
<i>Diego López-de-Ipiña, Juan Ignacio Vazquez, and Joseba Abaitua</i>	

A Matter of Taste	287
<i>Alois Ferscha</i>	

Case Studies and Lessons Learned

User Centered Research in ExperienceLab	305
<i>Boris de Ruyter, Evert van Loenen, and Vic Teeven</i>	

Enhancing the Shopping Experience with Ambient Displays: A Field Study in a Retail Store	314
<i>Wolfgang Reitberger, Christoph Obermair, Bernd Ploderer, Alexander Meschtscherjakov, and Manfred Tscheligi</i>	

Expected Information Needs of Parents for Pervasive Awareness Systems	332
<i>Vassilis-Javed Khan, Panos Markopoulos, Boris de Ruyter, and Wijnand IJsselsteijn</i>	

Assemblies of Heterogeneous Technologies at the Neonatal Intensive Care Unit	340
<i>Erik Grönvall, Luca Piccini, Alessandro Pollini, Alessia Rullo, and Giuseppe Andreoni</i>	
Improving Mobile Solution Workflows and Usability Using Near Field Communication Technology	358
<i>Päivi Jaring, Vili Törmänen, Erkki Siira, and Tapio Matinmikko</i>	
Author Index	375