

**Editors:**

J.-M. Morel, Cachan

B. Teissier, Paris

For further volumes:

<http://www.springer.com/series/304>



Sungbok Hong • John Kalliongis  
Darryl McCullough • J. Hyam Rubinstein

# Diffeomorphisms of Elliptic 3-Manifolds

 Springer

Sungbok Hong  
Korea University  
Department of Mathematics  
Seoul, Korea

Darryl McCullough  
University of Oklahoma  
Department of Mathematics  
Norman, OK, USA

John Kalliongis  
Saint Louis University  
Department of Mathematics  
and Computer Science  
St. Louis, MO, USA

J. Hyam Rubinstein  
University of Melbourne  
Department of Mathematics  
Melbourne, Victoria, Australia

ISBN 978-3-642-31563-3      ISBN 978-3-642-31564-0 (eBook)  
DOI 10.1007/978-3-642-31564-0  
Springer Heidelberg New York Dordrecht London

Lecture Notes in Mathematics ISSN print edition: 0075-8434  
ISSN electronic edition: 1617-9692

Library of Congress Control Number: 2012945525

Mathematics Subject Classification (2010): 57M99, 57S10, 58D05, 58D29

© Springer-Verlag Berlin Heidelberg 2012

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media ([www.springer.com](http://www.springer.com))

# Preface

This work is ultimately directed at understanding the diffeomorphism groups of elliptic three-manifolds—those closed three-manifolds that admit a Riemannian metric of constant positive curvature. The main results concern the Smale Conjecture. The original Smale Conjecture, proven by A. Hatcher [24], asserts that if  $M$  is the 3-sphere with the standard constant curvature metric, the inclusion  $\text{Isom}(M) \rightarrow \text{Diff}(M)$  from the isometry group to the diffeomorphism group is a homotopy equivalence. The *Generalized Smale Conjecture* (henceforth just called the Smale Conjecture) asserts this whenever  $M$  is an elliptic three-manifold.

Here are our main results:

1. The Smale Conjecture holds for elliptic three-manifolds containing geometrically incompressible Klein bottles (Theorem 1.2). These include all quaternionic and prism manifolds.
2. The Smale Conjecture holds for all lens spaces  $L(m, q)$  with  $m \geq 3$  (Theorem 1.3).

Many of the cases in Theorem 1.2 were proven a number of years ago by N. Ivanov [33–36] (see Sect. 1.2).

Some of our other results concern the groups of diffeomorphisms  $\text{Diff}(\Sigma)$  and fiber-preserving diffeomorphisms  $\text{Diff}_f(\Sigma)$  of a Seifert-fibered Haken three-manifold  $\Sigma$  and the coset space  $\text{Diff}(\Sigma)/\text{Diff}_f(\Sigma)$ , which is called the space of Seifert fiberings (equivalent to the given fibering) of  $\Sigma$ .

3. Apart from a small list of known exceptions,  $\text{Diff}_f(\Sigma) \rightarrow \text{Diff}(\Sigma)$  is a homotopy equivalence (Theorem 3.15).
4. The space of Seifert fiberings of  $\Sigma$  has contractible components (Theorem 3.14) and apart from a small list of known exceptions, it is contractible (Theorem 3.15).

These may be already accepted as part of the overall three-dimensional landscape, but we are unable to find any serious treatment of them. And we have found that the development of the necessary tools and their application to the three-dimensional context goes well beyond a routine exercise.

**Table 1** Status of the Smale conjecture

Case	SC proven?
$S^3$	Hatcher [24]
$\mathbb{R}P^3$	
Lens spaces	Chapter 5
Prism and quaternionic manifolds	Ivanov [33–36] and Chap. 4
Tetrahedral manifolds	
Octahedral manifolds	
Icosahedral manifolds	

This manuscript includes work done more than 20 years ago, as well as work recently completed. In the mid-1980s, two of the authors (DM and JHR) sketched an argument proving the Smale Conjecture for the three-manifolds that contain one-sided Klein bottles (other than the lens space  $L(4, 1)$ ). That method, which ultimately became Chap. 4, underwent a long evolution as various additions were made to fill in technical details.

The case of one-sided Klein bottles includes some lens spaces—those of the form  $L(4n, 2n - 1)$  for  $n \geq 2$ . But for the general lens space case, a different approach using Heegaard tori was developed by SH and DM starting around 2000. It is based on a powerful methodology developed by JHR and M. Scharlemann [58]. It turned out that JHR was working on the Smale Conjecture for lens spaces along exactly the same lines as SH and DM, so the efforts were combined in the work that became Chap. 5.

One more case of the Smale Conjecture may be accessible to existing techniques. It seems likely that A. Hatcher’s approach to the  $S^3$  case in [24] would also serve for  $\mathbb{R}P^3$ , but this has yet to be carried out.

In summary, this is where the Smale Conjecture now stands (Table 1).

Our work on the Smale Conjecture requires some basic theory about spaces of mappings of smooth manifolds, such as the fact that diffeomorphism groups of compact manifolds and spaces of embeddings of submanifolds have the homotopy type of CW-complexes, a result originally proven by R. Palais. This theory is well known to global analysts and others, but not to many low-dimensional topologists. Also, most sources do not discuss the case of manifolds with boundary, and we know of no existing treatment of the case of fiber-preserving diffeomorphisms and embeddings, which is the context of much of our technical work. For this reason, we have included a fair dose of foundational material on diffeomorphism groups in Chap. 2, which includes the case of manifolds with boundary, with the additional boundary control that we will need.

A more serious gap in the literature is the absence of versions of the fundamental restriction fibration theorems of Palais and Cerf in the context of fibered (and Seifert-fibered) manifolds. These extensions of the well-known theory require some new ideas, which were developed by JK and DM and form most of Chap. 3. We work in a class of singular fiberings large enough to include all Seifert fiberings of three-manifolds, except some fiberings of lens spaces. These results are heavily used in our work in Chaps. 4 and 5. Our results on fiber-preserving diffeomorphisms

and the space of fibered structures of a Seifert-fibered Haken three-manifold are applications of this work, and they also appear in Chap. 3.

Much of our work in this text is unusually detailed and technical. In considerable part, this not only arises from its inherent complication, but it also reflects the fact that over the years we have filled in many arguments in response to recommendations from various readers. Unfortunately, one reader's "too sketchy" can be another's "too much elaboration of well-known facts," and personally we find some of the current exposition to be somewhat too long and too detailed. To provide an alternative, we have included Sects. 4.2 and 5.1, which are overviews of the proofs of the main results. In the actual proofs, we trust that each reader will simply accept the "obvious" parts and focus on the "nontrivial" parts, whichever they may be.

We have made the text self-contained, when possible, and sought useful references when not. We do assume that the reader is comfortable with basic topology and differential topology of manifolds, group actions on manifolds, Riemannian metrics, fibrations, and so on. We freely use classical three-manifold topology, such as I-bundles and Seifert-fibered structures and two-dimensional orbifolds, the Jaco–Shalen–Johannson decomposition, the results of Waldhausen, and hyperbolic three-manifolds, as well as major developments such as the results (but not the methods) of Perelman. We rather freely use facts about spaces of isometries and diffeomorphisms of surfaces and commonly encountered three-manifolds. Here, familiarity with papers of A. Hatcher such as [22, 23] would be very helpful. In the realm of infinite-dimensional topology, we use some basics about Fréchet manifolds and some standard theorems, see Sect. 2.1 for a discussion. Additionally we draw on the theory of singularities, modestly in Chap. 4 and in quite a bit more depth in Chap. 5. Both chapters make heavy use of the parameterized methods in the aforementioned papers of Hatcher, and in the latter chapter, familiarity with the Rubinstein–Scharlemann graphic [58] will be very helpful.

The authors are grateful to many sources of support during the lengthy preparation of this work. These include the Australian Research Council, the Korea Research Foundation, the Basic Science Research Center of Korea University, Saint Louis University, the U.S. National Science Foundation, the Mathematical Sciences Research Institute, the University of Oklahoma Vice President for Research, and the University of Oklahoma College of Arts and Sciences. We also thank the referees of versions of this work for occasional corrections and numerous helpful suggestions, as well as the editors and staff at Springer for their work to produce this final version.





# Contents

<b>1</b>	<b>Elliptic Three-Manifolds and the Smale Conjecture</b> .....	1
1.1	Elliptic Three-Manifolds and Their Isometries.....	1
1.2	The Smale Conjecture .....	3
1.3	The Weak Smale Conjecture .....	5
1.4	Perelman’s Methods .....	7
<b>2</b>	<b>Diffeomorphisms and Embeddings of Manifolds</b> .....	9
2.1	Fréchet Spaces and the $C^\infty$ -Topology .....	9
2.2	Metrics Which are Products Near the Boundary .....	10
2.3	Manifolds with Boundary .....	12
2.4	Spaces of Embeddings.....	14
2.5	Bundles and Fiber-Preserving Diffeomorphisms.....	14
2.6	Aligned Vector Fields and the Aligned Exponential .....	16
<b>3</b>	<b>The Method of Cerf and Palais</b> .....	19
3.1	The Palais–Cerf Restriction Theorem .....	21
3.2	The Space of Images .....	25
3.3	Projection of Fiber-Preserving Diffeomorphisms .....	26
3.4	Restriction of Fiber-Preserving Diffeomorphisms .....	29
3.5	Restriction Theorems for Orbifolds.....	31
3.6	Singular Fiberings .....	36
3.7	Spaces of Fibered Structures .....	41
3.8	Restricting to the Boundary or the Basepoint .....	44
3.9	The Space of Seifert Fiberings of a Haken Three-Manifold.....	46
3.10	The Parameterized Extension Principle .....	51
<b>4</b>	<b>Elliptic Three-Manifolds Containing One-Sided Klein Bottles</b> .....	53
4.1	The Manifolds $M(m, n)$ .....	53
4.2	Outline of the Proof.....	54
4.3	Isometries of Elliptic Three-Manifolds .....	57
4.4	The Hopf Fiberings of $M(m, n)$ and Special Klein Bottles .....	59
4.5	Homotopy Type of the Space of Diffeomorphisms .....	66

4.6	Generic Position Configurations .....	68
4.7	Generic Position Families .....	74
4.8	Parameterization .....	76
<b>5</b>	<b>Lens Spaces</b> .....	<b>85</b>
5.1	Outline of the Proof.....	85
5.2	Reductions .....	87
5.3	Annuli in Solid Tori .....	88
5.4	Heegaard Tori in Very Good Position.....	90
5.5	Sweepouts, and Levels in Very Good Position .....	93
5.6	The Rubinstein–Scharlemann Graphic .....	96
5.7	Graphics Having No Unlabeled Region .....	100
5.8	Graphics for Parameterized Families .....	105
5.8.1	Weak Transversality .....	106
5.8.2	Finite Singularity Type .....	109
5.8.3	Semialgebraic Sets .....	110
5.8.4	The Codimension of a Real-Valued Function .....	111
5.8.5	The Stratification of $C^\infty(M, \mathbb{R})$ by Codimension .....	113
5.8.6	Border Label Control.....	116
5.8.7	Building the Graphics .....	117
5.9	Finding Good Regions.....	119
5.10	From Good to Very Good .....	126
5.11	Setting up the Last Step .....	131
5.12	Deforming to Fiber-Preserving Families .....	133
5.13	Parameters in $D^d$ .....	142
	<b>References</b> .....	<b>145</b>
	<b>Index</b> .....	<b>149</b>