

Signaling and Communication in Plants

Series Editors

František Baluška

Department of Plant Cell Biology, IZMB, University of Bonn, Kirschallee 1,
D-53115 Bonn, Germany

Jorge M. Vivanco

Center for Rhizosphere Biology, Colorado State University, 217 Shepardson
Building, Fort Collins, CO 80523-1173, USA

For further volumes:

<http://www.springer.com/series/8094>

Rujin Chen • František Baluška
Editors

Polar Auxin Transport

 Springer

Editors

Rujin Chen
Plant Biology Division
The Samuel Roberts Noble Foundation
Ardmore, Oklahoma
USA

František Baluška
University of Bonn
IZMB
Bonn, Nordrhein-Westfalen
Germany

ISSN 1867-9048

ISBN 978-3-642-35298-0

DOI 10.1007/978-3-642-35299-7

Springer Heidelberg New York Dordrecht London

ISSN 1867-9056 (electronic)

ISBN 978-3-642-35299-7 (eBook)

Library of Congress Control Number: 2013935310

© Springer-Verlag Berlin Heidelberg 2013

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

Preface

The plant hormone auxin plays essential roles in diverse plant developmental processes including morphogenesis, organogenesis, vascular tissue differentiation, and growth responses to biotic and abiotic signals. The involvement of auxin in the broad spectrum of biological processes is mainly mediated by its regulation of cell division, expansion, and differentiation. Experimental evidence indicates that local auxin gradients generated by three families of auxin transporter proteins are essential for auxin actions. The molecular cloning of auxin transporter proteins in the past two decades marks a milestone in auxin research. Importantly, the biological activity of auxin transport proteins is associated with their characteristic plasma membrane localization. The PIN-FORMED (PIN) family of auxin efflux proteins has been shown to exhibit asymmetric plasma membrane localization and determine the direction of auxin flow. The maintenance of PIN protein plasma membrane localization involves clathrin-coated vesicle endocytosis, a process that is evolutionarily conserved in plant, yeast, and animal cells, and intracellular trafficking targeting proteins to distinct plasma membrane domains or lytic vacuoles for turnover. Auxin reinforces its own transport by regulating transcription and endocytosis and recycling of its transport proteins. Recently, a group of new auxin transport proteins, the so-called “short” PINs, has been demonstrated to localize to the endoplasmic reticulum membrane and play a role in intracellular transport and homeostasis of auxin.

Experimental evidence supports that membrane microdomains regulated by the composition of membrane lipids and sterols play a role in endocytosis of auxin transport proteins. Intriguingly, differences exist in the clathrin-mediated endocytosis of auxin influx and efflux proteins. Within plant cells, sequence-specific phosphorylation by plant AGC kinases counterbalanced by protein phosphatase-mediated dephosphorylation is necessary to channel PIN proteins to distinct intracellular trafficking pathways destined to specific membrane domains. Auxin transport proteins are also targeted to lytic vacuoles for protein turnover. Interestingly, gravity and light, two prevalent environmental signals, have been shown to modulate intracellular trafficking and targeting of auxin transport proteins during plant tropic responses.

Amongst numeric milestones in the field of auxin research are the identification and characterization of auxin signaling pathways and the TIR1/AFB family of auxin receptors. Development of different auxin sensors and quantification methods with increased sensitivities has greatly facilitated auxin research in the model species *Arabidopsis thaliana*. The advanced molecular and genetic tools have gradually become available in other plant species with interesting biological processes, providing new insights into our understanding of the role of polar auxin transport in developmental processes such as plant–microbe interactions.

As sessile organisms, higher plants evolved various mechanisms to cope with changing environmental conditions. Biotic and abiotic stresses have profound effects on plant development and reproduction in part through manipulation of the level, response, and distribution of plant hormones. As summarized in this book series, polar auxin transport is a prime target/mediator of abiotic and biotic stress responses of plants, as well as a practical target for agronomic trait improvements in crop plants. While tremendous progresses have been made in auxin research, new insights of the role of auxin transport in diverse developmental processes await to be gained.

Ardmore, OK, USA
Bonn, Germany

Rujin Chen
František Baluška

Contents

Signaling in Polar Auxin Transport	1
Anindya Ganguly and Hyung-Taeg Cho	
Polar Auxin Transport: Cell Polarity to Patterning	25
Kalika Prasad and Pankaj Dhonukshe	
Signal Integration, Auxin Homeostasis, and Plant Development	45
Ashvarya Laxmi, Aditi Gupta, Bhuwaneshwar S. Mishra, Manjul Singh, K. Muhammed Jamsheer, and Sunita Kushwah	
Regulation of Polar Auxin Transport by Protein Phosphorylation	81
M. Carmen Martínez, Laia Armengot, and M. Mar Marquès-Bueno	
Control of Auxin Transport by Reactive Oxygen and Nitrogen Species	103
María Fernández-Marcos, Luis Sanz, Daniel R. Lewis, Gloria K. Muday, and Oscar Lorenzo	
Hormonal Control of Polar Auxin Transport	119
Jiaqiang Sun, Linlin Qi, and Chuanyou Li	
Auxin Transport and Signaling in Leaf Vascular Patterning	129
Enrico Scarpella and Thomas Berleth	
Regulation of Polar Auxin Transport by Protein–Protein Interactions	155
Markus Geisler and Sina Henrichs	
The Role of Auxin Transport and Distribution in Plant Gravimorphogenesis	179
Chiaki Yamazaki, Nobuharu Fujii, and Hideyuki Takahashi	
Polar Auxin Transport Regulation in Plant–Microbe Interactions	201
Liang Pin Jason Ng, Giel E. van Noorden, and Ulrike Mathesius	

Auxin Biosynthesis and Polar Auxin Transport During Tropisms in Maize Coleoptiles	221
Takeshi Nishimura and Tomokazu Koshiba	
Signaling and Transport of Auxin and Plant Development	239
Jianling Peng, Liangfa Ge, Yuan Wang, and Rujin Chen	
From Auxin Transport to Patterning	259
Marina Oliva, Teva Vernoux, and Jan Traas	
Plant Competition: Light Signals Control Polar Auxin Transport	281
Diederik H. Keuskamp and Ronald Pierik	
Auxin and Temperature Stress: Molecular and Cellular Perspectives	295
Kyohei Shibasaki and Abidur Rahman	
A Fertile Field: The Mutual Influence and Parallel Histories of Auxin and Flavonoids	311
Elinor Thompson	
Index	337