

SHOCK

PATHOGENESIS AND THERAPY

AN INTERNATIONAL SYMPOSIUM

STOCKHOLM, 27th-30th JUNE, 1961
SPONSORED BY CIBA

CHAIRMAN
U. S. VON EULER
STOCKHOLM

EDITED BY
K. D. BOCK
BASLE

WITH 120 FIGURES



SPRINGER-VERLAG
BERLIN HEIDELBERG GMBH 1962

This book has also been published in German under the title
SCHOCK
Pathogenese und Therapie
Ein internationales Symposium

ISBN 978-3-662-28249-6 ISBN 978-3-662-29767-4 (eBook)
DOI 10.1007/978-3-662-29767-4

All rights, especially that of translation into foreign languages, reserved.
It is also forbidden to reproduce this book, either whole or in part, by photomechanical means
(photostat, microfilm and/or microcard) without written permission from
Springer-Verlag Berlin Heidelberg GmbH.

© by Springer-Verlag Berlin Heidelberg 1962
Originally published by Springer-Verlag OHG Berlin · Göttingen · Heidelberg 1962
Softcover reprint of the hardcover 1st edition 1962

The reproduction of general descriptive names, trade names, trade marks, etc. in this
publication, even when there is no special identification mark, is not to be taken as a
sign that such names, as understood by the Trade Marks and Merchandise Marks Law,
may accordingly be freely used by anyone.

Contents

| | |
|--|-----|
| <i>Opening remarks</i> (U. S. VON EULER) | VII |
| <i>Definition and classification of various forms of shock.</i> (R. F. RUSHMER, R. L. VAN CITTERS, and D. FRANKLIN) | 1 |
| Discussion: VON EULER, GREGERSEN, KROG, NICKERSON, RUSHMER. | 23 |
| <i>Comparison of various forms of experimental shock</i> (J. FINE) | 25 |
| <i>Possible role of endotoxin in the perpetuation of shock</i> (R. P. GILBERT) | 40 |
| Discussion: FINE, GELIN, GROSS, HALPERN, HOWARD, SPINK | 45 |
| <i>Hemodynamic factors in shock</i> (D. E. GREGG) | 50 |
| <i>Nervous adjustments of the vascular bed with special reference to patterns of vasoconstrictor fibre discharge</i> (B. FOLKOW) | 61 |
| Discussion: BACQ, FOLKOW, GREGG, KRAMER, NICKERSON, RUSHMER, STRÖM | 73 |
| <i>Metabolic aspects of shock</i> (L. MIGONE) | 76 |
| Discussion: BACQ, KRAMER, MIGONE | 95 |
| <i>Microscopic observations of the mesenteric circulation in rabbits subjected to reversible and irreversible haemorrhagic shock</i> (S. BELLMAN, P. B. LAMBERT, and J. FINE) | 96 |
| Discussion: BEIN, BELLMAN, FINE, GELIN, GROSS, HALPERN, IMHOF, MIGONE, NICKERSON, SPINK | 99 |
| <i>The nature of irreversible shock: its relationship to intestinal changes</i> (R. C. LILLEHEI, J. K. LONGERBEAM, and J. C. ROSENBERG) | 106 |
| Discussion: BACQ, BEIN, GILBERT, GREGERSEN, LILLEHEI, MIGONE, NICKERSON, RUSHMER | 130 |
| <i>Renal failure in shock</i> (K. KRAMER) | 134 |
| <i>Renal blood flow and renal clearances during hemorrhage and hemorrhagic shock</i> (E. E. SELKURT) | 145 |
| <i>The participation of the adrenal glands in endotoxin shock.</i> (B. HÖKFELT, S. BYGDEMAN, and J. SEKKENES) | 151 |
| <i>Aldosterone and alterations in circulatory reactivity following endotoxins</i> (H. J. BEIN) | 162 |
| Discussion: ADAMS-RAY, BEIN, HALPERN, HÖKFELT, HOWARD, NICKER- SON, SPINK, UVNÁS | 169 |
| <i>Reflex mechanisms and the central nervous system</i> (E. NEIL) | 172 |
| <i>The effects of emotional stress on the circulation through voluntary muscles</i> (A. D. M. GREENFIELD) | 177 |
| Discussion: BACQ, BEIN, FINE, FOLKOW, GREENFIELD, GREGERSEN, KRAMER, NEIL, NICKERSON, RUSHMER, STRÖM, UVNÁS | 180 |
| <i>Hemorrhagic and post-hemorrhagic shock</i> (J. M. HOWARD) | 186 |
| <i>The effect of hypovolaemic (stagnant) and arterial hypoxia on the distri- bution of cardiac output in dogs and rats</i> (L. TAKÁCS) | 195 |

| | |
|---|-----|
| <i>Observations on haemo-respiratory effects of acute haemorrhage</i> (H. BJURSTEDT and J. C. G. COLERIDGE) | 200 |
| Discussion: ALLGÖWER, BACQ, BING, BOCK, BOHR, BREWIN, BULL, VON EULER, FINE, GELIN, GILBERT, GREGERSEN, GROSS, HÖKFELT, HOWARD, KRAMER, LILLEHEI, MIGONE, NICKERSON, SELKURT, SPINK, TAKÁCS | 205 |
| <i>Clinical aspects of traumatic shock</i> (J. P. BULL) | 216 |
| Discussion: BULL, FINE, GREGERSEN, NICKERSON | 222 |
| <i>Pathogenesis and therapy of shock due to infection: experimental and clinical studies</i> (W. W. SPINK) | 225 |
| <i>Toxic factors in shock (with special reference to burns)</i> (M. ALLGÖWER) | 240 |
| <i>On the pathogenetic therapy of shock</i> (B. K. OSSISOV) | 248 |
| <i>Myocardial shock</i> (K. MATTHES) | 253 |
| Discussion: BACQ, BIÖRCK, BULL, VON EULER, FINE, GROSS, HALPERN, LILLEHEI, MATTHES, NICKERSON, RUSHMER, SELKURT, SENNING, SPINK, TROELL | 267 |
| <i>Allergic shock</i> (B.-N. HALPERN) | 276 |
| Discussion: HALPERN, SPINK, UVNÄS | 291 |
| <i>Radiation shock</i> (Z. M. BACQ) | 293 |
| Discussion: BACQ, BEIN, FINE, GREGERSEN | 300 |
| <i>Shock and extracorporeal circulation</i> (Å. SENNING) | 304 |
| Discussion: HALPERN, KRAMER, LILLEHEI, NICKERSON, SENNING | 311 |
| <i>Humoral and myogenic factors in shock: evaluated by means of isolated arteriolar smooth muscle response</i> (D. F. BOHR and P. L. GOULET) | 314 |
| <i>Hypothermia in shock</i> (E. G. BREWIN) | 319 |
| Discussion: ADAMS-RAY, BACQ, BREWIN, FINE, GREGERSEN, HALPERN, IMHOF, KROG, MIGONE, NEIL, SENNING | 327 |
| <i>Fluid substitution in shock</i> (L.-E. GELIN) | 332 |
| <i>Further aspects of fluid substitution</i> (M. I. GREGERSEN) | 348 |
| Discussion: ALLGÖWER, BACQ, BULL, FOLKOW, GELIN, GREGERSEN, KRAMER, NEIL, NICKERSON, SELKURT | 351 |
| <i>Drug therapy of shock</i> (M. NICKERSON) | 356 |
| <i>Some aspects of treatment in shock</i> (G. STRÖM) | 371 |
| Discussion: GILBERT, LILLEHEI, NICKERSON, SPINK | 375 |
| <i>Closing remarks</i> (U. S. VON EULER) | 377 |
| List of authors | 380 |
| Subject index | 381 |

Participants in the Symposium on "SHOCK"

Stockholm, 27th—30th June, 1961

- ADAMS-RAY, J., Kirurgiska Avd., Karolinska Sjukhuset, Stockholm (Sweden)
- ALLGÖWER, M., Chirurgische Abteilung, Rätisches Kantons- und Regional-
spital, Chur (Switzerland)
- BACQ, Z. M., Laboratoire de Pathologie et Thérapeutique Générales, Uni-
versité de Liège, Liège (Belgium)
- BEIN, H. J., CIBA Research Laboratories, Basle (Switzerland)
- BELLMAN, S., Serafimerlasarettet, Stockholm (Sweden)
- BING, J., Universitetets Institut for Eksperimentel Medicin, København
(Danmark)
- BRÖCK, G., Serafimerlasarettet, Stockholm (Sweden)
- BJURSTEDT, H., Flyg- och Navalmedicinska Avd., Karolinska Institutet,
Stockholm (Sweden)
- BOCK, K. D., CIBA Research Laboratories, Basle (Switzerland)
- BOHR, D. F., Physiology Department, University of Michigan, Ann Arbor
(U.S.A.)
- BREWIN, E. G., Surgical Unit, St. Thomas's Hospital Medical School,
London (Great Britain)
- BULL, J. P., Industrial Injuries and Burns Research Unit, Birmingham
Accident Hospital, Birmingham (Great Britain)
- VON EULER, U. S., Fysiologiska Institutionen, Karolinska Institutet, Stock-
holm (Sweden)
- FINE, J., Department of Surgery, Harvard Medical School, Boston, Mass.
(U.S.A.)
- FOLKOW, B., Fysiologiska Institutionen, Göteborgs Universitet, Göteborg
(Sweden)
- GELIN, L.-E., Sahlgrenska Sjukhuset, Kir. Klin. II, Göteborgs Universitet,
Göteborg (Sweden)
- GILBERT, R. P., Department of Education and Research, Evanston Hospital
Association, Evanston, Ill. (U.S.A.)
- GREENFIELD, A. D. M., Department of Physiology, The Queen's University
of Belfast, Belfast (Northern Ireland)
- GREGGENSEN, M. I., Department of Physiology, College of Physicians and
Surgeons, Columbia University, New York, N. Y. (U.S.A.)
- GREGG, D. E., Department of Cardiorespiratory Diseases, Walter Reed
Army Medical Center, Washington, D. C. (U.S.A.)
- GROSS, F., CIBA Research Laboratories, Basle (Switzerland)
- HALPERN, B.-N., Centre de Recherches Allergiques et Immunologiques,
Hôpital Broussais, Paris (France)
- HÖKFELT, B., Endokrinologiska Avd., Karolinska Sjukhuset, Stockholm
(Sweden)
- HOWARD, J. M., Department of Surgery, Hahnemann Medical College,
Philadelphia, Pa. (U.S.A.)
- IMHOF, P., Lory-Abteilung, Inselspital, Bern (Switzerland)
- KRAMER, K., Physiologisches Institut der Universität, Göttingen (Germany)

- KROG, J., Institutt for Eksperimentell Medisinsk Forskning, Universitetet i Oslo, Oslo (Norway)
- LILLEHEI, R. C., Department of Surgery, The Medical School, University of Minnesota, Minneapolis (U.S.A.)
- MATTHES, K., Medizinische Universitätsklinik, Heidelberg (Germany)
- MIGONE, L., Istituto di Patologia Speciale Medica e Metodologia Clinica, Università di Parma, Parma (Italy)
- NEIL, E., Department of Physiology, Middlesex Hospital Medical School, London (Great Britain)
- NICKERSON, M., Department of Pharmacology and Therapeutics, Faculty of Medicine, University of Manitoba, Winnipeg (Canada)
- OSSIPOV, B. K., Department of Clinical Surgery, Central Institute for Postgraduate Study, Moscow (U.S.S.R.)
- RUSHMER, R. F., Department of Physiology and Biophysics, University of Washington School of Medicine, Seattle (U.S.A.)
- SELKURT, E. E., Department of Physiology, School of Medicine, Indiana University Medical Center, Indianapolis (U.S.A.)
- SENNING, Ä., Chirurgische Universitätsklinik A, Kantonsspital, Zürich (Switzerland)
- SPINK, W. W., Department of Medicine, The Medical School, University of Minnesota, Minneapolis (U.S.A.)
- STRÖM, G., Klin.-Fysiol. Avd., Akademiska Sjukhuset, Uppsala (Sweden)
- TAKÁCS, L., A Budapesti Orvostudományi Egyetem, II. Sz. Belklinikája, Budapest (Hungary)
- TROELL, L., Marinledningen, Fack, Stockholm (Sweden)
- UVNÄS, B., Farmakologiska Institutionen, Karolinska Institutet, Stockholm (Sweden)

Opening remarks

By

U. S. VON EULER

I should like to begin by saying how extremely pleased we are that so many of you have been able to attend this symposium. Yesterday I heard some rather favourable comments on the choice of participants at this meeting. I can only say that Dr. GROSS and I have simply picked the best men we knew. This is not precisely a conventional shock symposium, as you may have noticed. In the usual type of symposium on shock, those participating consist almost exclusively of experts on this particular problem. I am very happy that in this instance we have been able to have participants from several adjacent fields, particularly as I think everybody must now admit that the problem of shock has to be solved by joint efforts from many sources. We know that, in addition to surgery and clinical medicine, much information from the fields of physiology, pharmacology, endocrinology, clinical physiology, pathology, and allergy will be needed — not to mention biochemistry and biophysics; and I feel that it is only by uniting our efforts and pooling our knowledge that we may have some hope of arriving at a closer understanding of the pathogenesis and nature of shock. One of the advantages of a small meeting of this kind is that we do not need to give very lengthy accounts of our ideas or of the results on which they are based. Everybody here is a distinguished scientist, and I think this makes for free and frank discussion and brief presentations. On the other hand, I believe that many of us will be grateful for a little more detail as regards technical problems. We cannot each of us be versed in all the details of the technical questions dealt with, and therefore it is always very good to have a few explanatory comments on the techniques used. At least, speaking for myself, I have frequently found that ideas and concepts can be grasped quite quickly, but that one often requires further information on the underlying techniques.