

Power Systems

More information about this series at <http://www.springer.com/series/4622>

Canbing Li · Yijia Cao · Yonghong Kuang
Bin Zhou

Influences of Electric Vehicles on Power System and Key Technologies of Vehicle-to-Grid

 Science Press
Beijing

 Springer

Canbing Li
College of Electrical and Information
Engineering
Hunan University
Changsha, Hunan
China

Yonghong Kuang
College of Electrical and Information
Engineering
Hunan University
Changsha, Hunan
China

Yijia Cao
College of Electrical and Information
Engineering
Hunan University
Changsha, Hunan
China

Bin Zhou
College of Electrical and Information
Engineering
Hunan University
Changsha, Hunan
China

ISSN 1612-1287

Power Systems

ISBN 978-3-662-49362-5

DOI 10.1007/978-3-662-49364-9

ISSN 1860-4676 (electronic)

ISBN 978-3-662-49364-9 (eBook)

Jointly published with Science Press, Beijing

Library of Congress Control Number: 2016931295

© Science Press, Beijing and Springer-Verlag Berlin Heidelberg 2016

This work is subject to copyright. All rights are reserved by the Publishers, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

The publishers, the authors and the editors are safe to assume that the advice and information in this book are believed to be true and accurate at the date of publication. Neither the publishers nor the authors or the editors give a warranty, express or implied, with respect to the material contained herein or for any errors or omissions that may have been made.

Printed on acid-free paper

This Springer imprint is published by SpringerNature

The registered company is Springer-Verlag GmbH Berlin Heidelberg

Preface

With the rapid development of electric vehicles (EVs) as well as the promotion and application of vehicle-to-grid (V2G) technologies, EVs charging loads, as flexible loads, have the potential to participate in the grid services, including peak shaving and valley filling, frequency regulation (FR), emergency power, energy market participation, and so on. Therefore, great attention has been paid to EVs and V2G.

Focusing on the interactions between EVs and power system, this book aims to bring readers with basic knowledge of electrical engineering promptly to the frontier of the EVs' influence on power system and environment. This book may serve as a reference for scientists, electrical engineers, and postgraduate students majoring in electrical engineering or other related fields.


Outline of the Book

This book discusses electrical vehicles integration into power system on three aspects as follows.

In Chap. 1, the influence of EVs on power system through improving urban microclimate and its consequent effects of energy conservation and emission reduction are revealed.

In Chaps. 2–5, V2G technologies are elaborated. In our opinion, V2G technologies can be classified from different perspectives, as depicted in Fig. 1. In terms of the scale of charging stations, it can be divided into large and small scale; in terms of the response signals, it can be divided into electricity price, frequency and voltage; and in terms of the response mode, it can be divided into manual and automatic response.

In Chaps. 6 and 7, planning of EV charging facilities are discussed. Based on the reverse discharge capacity of EVs, advantages, disadvantages, and adaptive range of several typical schemes of the integration of charging facilities into the grid are

Fig. 1 Structure of V2G

explored, and a method of dividing EV charging facilities planning into different stages based on V2G is proposed.

The contents of each chapter are shown below.

In Chap. 1, the influence of EVs on power system through improving microclimate is elaborated. This chapter studies the interactions between urban microclimate and air-conditioner load in power system and the influence of large-scale EVs' integration into the grid on urban microclimate, and analyzes the indirect influence on power system and its consequent indirect energy-saving effects. This chapter is written by Prof. Canbing Li.

In Chap. 2, the response of EV charging load to time-of-use (TOU) power price is analyzed. Based on the existing research and the state of charge (SOC) curve, an optimized charging model for the regulated market is proposed in this chapter. By using the proposed method, EVs are able to reduce the cost of customers by adjusting charging power and time, thus achieving peak shaving in load demand. This chapter is written by Prof. Yijia Cao.

In Chap. 3, the response of EV charging loads to the grid voltage is analyzed, and a control strategy is proposed. In the proposed strategy, the alternate current (AC) side voltage of electric vehicle charging stations (EVCSs) is selected as the voltage signal and the EV user experience is taken into account. The response priority of EVs is updated real-time to avoid any EV participating in under-voltage load shedding (UVLS) for a long time. The simulation results show that EVs can help the grid voltage recover to an allowable range and EVs participating in UVLS can be fully charged within the time set by EV users. This chapter is written by Dr. Bin Zhou.

In Chap. 4, a coordinated control strategy for large-scale EVs, battery energy storage stations (BESSs), and traditional FR resources involved in automatic generation control (AGC) is presented. Response priorities and control strategies for the FR resources vary with different operating states. The simulation results show that the proposed method can not only fully utilize the advantages of EVs/BESSs, but also

achieve the coordination among different FR resources, thus improving the frequency stability. This chapter is written by Ms. Yonghong Kuang and Prof. Canbing Li.

In Chap. 5, an asynchronous control method for small-scale dispersed charging EVs to participate in FR is proposed. The results of simulations under different disturbances demonstrate that the gradual participation of EVs in FR can effectively alleviate the frequency deviations and avoid overshoot. This chapter is written by Ms. Yonghong Kuang.

In Chap. 6, three typical schemes of the integration of charging facilities into grid, including electric vehicle charging stations (EVCSs) directly integrated into or adjacent to 110 kV substations, EVCSs integrated into the tie point of looped distribution grid, and the parallel operation of special load with EVCSs, are explored. Furthermore, the advantages, disadvantages, and adaptive range of the above three typical schemes are demonstrated. This chapter is written by Dr. Bin Zhou and Prof. Canbing Li.

In Chap. 7, the EV charging facility planning is explored. Based on V2G, the planning is divided into three stages: demonstration stage, public service stage, and commercial operation stage. Characteristics of each stage are analyzed and the charging demand of each charging method is predicted based on the optimized model of charging methods put forward in this chapter. Results of the case studies reveal the applicability of this planning method. This chapter is written by Dr. Bin Zhou and Prof. Canbing Li.

In surveying this book, readers can obtain information about the interactions between EVs and power systems based on V2G. Although some work on EVs and power systems has been done in this book, there is still plenty of space for development in theory and applications.

Canbing Li
Yijia Cao
Yonghong Kuang
Bin Zhou

Acknowledgments

This book made a summary of our research results achieved in recent years, and many people contributed to this book in various ways. The authors are indebted to their students, Ph.D. Xubin Liu, M.S. Yujiao Chen, M.S. Miao Hu, M.S. Shuyun He, M.S. Rui Yang, and M.S. Xuedong Ren at Hunan University, for their assistance in preparing the materials, pointing out typos, and checking the whole book. Especially, we thank Prof. Jianguo Liu from Michigan State University, Dr. Jin Zhong from the University of Hong Kong, Dr. Jianhui Wang from Argonne National Laboratory, USA, Prof. Chongqing Kang from Tsinghua University, Dr. Peng Zhang from University of Connecticut, and postgraduate students from Hunan University and Zhengzhou University, including Ms. Lina He, Mr. Baling Fang, Mr. Long Zeng, Ms. Guoxuan Xiao, Ms. Mi Zhang, Ms. Haiqing Shi, Ms. Yinghui Geng, Ms. Jinju Zhou, Ms. Yu Liu, Mr. Yi Tan, Mr. Shengwei Tang, Mr. Zhikun Zhang, Mr. Junxiong Li, Mr. Chunyang Wu, Mr. Li Du, and all of the contributors from around the world who have contributed material to this book.

This book is supported by the Key Project of National Natural Science Foundation of China (Grant No. 51137003) and the National Natural Science Foundation of China (Grant No. 51507056). The authors really appreciate the support.

Canbing Li
Yijia Cao
Yonghong Kuang
Bin Zhou

Contents

1 Influences of EVs on Power System by Improving the Microclimate	1
1.1 Introduction	1
1.2 The Impact of Urban Microclimate on Electric ACEC	3
1.2.1 Case and Data Selection.	4
1.2.2 Electrical ACEC Data	5
1.2.3 Effect of UHIE on Perceived Temperature	7
1.2.4 Effect of THE on Perceived Temperature	8
1.2.5 Effect of CE on Perceived Temperature	9
1.3 Interaction Between Urban Microclimate and Electric ACEC	11
1.3.1 Comprehensive Effect of Urban Microclimate on Electric ACEC	11
1.3.2 The Feedback of Electric ACEC on Urban Microclimate.	12
1.4 Discussion About Interaction Between Urban Microclimate and Electric ACEC	13
1.5 The Influence of EVs on Urban Microclimate	16
1.6 Case Study on Influences of EVs on Urban Microclimate	17
1.7 Reduction of ACEC.	18
1.8 Conclusions	19
References	20
2 The Response of EV Charging Loads to TOU Price	25
2.1 Introduction	25
2.2 Optimized Charging Model in Response to TOU Price.	26
2.3 Algorithm	28
2.4 Case Study	30
2.4.1 Settings of Simulation	30
2.4.2 The Results and Analysis of Simulation	32
2.5 Conclusions	34
References	35

- 3 The Response of EV Charging Load to the Grid Voltage.** 37
 - 3.1 Introduction 37
 - 3.2 The Profile of the Proposed Strategy 39
 - 3.2.1 The Selection of Voltage Signal 39
 - 3.2.2 UVLS with the Participation of EV Charging Load 40
 - 3.3 Case Study 43
 - 3.3.1 Parameters and Model of Simulation 43
 - 3.3.2 Results of the Simulation 44
 - 3.4 Conclusions 47
 - References 48

- 4 The Response of Large-Scale EV Charging Loads to Frequency . . .** 49
 - 4.1 Introduction 49
 - 4.2 Characteristics of EV Charging Loads 49
 - 4.3 The Current Related Research of EVs on FR 50
 - 4.3.1 EVs’ Advantages in FR 50
 - 4.3.2 The Current Related Research of FR Based on the Coordination Among EVs, AGC, BESSs 51
 - 4.4 Properties of FR Resources 52
 - 4.4.1 Traditional FR Resources 52
 - 4.4.2 Large-Scale Energy Storage Devices 52
 - 4.4.3 EV/BESS FR Resource 53
 - 4.5 Coordinated Control Strategy for EVs/BESSs 55
 - 4.5.1 Coordination Principle 55
 - 4.5.2 Implementation Method for Coordinated FR 57
 - 4.6 Case Study and Results 62
 - 4.6.1 Simulation Model and Parameters 62
 - 4.6.2 Simulations of Power System FR 65
 - 4.7 Conclusions 69
 - References 69

- 5 The Asynchronous Response of Small-Scale Charging Facilities to Grid Frequency** 73
 - 5.1 Introduction 73
 - 5.2 Formulation of the Proposed Control Method 74
 - 5.3 The Demonstration of Coordination 75
 - 5.4 The Demonstration of Equality 77
 - 5.5 Case Study 78
 - 5.5.1 Simulation Model and Parameters 78
 - 5.5.2 Validation of Coordination 80
 - 5.5.3 Validation of Equality 82
 - 5.6 Conclusions 83
 - References 84

- 6 Analysis on Typical Schemes of the Integration of EV Charging Facilities into the Grid 87**
 - 6.1 Introduction 87
 - 6.2 Main Considerations on the Integration of Charging Facilities into the Grid 88
 - 6.3 Estimate of the EVCS’s Reverse Discharge Capacity 88
 - 6.4 Typical Schemes of the Integration of Charging Facilities into the Grid 89
 - 6.4.1 Schemes of the Integration of EVCPs into the Grid 89
 - 6.4.2 EVCSs Directly Integrated into or Adjacent to 110 kV Substations 90
 - 6.4.3 EVCSs Integrated into the Tie Point of Looped Distribution Grid 91
 - 6.4.4 Parallel Operation of EVCSs with the Special Important Load 93
 - 6.5 Conclusions 94
 - References 94
- 7 EV Charging Facility Planning 97**
 - 7.1 Introduction 97
 - 7.2 Stages of EV Charging Facility Planning 97
 - 7.3 Charging Modes Selection and Demand Forecasting 98
 - 7.3.1 Charging Modes Selection 98
 - 7.3.2 Charging Demand Forecasting 100
 - 7.4 Charging Facility Planning 101
 - 7.4.1 Planning Principles and Process 101
 - 7.4.2 Planning Model 102
 - 7.5 Case Study 103
 - 7.5.1 Analysis on Charging Mode Selection 103
 - 7.5.2 Analysis on Charging Facility Planning 104
 - 7.6 Conclusions 105
 - References 105

Abbreviations

ACE	Area control error
ACEC	Air-conditioning energy consumption
AGC	Automatic generation control
BESS	Battery energy storage station
CE	Cumulative effect
CHP	Combined heat and power
CV	Conventional vehicle
EER	Energy efficiency ratio
EMS	Energy management system
EPS	Emergency power supply
EV	Electrical vehicle
EVCP	Electric vehicle charging pile
EVCS	Electric vehicle charging station
FR	Frequency regulation
FSFD	Fixed step fixed delay
HII	Heat island intensity
LFC	Load frequency control
PHEV	Plug-in hybrid electric vehicle
SOC	State of charge
TBC	Tie-line bias control
THE	Temperature and humidity effect
TOU	Time-of-use
UHIE	Urban heat island effect
UPS	Uninterruptible power supply
UVLS	Under-voltage load shedding
V2G	Vehicle to grid
VSVD	Variable step variable delay
WAMS	Wide area monitoring system