

The Pattern of Animal Communities

BY THE SAME AUTHOR

The Ecology of Invasions by Animals and Plants

Animal Ecology

The Ecology of Animals



Aerial view of part of Wytham North Hill (looking north-west), with farmland beyond. West of the old London to Gloucester coach road on the left are young forest plantings, east of it deciduous woodland and scrub with enclaves of farm fields. Limestone grassland in bottom foreground and in centre. (Photo Hunting Surveys. 30 April 1960)

THE PATTERN OF
ANIMAL
COMMUNITIES

Charles S. Elton

*With photographs
mainly by D. A. Kempson
and the Author*



LONDON
CHAPMAN AND HALL

*First published in Great Britain in 1966
by Methuen and Co Ltd
Reprinted 1970*

*Published as a Science Paperback 1979
by Chapman and Hall Ltd
11 New Fetter Lane, London EC4P 4EE*

© 1966 Charles S. Elton

ISBN-13: 978-0-412-21880-4 e-ISBN-13: 978-94-009-5872-2
DOI: 10.1007/978-94-009-5872-2

*This paperback edition is
sold subject to the condition that it
shall not, by way of trade or otherwise, be
lent, re-sold, hired out, or otherwise circulated
without the publisher's prior consent in any form of
binding or cover other than that in which it is
published and without a similar condition being imposed
on the subsequent purchaser*

*All rights reserved. No part of
this book may be reprinted, or reproduced
or utilized in any form or by any electronic,
mechanical or other means, now known or hereafter
invented, including photocopying and recording,
or in any information storage or retrieval
system, without permission in writing
from the publisher*

*Distributed in the U.S.A. by Halsted Press,
a Division of John Wiley & Sons, Inc., New York*

To

THOMAS PARK

*whose laboratory experiments have
thrown so much light on Nature*

Contents

<i>List of Plates</i>	page 11
<i>List of Text Figures</i>	15
<i>Preface</i>	17
I PATTERNS IN NATURE	21
2 ECOLOGICAL SURVEY	29
3 WYTHAM HILL	45
4 THE CLASSIFICATION OF HABITATS	62
5 RECORDING COMMUNITIES: THE WYTHAM ECOLOGICAL SURVEY	80
6 OPEN GROUND AND MEADOW	95
7 HEATH, MOUNTAIN AND CROPLANDS	118
8 THE TERRESTRIAL MARITIME ZONE	142
9 SCRUB AND HEDGEROW	171
10 THE FOREST CANOPY: HERBIVORES	190
11 HUNTERS IN THE FOREST CANOPY	210
12 THE GROUND-PLAN OF WOODLAND	231
13 NATURAL FUEL STATIONS: CONCOURSES ON FLOWERS AND FRUITS	264
14 DYING AND DEAD WOOD	279
15 BRACKET FUNGI AND TOADSTOOLS	306
16 CARRION, DUNG AND NESTS	319
17 WOODS AND WATER BODIES	345
18 DISPERSAL AND INVADERS	361
19 THE WHOLE PATTERN	374
<i>References</i>	385
<i>Notes</i>	410
<i>Index</i>	418

Plates

Aerial view of Wytham Hill, looking north-west

frontispiece

Between pages 40 and 41

- 1 Patterned landscape of the R. Wye valley, Monmouthshire
- 2 The four terrestrial formation-types, Malvern Hills
- 3 Terrestrial formation-types in heavy frost, Wytham Woods
- 4 Zonation from sea to land, St Bride's Haven, Pembrokeshire
- 5 Aerial view of country at the head of Windermere
- 6 Aerial view of Wytham Hill, looking south-west
- 7 Aerial view of Wytham Hill, looking north-east
- 8 Aerial view north of Wytham Woods: a habitat exercise
- 9 Aerial view of the pattern of oak-ash-sycamore woodland
- 10 Aerial view of the four terrestrial formation-types, Wytham Woods

Between pages 104 and 105

- 11 High Arctic tundra on Reindeer Peninsula, West Spitsbergen
- 12 Open Ground and Field Type grassland, Rough Common, Wytham Woods
- 13-16 Stages from Open Ground to Field Type grassland, Wytham Woods
- 17 Mixed Open Ground and Field Type on Lake District mountains
- 18 Montane Open Ground on Cairn Gorm, Inverness-shire, seen from c. 3500 ft
- 19 Terrestrial Maritime formation-types at Broad Haven, Pembrokeshire
- 20 Terrestrial Maritime shingle bank, Chesil Beach, Dorset
- 21 Junction of Intertidal and Terrestrial Maritime zones, Druidston Haven, Pembrokeshire
- 22-23 View from above and close-up view of sand-dune system, R. Camel estuary, N. Cornwall
- 24 High double hawthorn hedge on chalk, Sheep Drove, Leckford, Hampshire

Between pages 184 and 185

- 25 Spindle, *Euonymus europaeus*, killed by rabbits, Leckford, Hampshire
- 26-27 The structure of oak tree canopy, Wytham Woods
- 28 A mouse-trapping team in Wytham Woods
- 29 Collecting from the field layer in an oak-ash-sycamore wood
- 30 Sample of small invertebrates extracted from one sq. metre of oak-sycamore woodland litter
- 31 Edge of a deciduous woodland ride, Wychwood Forest, Oxfordshire
- 32 Edge of oak-ash woodland with flowering shrubs, Wytham Woods

PLATES

- 33 Flowering ivy on an old farmhouse wall, Cumnor, Berkshire
34 Vertical layering of a glade in a pine wood, Loch Garten, Inverness-shire

Between pages 248 and 249

- 35 Pack-horses of Carruthers' expedition to Mongolia forcing their way through dense taiga in the Syansk Mountains
36 Fallen English elm branch on pasture, leaving nest-site for a kestrel
37 Glade in oak-ash-sycamore wood, Wytham
38 Stump of felled oak in glade, with honey-fungus, *Armillaria mellea*
39 Bracket of *Polyporus squamosus*, and holes of bark-beetles, *Scolytus scolytus*, on dead English elm branch
40 Galleries of elm bark-beetles, *Hylesinus fraxini*
41 Fallen beech branch a year or two old, with cracking bark
42 Remains of old rotting beech log in a glade
43-46 Common beetles in rotting wood, Wytham Woods. 43: *Melanotus rufipes*; 44: *Dorcus parallelipedus*; 45 & 46: *Sinodendron cylindricum*
47 Broken bole and fallen top of old beech tree hollowed by heart-rot

Between pages 296 and 297

- 48 Dead birch tree with brackets of *Polyporus betulinus*
49 *Tetratoma fungorum* feeding at night on under surface of *Polyporus betulinus*
50 *Polystictus versicolor* on a partly rotted large beech tree
51 Brackets of *Trametes rubescens* on dead beech branch
52 Underground brood-chamber of burying-beetle, *Necrophorus vespillo*, with corpse of small vertebrate
53 Corpses of various small vertebrates processed by *Necrophorus vespillo*
54 Cowpats in a pasture field, recently attacked by rooks
55 Sheep dung on grazed limestone grassland
56 Pasture with mounds of yellow ants, *Lasius flavus*, Wytham Park
57 Nest of wood-ant, *Formica aquilonia*, in pine wood, Glen Derry, Aberdeenshire
58 Mole-hills on pasture near R. Thames, Godstow, Oxfordshire
59 Part of the fauna extracted from a mole's nest
60 Tawny owl, *Strix aluco*, bringing an earthworm to its young in a tree nest-box, Wytham Woods
61 Massive sand excavations by badgers and their pathways, Wytham Woods

Between pages 328 and 329

- 62 Tree water-hole in a coppiced sycamore
63 Marl-pit pond on open farmland, Cheshire, with vegetation zones
64 Woodland pond, Wytham Woods, with vegetation zones
65 Gravel-pit lake, Cassington, Oxfordshire
66 Grisedale Tarn, a small mountain water in the Lake District
67 Aerial view of temporary winter lake caused by flooding of R. Thames, Port Meadow, Oxford
68 Windermere, the largest English lake
69 Aerial view of Wytham Park with spring sources marked

PLATES

- 70 Small woodland stream crossing a glade, Wychwood Forest, Oxfordshire
- 71-72 Small woodland stream under dense canopy, Wytham Woods
- 73 Upland torrent stream, Moor House, Westmorland
- 74 Lowland river: the R. Thames at Lechlade, Gloucestershire

Between pages 376 and 377

- 75 Aerial view of Marley Wood, Wytham Hill, with woodland marshes
- 76 Woodland marsh vegetation early in the year
- 77 R. Thames at Wolvercote, Oxfordshire, in winter, with pollard willows
- 78 Slow stream at Ferry Hinksey, Oxford, with pollard willows
- 79 Tidal salt-marsh vegetation zones on Scolt Island, Norfolk
- 80 Intertidal sands and sea-cliff grassland, Marloes Bay, Pembrokeshire
- 81 Aerial view of the NE. bend of the R. Thames by Wytham Hill, with flood meadows
- 82 Aerial view of the R. Thames bend with spring floods
- 83-84 Barnacle (*Balanus balanoides*) community on intertidal rocks, Marloes Bay, Pembrokeshire, with predatory mollusc *Nucella lapillus*
- 85 The sacred mountain Lake of Bogdo-ola in Outer Mongolia: an ancient conservation area
- 86 Return of vegetation in a working gravel pit near Standlake, Oxfordshire
- 87 Seral vegetation zones by a lane in Berkshire

Text Figures

1	Map of the geological structure of Wytham Hill	page 48
2	Terrestrial formation-types and their edges, with their vertical layers	68
3	Water bodies classified by size and speed	75
4	Species punch-card used in the Wytham Ecological Survey	86
5	Habitat card used by the Wytham Ecological Survey	92
6	Vertical temperature gradients in and over meadow grass and turf	111
7	Vertical gradients in temperature, wind speed and humidity in and over meadow grass with clover	112
8	Biomass of beetles in five succession stages on heathland at Mols, Jutland, Denmark	127
9	Composition of food of adult partridges, <i>Perdix perdix</i> , in Britain, at different seasons	137
10	Normal and abnormal pyramids of animal numbers according to size-classes in field layer of meadow in Michigan	140
11	Maritime distribution of marram grass, <i>Ammophila arenaria</i> , on sand-dunes	144
12	Maritime distribution of the spring squill, <i>Scilla verna</i> , on cliffs	145
13	Maritime (and some mountain) distribution of the sea-campion, <i>Silene maritima</i> , on cliffs and shingle	146
14	Maritime distribution of the salt-marsh grass, <i>Puccinellia maritima</i>	147
15	Maritime distribution of the pointed snail, <i>Cochlicella acuta</i>	148
16	Changes in soil organic matter from the drift-line across dune to dune heath, Halland, Sweden	161
17-18	Microclimate of a bare sand-dune at Blakeney Point, Norfolk	162
19	30-hour record of microclimates in and outside a marram grass tussock, Terschelling I., Netherlands	165
20	Pattern of canopy and spaces between trees in an oak-ash-sycamore wood at Wytham	195
21	Winter roosts and associated summer feeding areas of rooks, <i>Corvus frugilegus</i> , in the Oxford region, 1931-2	228
22	Weights of leaf litter samples of beech, oak and wych elm, November, May and August, in woodland at Dalby Söderskog, Sweden	240
23-24	Vegetation cover and trapping records of bank voles, <i>Clethrionomys glareolus</i> , and wood-mice, <i>Apodemus sylvaticus</i> , in the Chalet Woods, Wytham	253
25	Biomass of spiders through the seasons in vertical layers of deciduous woodland glade at Wytham	258
26	Seasonal changes in vertical distribution of harvestmen (Opiliones) in deciduous woodland at Wytham	259

TEXT FIGURES

- 27 Distribution map of water bodies on Wytham Hill 346
- 28 Distribution areas up to 1936 of the grey squirrel flea, *Orchopeas wickhami*,
introduced with its host into Britain 367